

Vesoi

*dare to be different...*



pensare, progettare, agire, intraprendere, osare, insistere, correggere, ripartire, fare!

oggi in molti concordano che innovazione e tradizione siano due concetti inscindibili, è sufficiente guardarsi intorno per trovarne conferma: dalla moda all'architettura, al design e fino al cibo, viviamo in simbiosi tra passato e futuro. sempre più di frequente si attinge a modelli di ieri per studiarne di nuovi. oggi molti sono gli oggetti della memoria che spesso rappresentano l'archetipo di un prodotto nato per esigenze di altri tempi, a noi piace riscoprirli e renderli attuali.

umana trasgressione

l'uomo è sempre più mezzo di produzione e di innovazione una m a c c h i n a in cui è racchiusa l'anima artigiana dell'azienda che in rapporto armonioso con la tradizione ha consentito l'approccio migliore alle nuove tecnologie, oggi più accessibili, così da facilitare i processi di produzione più avanzati che inevitabilmente portano ad una globalizzazione uniformante utilizzando nuovi materiali ed innovando nel rispetto del pianeta.

umana trasgressione

giochiamo con la luce anche guardando l' arte in un momento in cui risulta difficile distinguere oggetti artistici o ordinari, opera o contesto, alcune nostre luci o oggetti hanno alla base una istintiva fascinazione (la mia), al di là di qualsiasi teoria quasi una forma di comunicazione visiva applicata alla mia passione per mestiere.

umana trasgressione

mario.

welcome to our 2017 catalogue with lots of new designs, colours and materials. it's great with something new. especially when it comes with experience. this year we celebrate our 35 anniversary and we have learned our lessons. our concept is all set and our experience is carried through in everything we do.

we constantly challenge ourselves to develop designs that reflect the urban lifestyle and contemporany mood.

our commitment to creating good, honest and useful designs is still the same, our modular designs can be customized to fit your needs and tastes.

our dream to became the smallest indipendent italian decorative lighting factory in the word.

since the beginning 1981 in italy, lighting not only looks good, but is functional and good value for money too. we continued to have our own production in italy while working closely with select international suppliers who share our commitment to high quality, we believe in affordable luxury.

we are pride to offering you a highly professional service. you can find also 3d drawings on our website to visualize our luminaire in the comfort of your office.

turn the pages to find new inspiration and know that our 35 years of experience have been put to good use, so you can enjoy our mindmade design.

mario.

vesoi nasce nel 1981 continuando una tradizione vetraria di famiglia. subito voglia di fare e tradizione artigiana diventano motore e valori al tempo stesso: un'azienda indipendente in un piccolo mondo il nostro, in cui il lavoro è organizzato come un tempo tenendo viva la cultura del ben fatto. ogni apparecchio riflette una propria ispirazione di partenza, spesso espressa dal suo stesso nome ed è il risultato della somma di esperienze ormai per noi un elemento fondante.



vesoi was founded in 1981 continuing the family glass tradition and immediately the desire to do it and handcraft tradition become a motor and values at the same time: an independent company in a small world, where work is organized as one time keeping alive the culture of the well done. each device reflects its own initial inspiration, often expressed by his own name and this is the result of the sum of experiences that are now a fundamental element for us.







è grazie alle persone che incontriamo sul nostro cammino e con cui ci confrontiamo, ci arricchiamo e facciamo esperienze migliori. ed è per questo che voglio per prima cosa, ringraziare i miei collaboratori che in questi anni hanno contribuito alla nostra crescita e per avermi sostenuto nel trasformare le mie scelte o decisioni in azioni. il mio percorso senza di loro sarebbe stato probabilmente diverso e oggi sarei qui a raccontare un'altra storia.

fin da bambino mi incantava l'accendersi di una lampada (ina) rincorrevo con lo sguardo la sua ombra sui muri di casa che disegnava insolite forme.

oggi cerco di aprire nuove finestre di dialogo con i giovani, un vero patrimonio da cui attingere e su cui investire. ho creato un filo diretto tra impresa e scuola (università) perché i due mondi si conoscano, interagiscano e migliorino insieme.

mi sono seduto sempre più spesso tra i banchi, per imparare ai continui corsi di aggiornamento e per insegnare, formare e trasmettere le nostre conoscenze.

pochi gli elementi che sono un po' il mio credo:  
sogno, curiosità, etica, voglia di fare, competenza e fortuna.

sogno, la parte onirica della mia vita,  
curiosità, la mia continua ricerca,  
etica, il rispetto di tutto ciò che mi circonda,  
voglia di fare, il mio lavoro mi appassiona,  
competenza, studiare, studiare e studiare,  
fortuna, da napoletano non posso non crederci!  
mario.

*it is thanks to the people we meet on our way and we compare that enrich us and we do the best experiences. first of all I want thanks my co-workers who in recent years they have contributed to our growth over time and for supporting me in turning my choices or decisions in shares. my path without them would probably have been different and now i would be here to tell another story.*

*as a child enchanted me the kindling of a lamp I was running after it with eyes and his shadow on the house walls drawing unusual shapes.*

*now I try to open new windows for dialogue with young people, I created a direct link between the company and the school (university) because the two worlds meet, interact and grow together. I sat more and more frequently in the classroom to learn in the updating courses to teach and transmit our knowledge.*

*few things are also my creed:  
dream, curiosity, ethics, desire to do, skill and luck.*

*dream, the dreamlike part of my life,  
curiosity, my continued research,  
ethics, the respect of all that surrounds me,  
desire to do, I'm passionate of my work,  
competence, study, study and study,  
fortune, as neapolitan I can't do not believe it!  
mario.*



## consapevolezza all'acquisto - note importanti

si consiglia una lettura attenta per maggiore informazione sui nostri apparecchi per un migliore utilizzo e consapevolezza all'acquisto.

tutti gli apparecchi vesoi sono costruiti secondo le norme EN 60598-1 e sono forniti di conformità e marchio C€.

tutte le dimensioni sono espresse in centimetri.

la tensione di funzionamento è 230V 50Hz.

gli apparecchi sono generalmente forniti senza lampade, salvo diverse indicazioni specificate nel catalogo e nel listino corrente. le istruzioni di montaggio/manutenzione sono incluse nell'imballo. le indicazioni dei materiali, delle finiture e dei colori si riferiscono solo alle principali parti a vista dei prodotti.

le condizioni di garanzia sono precise all'interno del foglio di istruzione contenute in ogni apparecchio e conforme alla normativa europea 94/44 C€, per i diritti del consumatore ed è valida esclusivamente in europa.

### uso di materiali naturali:

l'utilizzo di materiali al naturale come ferro, ottone, cemento, conferisce agli apparecchi un diverso aspetto in base alla ossidazione naturale dei materiali che può variare in base al luogo di installazione.

### dimmerabilità:

tutti gli apparecchi tavolo/pavimento a catalogo possono essere forniti dimmerabili a richiesta con maggiorazione di prezzo con varialuce led passante su filo tecnologia trailing edge compatibile con le migliori marche di lampade led sul mercato europeo.

### dimmerabilità attacchi E14 - E27 - G9:

tutti gli apparecchi a catalogo con questi attacchi-portalampade possono essere dimmerabili da remoto con driver utilizzando lampade dimmerabili tecnologia trailing edge delle migliori marche sul mercato europeo.

### dimmerabilità led:

tutti gli apparecchi a catalogo con sorgente led integrata sono fornibili a richiesta con maggiorazione di prezzo in potenze superiori e/o dimmerabili da remoto con driver-dim.

### vetri soffiati:

sono prodotti artigianalmente e possono avere colori, spessori e finiture variabili che ne confermano l'unicità.

### esecuzioni speciali s o l o p e r t e:

è possibile fornire a richiesta apparecchi realizzati con esecuzioni speciali generalmente per tutti i modelli a catalogo con maggiorazione di prezzo indicato nella relativa conferma d'ordine.

### progetti speciali s o l o p e r t e:

generalmente è possibile realizzare prodotti speciali non a catalogo. potete sottoporre al nostro ufficio tecnico le vostre idee o progetti, vi forniremo informazioni e supporto, disegni tecnici e files 3Ds del progetto.

per qualsiasi ulteriore informazione contattare direttamente il nostro ufficio commerciale.

## awareness to buy - important notes

we recommend a careful reading of this notes for more information on our luminaire and a better use and adaptability and awareness to buy.

### general notes:

all vesoi's luminaire are built according to EN 60598-1 and are provided with conformity and trademark C€.

all dimensions are expressed in centimeters.

the voltage is 230V 50Hz.

the luminaires are generally supplied without lamps, unless otherwise specified in the catalog and in the current list.

assembly / maintenance instructions are included in the packaging.

the indications of materials, finishes and colors refer only to the main view parts of the products. the warranty conditions are set out in the instruction sheet contained in each luminaire and complies with european consumer rights act 94/44 C€, and is valid only in europe.

### use of natural materials:

the luminaire built with parts in natural raw brass, iron, solid my have a different oxidized aspect that may changes in according of umidity of installation site.

### dimmer

in all table/floor luminaire can be supplied dimmable on demand with a price surcharge with cord set led dimmer with trailing edge tecnology compatible with better brand led lamp on the european market. vesoi reserves the right to make any technical or formal changes without notice, especially for led sources.

### dimmer socket E14 - E27 - G9:

all vesoi luminaire with indicated lamp holders can be control with remote control driver-dim using dimmer lamps according with trailing edge tecnology present on the european market.

### dimmer led:

all luminaires with integrated led source can be supplied in higher power output and/or dimmable remote control on demand with price surcharge. vesoi reserves the right to make any technical or formal changes without notice, especially for led sources.

### blown glasses:

they are made handcrafted and can have varying colors, thicknesses and finishes that confirm their uniqueness.

### special luminaire Made To Order:

special executions can be supplied on demand, generally for all luminaire at catalogue. please let us have your request directly at our sales office.

### special project Made To Order:

generally is possible realize and you can submit your ideas or projects to our technical office. we will provide you with technical support adn information in addition to the relevant technical drawings and 3Ds files of the project. for any further information contact directly our sales office.

catalogo e sito web sono un'occasione importante per comunicare autonomamente la nostra identità. nella seconda parte del catalogo troverete la sezione dedicata a tutti i prodotti del programma IDEA e quelli ad esso assimilabili concettualmente e costituiti principalmente da coprifilo, cavo, portalampade, lampada, a seguire i loro accessori e le lampade speciali selezionate per i nostri apparecchi che aggiungendo valore, versatilità ed equilibrio, affermano la loro non appartenenza.




*in the second part of this catalogue 2017 you will find the special section dedicated to all products or with comparable mood of our IDEA program, basically consisting in simply canopy, electric cable, lamp-holder, lamp-bulb accessory and our special bulb lamps selection for our luminaires add value, versatility, balance, affirming their unusual taste of contemporany classic.*

## indice generale / general index

<b>multiplo</b>	013	<b>wl</b> 130	213	<b>ideatelaio</b>	365
<b>travetta</b>	027	<b>idealed</b>	217	<b>ideastucco</b>	387
<b>hob</b>	031	<b>per E</b>	227	<b>ideacemento</b>	393
<b>ics</b>	049	<b>i...no</b>	231	<b>ideamillecinquecento</b>	405
<b>caro</b>	055	<b>sentou</b>	239	<b>ideabarra</b>	409
<b>tambour</b>	063	<b>lumone</b>	243	<b>ideafixed</b>	415
<b>m.t.o.</b>	073	<b>dedo</b>	247	<b>erocosì</b>	421
<b>close-up</b>	083	<b>gessoe27</b>	251	<b>c'eraunidea</b>	433
<b>ambarabà-cicì-cocò</b>	089	<b>gessoled</b>	255	<b>idea</b>	455
<b>eretta</b>	099	<b>affilo</b>	259	<b>idea acc. disco loop</b>	473
<b>trepìè</b>	103	<b>cubo</b>	265	<b>e 19</b>	481
<b>t 25</b>	109	<b>palla</b>	269	<b>e 61</b>	491
<b>t-five</b>	117	<b>bice</b>	277	<b>lumen</b>	501
<b>tubetto</b>	121	<b>tiges</b>	281	<b>e one</b>	505
<b>pallatre</b>	135	<b>seamless</b>	301	<b>ptl E40</b>	509
<b>tratto</b>	147	<b>area</b>	303	<b>barattolo</b>	513
<b>tiramisù</b>	151	<b>fuse</b>	305	<b>cappuccino</b>	521
<b>ocono</b>	159	<b>sospesa</b>	311	<b>bottles</b>	529
<b>puntina</b>	163	<b>flex</b>	315	accessori/accessories	538
<b>ubrass</b>	173	<b>striplin</b>	331	lampade/bulbs	550
<b>c-yil</b>	181	<b>interferenza</b>	335	oggetti: vai su	<b>vesoi.com</b>
<b>spazio</b>	191	<b>scar</b>	337	object: visit	<b>vesoi.com</b>
<b>pic</b>	197	<b>gioiello</b>	343		
<b>dondolo</b>	201	<b>infedele</b>	349		
<b>tiperde</b>	205	<b>ideabinario</b>	359		

## indice per applicazioni/application index




### tavolo/table

### pavimento/floor

### parete/wall

### parete/soffitto wall/ceiling


ambarabà-cicì-cocò	089	c'eraunidea	444	ambarabà-cicì-cocò	089	affilo	259
barattolo	513	c-yi	183	barattolo	513	area	303
c'eraunidea	433	caro	055	bottles	529	bice	277
cappuccino	521	e one	505	cappuccino	521	cappuccino	524
cubo	265	flex	315	c'eraunidea	433	gesso E27	251
dedo	247	fuse	305	close-up	083	gessoled	255
dondolo	201	ics	051	cubo	265	ideacemento	393
e one	505	idea	455	e 19	482	ideafixed	415
eretta	099	ideatelaio	374	e 61	494	multiplo	018
flex	315	i...no	231	e one	505	per E	227
fuse	305	lumone	243	erocosì	422	pic	197
hob	031	pallatre	136	flex	315	sentou	239
idea	461	puntina	164	fuse	305	spazio	192
ideacemento	393	sospesa	311	hob	031	striplin	331
ideamillecinquecento	405	spazio	191	idea	461	tiges	281
ideatelaio	370	tiramisù	152	ideacemento	393	u brass	173
10 multiplo	013	trepie	103	ideatelaio	365		
palla	269			infedele	349		
pallatre	136			interferenza	335		
pti E40	509			puntina	163		
puntina	163			scar	337		
tambour	063			seamless	301		
tiramisù	151			t 25	109		
trepie	103			tambour	063		
				tiges	281		
				tiperdue	205		
				tratto	147		
				wl 130	213		



soffitto/ceiling		sospensione/suspension		incasso/recessed		oggetti/object	
c'eraunidea	433	ambarabà-cicì-cocò	090	affilo	259	per... appendere - hook	gancio
c-yil	182	barattolo	514	cappuccino	521	per... bere	bicchiere
cappuccino	524	bottles	529	gesso E27	251	per... il bulbo vaso	monofiore
caro	059	c'eraunidea	433	gessoled	255	per... il bulbo vaso led	monofiore
cubo	265	c-yil	181	idea	461	per... il bulbo vaso parete	monofiore
e 19	481	cappuccino	524	ideabinario	361	per... il caffè	tazzine
e 61	491	caro	055	interferenza	335	per... la candela bourbon	candela
flex	323	e 19	481	per E	227	per... la candela litro	candela
gioiello	343	e 61	491	puntina	163	per... le carte	portabiglietto
ics	049	e one	505	tiges	281	per... le chiavi	portachiavi
ideabinario	359	erocosì	421	tratto	147	per... le cose	piattino
ideacemento	393	fuse	306	tubetto	121	per... la penna	portapenna
ideatelaio	370	gioiello	347			per... la posta	cartolina
palla	270	i...no	231			per... trecentosessantacinque	
puntina	163	ics	049				calendario
scar	337	idea	466				
tiges	291	ideabarra	409			per... gli oggetti vai su for...the object only on	vesoi.com
tiperde - tipercinque	205	ideabinario	359				vesoi.com
tubetto	121	ideacemento	394				
		idealed	217				
		ideamillecinquecento	405				
		ideatelaio	372				
		ideastucco	387				
		i...no	231				
		infedele	349				
		lumen	501				
		m.t.o.	073				
		multiplo	023				
		ocono	159				
		palla	270				
		pallatre	135				
		ptl E40	509				
		scar	338				
		t 25	109				
		t-five	117				
		tambour	069				
		tiramisù	151				
		tratto	147				
		travetta	027				
		tubetto	123				
		u brass	173				




# multiplo - 2017



apparecchio da tavolo, parete/soffitto e sospensione con struttura in ottone grezzo non trattato con fissaggi a vite e gruppo luce verniciato bianco o nero. diffusore in vetro soffiato bianco-latte triplex o trasparente. versione sospensione regolabile in altezza su cavi di tenuta in acciaio.

table, wall/ceiling and suspension luminaire with structure in raw brass untreated with screw and metal painted white or black. diffuser in blown glass opal triplex or clear. suspension version adjustable in length on iron wire.



## multiplo 24/Ip1 on/off

G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

### finiture/finishes

### codice/code

ottone grezzo non trattato/bianco - bianco-latte

lp00294

natural raw brass untreated/white - opal

ottone grezzo non trattato/bianco - trasparente

lp00295

natural raw brass untreated/white - clear

ottone grezzo non trattato/nero - bianco-latte


lp00296

natural raw brass untreated/black - opal

ottone grezzo non trattato/nero - trasparente

lp00297

natural raw brass untreated/black - clear



## multiplo 24/Ip2 on/off

2 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte

lp00290

natural raw brass untreated/white - opal

lp00291

ottone grezzo non trattato/bianco - trasparente

lp00292

natural raw brass untreated/white - clear

ottone grezzo non trattato/nero - bianco-latte

lp00293


natural raw brass untreated/black - opal

ottone grezzo non trattato/nero - trasparente

lp00294

natural raw brass untreated/black - clear

13



## multiplo 40/Ip1 on/off

G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte

lp00302

natural raw brass untreated/white - opal

lp00303

ottone grezzo non trattato/bianco - trasparente

lp00304

natural raw brass untreated/white - clear

lp00305

ottone grezzo non trattato/nero - bianco-latte

lp00306


natural raw brass untreated/black - opal

lp00307

ottone grezzo non trattato/nero - trasparente

lp00308

natural raw brass untreated/black - clear



## multiplo 40/Ip2 on/off

2 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte

lp00298

natural raw brass untreated/white - opal

lp00299

ottone grezzo non trattato/bianco - trasparente

lp00300

natural raw brass untreated/white - clear

lp00301

ottone grezzo non trattato/nero - bianco-latte

lp00302

natural raw brass untreated/black - opal

lp00303

ottone grezzo non trattato/nero - trasparente

lp00304


natural raw brass untreated/black - clear











**multiplo 80/Ip1 on/off**

E27 max 60w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+

finiture/finishes	codice/code
ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	lp00310
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	lp00311
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	lp00312
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	lp00313


**multiplo 80/Ip2 on/off**


2 E27 max 60w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	lp00306
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	lp00307
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	lp00308
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	lp00309

 versioni da tavolo fornibili a richiesta dimmerabili con maggiorazione  
 table versions supplied dimmable with surcharge on demand


18


**multiplo 24/sp1**

G9 max 40w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+


ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	sp00107
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	sp00108
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	sp00109
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	sp00110


**multiplo 24/sp2**

2 G9 max 40w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+


ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	sp00103
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	sp00104
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	sp00105
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	sp00106


**multiplo 40/sp1**

G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+


finiture/finishes	codice/code
ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	sp00115
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	sp00116
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	sp00117
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	sp00118


**multiplo 40/sp2**

2 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+


ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	sp00111
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	sp00112
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	sp00113
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	sp00114


**multiplo 80/sp1**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	sp00123
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	sp00124
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	sp00125
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	sp00126


**multiplo 80/sp2**

2 E27 max 60w


compatibile con lampade classe C→A+  
compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	sp00119
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	sp00120
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	sp00121
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	sp00122









**multiplo 24/s1**

G9 max 40w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+


finiture/finishes	codice/code
ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	so01368
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	so01369
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	so01370
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	so01371


**multiplo 24/s2**

2 G9 max 40w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	so01364
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	so01365
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	so01366
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	so01367


**multiplo 40/s1**


G9 max 40w

 compatibile con lampade classe C→A+  
 compatible with lamps class C→A+


ottone grezzo non trattato/bianco - bianco-latte natural raw brass untreated/white - opal	so01376
ottone grezzo non trattato/bianco - trasparente natural raw brass untreated/white - clear	so01377
ottone grezzo non trattato/nero - bianco-latte natural raw brass untreated/black - opal	so01378
ottone grezzo non trattato/nero - trasparente natural raw brass untreated/black - clear	so01379



finiture/finishes	codice/code
ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	so01372
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	so01373
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	so01374
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	so01375



**multiplo 40/s2**  
2 G9 max 40w  
compatibile con lampade classe C→A+  
compatible with lamps class C→A+




**multiplo 80/s1**  
E27 max 60w  
compatibile con lampade classe C→A+  
compatible with lamps class C→A+

ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	so01384
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	so01385
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	so01386
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	so01387

24

**multiplo 80/s2**  
2 E27 max 60w  
compatibile con lampade classe C→A+  
compatible with lamps class C→A+



ottone grezzo non trattato/bianco - bianco-latte <i>natural raw brass untreated/white - opal</i>	so01380
ottone grezzo non trattato/bianco - trasparente <i>natural raw brass untreated/white - clear</i>	so01381
ottone grezzo non trattato/nero - bianco-latte <i>natural raw brass untreated/black - opal</i>	so01382
ottone grezzo non trattato/nero - trasparente <i>natural raw brass untreated/black - clear</i>	so01383






# travetta

- 2017



apparecchio a sospensione regolabile in altezza su cavi di tenuta in acciaio e struttura interna in alluminio ed esterna in legno di rovere massello con finitura naturale. il diffusore in PMMA opale.

suspension luminaire adjustable lenght on iron wire with structure in solid rovere natural wood with inner structure in aluminium and PMMA opal diffuser.



**travetta 100/so**  
23w 2200lm 2700K 24V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


finiture/finishes



codice/code

legno naturale/natural wood

so01344



**travetta 150/so**  
35w 3300lm 2700k 24V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

legno naturale/natural wood

so01345

27











# hob - 2016



apparecchio da parete e tavolo in acciaio verniciato totalwhite, totalblack o galvanizzato finitura ottonato brunito spazzolato-matt. anche in ottone grezzo non trattato con alimentazione decentrata e cavo elettrico rivestito in tessuto nero, interruttore on/off integrato e spina EU assemblata.

wall and table luminaire in iron painted totalwhite, totalblack or galvanized finished old brassed brushed-matt. also in raw brass untreated and with decentralized power cable in black fabric coated, on/off switch integrated and plug EU assembled.



**hob 30/Ip on/off**

E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+

finiture/finishes

codice/code

totalwhite

lp00243

totalblack

lp00244


ottonato brunito spazzolato-matt/old brassed brushed-matt lp00245

ottone grezzo non trattato/raw brass untreated

lp00246



codice/code



**hob 30/ap on/off sx-dx**

E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+

totalwhite

ap00785


totalblack

ap00786

ottonato brunito spazzolato-matt/old brassed brushed-matt ap00788



31



**hob 40/ap sx**

E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+


totalwhite

ap00728

totalblack

ap00729

ottonato brunito spazzolato-matt/old brassed brushed-matt ap00730



**hob 60/ap sx**

2 E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+


totalwhite

ap00732

totalblack

ap00733

ottonato brunito spazzolato-matt/old brassed brushed-matt ap00734



**hob 85/ap sx**

3 E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+

totalwhite

ap00736

totalblack

ap00737


ottonato brunito spazzolato-matt/old brassed brushed-matt ap00738





finiture/finishes

codice/code

**hob 30/ap dec. on/off sx dx**


E27 max 60w

compatibile con lampade classe E→A+

compatible with lamps class E→A+

ottone grezzo non trattato/raw brass untreated

ap00787

**hob 40/ap dec. on/off sx**


E27 max 60w

compatibile con lampade classe E→A+

compatible with lamps class E→A+

ottone grezzo non trattato/raw brass untreated

ap00743

**hob 60/ap dec. on/off sx**

2 E27 max 60w


compatibile con lampade classe E→A+

compatible with lamps class E→A+

ottone grezzo non trattato/raw brass untreated

ap00747

32

**hob 85/ap dec. on/off sx**

3 E27 max 60w

compatibile con lampade classe E→A+

compatible with lamps class E→A+

ottone grezzo non trattato/raw brass untreated

ap00751

a richiesta fornite con gruppo luci a destra senza maggiorazione  
lights on right without surcharge on demanda richiesta con led di cortesia e doppia accensione con maggiorazione  
courtesy led and double lighting with surcharge on demand




33

con luce a destra a richiesta  
*with light right side on demand*









***when  
nothing g  
go left!***


*oes right,*

Vac







luce di cortesia a richiesta  
*courtesy light on demand*






colore a richiesta  
color on demand





















apparecchio a sospensione regolabile in altezza su cavi di tenuta in acciaio con struttura in alluminio verniciato totalwhite o totalblack o ottone grezzo non trattato. anche in versione pavimento e soffitto. diffusore in vetro soffiato bianco-latte triplex o trasparente.

suspension luminaire adjustable in lenght on iron wire with aluminium structure painted totalwhite or totalblack or raw brass untreated. also floor and ceiling version. diffuser in blow glass opal triplex or clear.



**ics 65/so**


4 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

finiture/finishes

codice/code

totalwhite - bianco-latte/opal	so01352
totalwhite - trasparente/clear	so01353
totalblack - bianco-latte/opal	so01354
totalblack - trasparente/clear	so01355
ottone grezzo non trattato - bianco-latte <i>natural raw brass untreated/opal</i>	so01356
ottone grezzo non trattato - trasparente <i>natural raw brass untreated/clear</i>	so01357




**ics 90/so**

6 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite - bianco-latte/opal	so01358
totalwhite - trasparente/clear	so01359
totalblack - bianco-latte/opal	so01360
totalblack - trasparente/clear	so01361
ottone grezzo non trattato - bianco-latte <i>natural raw brass untreated/opal</i>	so01362
ottone grezzo non trattato - trasparente <i>natural raw brass untreated/clear</i>	so01363




**ics 145/so**

10 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite - bianco-latte/opal	so01346
totalwhite - trasparente/clear	so01347
totalblack - bianco-latte/opal	so01348
totalblack - trasparente/clear	so01349
ottone grezzo non trattato - bianco-latte <i>natural raw brass untreated/opal</i>	so01350
ottone grezzo non trattato - trasparente <i>natural raw brass untreated/clear</i>	so01351




**ics 90/pl**

6 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite - bianco-latte/opal	pl01790
totalwhite - trasparente/clear	pl01791
totalblack - bianco-latte/opal	pl01792
totalblack - trasparente/clear	pl01793
ottone grezzo non trattato - bianco-latte <i>natural raw brass untreated/opal</i>	pl01794
ottone grezzo non trattato - trasparente <i>natural raw brass untreated/clear</i>	pl01795





**iCs 190/ph** on/off  
6 G9 max 40w  
compatibile con lampade classe C→A+  
compatible with lamps class C→A+

finiture/finishes



codice/code

<i>totalwhite</i> - bianco-latte/opal	ph00299
<i>totalwhite</i> - trasparente/clear	ph00300
<i>totalblack</i> - bianco-latte/opal	ph00301
<i>totalblack</i> - trasparente/clear	ph00302
ottone grezzo non trattato - bianco-latte <i>natural raw brass untreated/opal</i>	ph00303
ottone grezzo non trattato - trasparente <i>natural raw brass untreated/clear</i>	ph00304








tributo all'artista londinese anthony caro (1924-2013)  
tra i più significativi scultori del secolo  
pioniere e innovatore nell'uso dell'acciaio industriale.


*tribute to the londoner artist sir anthony caro (1924-2013)  
one of the most significant sculptors of his generation  
pioneering a new means of expression through  
his innovative use of industrial steel.*





apparecchio da pavimento, sospensione regolabile in altezza su cavi di tenuta in acciaio. corpo in alluminio verniciato giallo, totalwhite o galvanizzato ottone-matt, brunito scuro-matt, ramato brunito spazzolato-matt, ottone brunito spazzolato-matt e cavo elettrico nero rivestito in tessuto. anche in versione soffitto solo con driver incasso.

floor, ceiling, suspension luminaire adjustable in lenght on iron cable, aluminium structure painted yellow, totalwhite or galvanized brass matt, old dark brass-matt, copper brushed matt, old brassed brushed-matt and black electric cable fabric coated. also ceiling version only with driver recessed.




### caro 50/ph

33w 24V 3300lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



### caro 180/so orizzontale

33w 24V 3300lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



### caro 180/so verticale

33w 24V 3300lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### finiture/finishes



#### codice/code

totalwhite	ph00088
brunito scuro-matt/dark old-brass-matt	ph00090
ottenato-matt/brass-matt	ph00089
ottenato brunito spazzolato-matt/old brassed brushed-matt	ph00328
ramato brunito spazzolato-matt/copper brushed-matt	ph00094

#### totalwhite

totalwhite	ph00104
brunito scuro-matt/dark old brass-matt	ph00105
ottenato-matt/brass-matt	ph00107
ottenato brunito spazzolato-matt/old brassed brushed-matt	ph00329
ramato brunito spazzolato-matt/copper brushed-matt	ph00106

55

#### giallo/yellow

totalwhite	so01181
brunito scuro-matt/old dark brass-matt	so01182
ottenato-matt/brass-matt	so01184
ottenato brunito spazzolato-matt/old brassed brushed-matt	so01191
ramato brunito spazzolato-matt/copper brushed-matt	so01183



#### giallo/yellow

totalwhite	so01185
brunito scuro-matt/old dark brass-matt	so01186
ottenato-matt/brass-matt	so01188
ottenato brunito spazzolato-matt/old brassed brushed-matt	so01192
ramato brunito spazzolato-matt/copper brushed-matt	so01187

a richiesta anche dimmerabile da remoto  
also remote dimmable on demand







**caro 180/pl**

33w 24V 3300lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

180

## finiture/finishes

## codice/code


giallo/yellow	pI01568
totalwhite	pI01569
brunito scuro-matt/old dark brass-matt	pI01570
ottonato-matt/brass-matt	pI01572
ottonato brunito spazzolato-matt/old brassed brushed-matt	pI01573
ramato brunito spazzolato-matt/copper brushed-matt	pI01571



a richiesta dimmerabile da remoto  
also remote dimmable on demand

versione soffitto in foto solo con driver remoto  
version ceiling in photo only with remote driver











# tambour - 2017




apparecchio da tavolo, parete e sospensione con struttura in acciaio verniciato bianco o nero e chiusura in ottone grezzo non trattato.


table, wall and suspension luminaire with iron structure painted in white or black and cover in natural raw brass untreated.



**tambour 16/Ip on/off**  
2,4w 700mA 144lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*




**tambour 20/Ip on/off**  
4w 350mA 280lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*




**tambour 30/Ip on/off**  
4w 350mA 280lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**tambour 16/ap**  
9w 800lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**tambour 20/ap**  
13w 1150lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**tambour 30/ap**  
26w 2300lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes	codice/code
-------------------	-------------

totalwhite	lp00275
totalblack	lp00276
ottone grezzo non trattato/nero	lp00278
natural raw brass untreated/black	
ottone grezzo non trattato/bianco	lp00279
natural raw brass untreated/white	

totalwhite	lp00280
totalblack	lp00281
ottone grezzo non trattato/nero	lp00283
natural raw brass untreated/black	
ottone grezzo non trattato/bianco	lp00284
natural raw brass untreated/white	

totalwhite	lp00285
totalblack	lp00286
ottone grezzo non trattato/nero	lp00288
natural raw brass untreated/black	
ottone grezzo non trattato/bianco	lp00289
natural raw brass untreated/white	

63



totalwhite	ap00836
totalblack	ap00837
ottone grezzo non trattato/nero	ap00839
natural raw brass untreated/black	
ottone grezzo non trattato/bianco	ap00840
natural raw brass untreated/white	

totalwhite	ap00841
totalblack	ap00842
ottone grezzo non trattato/nero	ap00844
natural raw brass untreated/black	
ottone grezzo non trattato/bianco	ap00845
natural raw brass untreated/white	

totalwhite	ap00846
totalblack	ap00847
ottone grezzo non trattato/nero	ap00849
natural raw brass untreated/black	
ottone grezzo non trattato/bianco	ap00850
natural raw brass untreated/white	















**tambour 16/so dec.**  
9w 800lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*




finiture/finishes	codice/code
<i>totalwhite</i>	so01309
<i>totalblack</i>	so01310
ottone grezzo non trattato/nero	so01312
<i>natural raw brass untreated/black</i>	
ottone grezzo non trattato/bianco	so01313
<i>natural raw brass untreated/white</i>	



**tambour 20/so dec.**  
13w 1150lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	so01314
<i>totalblack</i>	so01315
ottone grezzo non trattato/nero	so01317
<i>natural raw brass untreated/black</i>	
ottone grezzo non trattato/bianco	so01318
<i>natural raw brass untreated/white</i>	



**tambour 30/so dec.**  
26w 2300lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	so01319
<i>totalblack</i>	so01320
ottone grezzo non trattato/nero	so01322
<i>natural raw brass untreated/black</i>	
ottone grezzo non trattato/bianco	so01323
<i>natural raw brass untreated/white</i>	











apparecchio modulare con cavo elettrico da 50 a 300cm e corpo in alluminio tornito che integra modulo led, dissipatore ed ottica. finiture verniciato totalwhite o totalblack, galvanizzato cromo, oro, brunito spazzolato-matt. speciale cavo elettrico coassiale anche in versione globo fornito con diffusore in vetro opale o trasparente. ottiche disponibili a scelta: 30°-90°-180°. alimentazione pavimento, parete, soffitto. altre lunghezze e colori del cavo elettrico a richiesta.

*made to order luminaire with light cable from 50 to 300cm with aluminium body integrated led module, heat sink and optic. body finished painted totalwhite and totalblack, galvanized in chrome, gold, old brass brushed. also with globe glass diffuser opal or clear. optic available: 30°-90°-180°. floor, wall, ceiling power driver holder. other lengths and color cables on demand.*




**m.t.o. 10/so**  
2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes	codice/code
totalwhite - cavo da 50 a 300cm	so00985
totalwhite - cable from 50 to 300cm	
totalblack - cavo da 50 a 300cm	so00986
totalblack - cable from 50 to 300cm	
cromo-cavo elettrico trasparente da 50 a 300cm	so00987
chrome-clear electric cable from 50 to 300cm	
oro-cavo elettrico bianco da 50 a 300cm	so00988
gold-white electric cable from 50 to 300cm	
brunito spazzolato-cavo elettrico nero da 50 a 300cm	so01029
old brass brushed-black electric cable from 50 to 300cm	



**m.t.o. 10/s2**  
2 x 2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


totalwhite - cavo da 50 a 300cm	so00977
totalwhite - cable from 50 to 300cm	
totalblack - cavo da 50 a 300cm	so00978
totalblack - cable from 50 to 300cm	
cromo-cavo elettrico trasparente da 50 a 300cm	so00979
chrome-clear electric cable from 50 to 300cm	
oro-cavo elettrico bianco da 50 a 300cm	so00980
gold-white electric cable from 50 to 300cm	
brunito spazzolato-cavo elettrico nero da 50 a 300cm	so01027
old brass brushed-black electric cable from 50 to 300cm	




**m.t.o. 10/s3**  
3 x 2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite - cavo da 50 a 300cm	so00993
totalwhite - cable from 50 to 300cm	
totalblack - cavo da 50 a 300cm	so00994
totalblack - cable from 50 to 300cm	
cromo-cavo elettrico trasparente da 50 a 300cm	so00995
chrome-clear electric cable from 50 to 300cm	
oro-cavo elettrico bianco da 50 a 300cm	so00996
gold-white electric cable from 50 to 300cm	
brunito spazzolato-cavo elettrico nero da 50 a 300cm	so01031
old brass brushed-black electric cable from 50 to 300cm	





esecuzione speciale a richiesta  
special version on demand



**m.t.o. 10/s6**

6 x 2,5w 700mA 270lm 2700k

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+



finiture/finishes

codice/code

totalwhite - cavo da 50 a 300cm

so01001

totalwhite - cable from 50 to 300cm

so01001

totalblack - cavo da 50 a 300cm

so01002

totalblack - cable from 50 to 300cm

so01002

cromo-cavo elettrico trasparente da 50 a 300cm

so01003

chrome-clear electric cable from 50 to 300cm

so01003

oro-cavo elettrico bianco da 50 a 300cm

so01004

gold-white electric cable from 50 to 300cm

so01004

brunito spazzolato-cavo elettrico nero da 50 a 300cm

so01033

old brass brushed-black electric cable from 50 to 300cm

a richiesta con diffusore globo in vetro opale o trasparente  
also with globe glass diffuser opal or clear on demand

fornibile a richiesta con potenze superiori con maggiorazione  
supplied more powerfull led with surcharge on demand

a richiesta fornibile con cavo elettrico lunghezza superiore a 300cm con maggiorazione  
supplied with electric cable lenght more than 300cm with surcharge on demand

altri colori cavo coassiale - kevlar: nero, marrone, verde, arancio e viola senza maggiorazione  
others coaxial cable kevlar colors: black, brown, green, orange and violet without surcharge
















#### la rifrazione

è possibile ottenere un'immagine riflessa non solo con gli specchi ma anche ad esempio con una superficie d'acqua o qualche altro materiale come il vetro. il passaggio di raggi di luce si propaga nell'aria ed a contatto con la superficie non si trasmettono in linea retta ma subiscono variazioni di angolo.

#### what is the refraction

*you can get a reflected image not only with mirrors but also, for example, with a surface of water or some other material such as glass. the passage of light rays propagates in the air in contact with the surface are not transmitted in a straight line but undergoes angular variations.*


# close-up - 2015



questo apparecchio è fatto di ombre, di luce e di anamorfosi (rende il soggetto originale riconoscibile solo guardando l'immagine da una posizione precisa). basato su uno studio puntuale dell'ottica e della sua geometria, con questo sistema semplice nella forma ma complesso al tempo stesso regala figure fantastiche creando dei chiaroscuri che rimandano ad immagini che evocano nello spettatore un'atmosfera di oblio... piena magia.

apparecchio da parete completo di struttura di appendimento per elemento in vetro o in acciaio. finitura galvanica brunito scuro-matt.

*this luminaire are made of shadows, light and anamorphosis (makes the original subject recognizable only by looking at the image from a precise position), based on a punctual study of optics and geometry, with this simple but complex at the same time it gives fantastic figures, creating lightening shades that point to images that evoke in the spectator an atmosphere of oblivion... full of magic. wall luminaire provided with hanging arm for glass or iron pendent element. finished galvanized dark old brass-matt.*



**close-up 50/ap**  
3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



codice/code

finiture/finishes

brunito scuro-matt - elemento pendente in vetro rosso  
*burnished dark-matt - pendant red glass element*

ap00655



**98 accessorio nacchera**

pendaglio nacchera Ø 12cm cristallo rosso  
su cavo in nylon incolore  
*heavy pendant murano glass Ø 12 clear red  
with clear nylon wire to hang over*

acc00496

83

pendaglio nacchera Ø 12cm cristallo bianco  
su cavo in nylon incolore  
*heavy pendant murano glass Ø 12 clear white  
with clear nylon wire to hang over*

acc00497



**99 accessorio sfera piena**

sfera piena Ø 6cm vetro trasparente su cavo in nylon incolore acc00498  
*heavy pendant solid clear glass Ø 6cm  
with clear nylon wire to hang over*




**101 accessorio lettera a-z**

lettera a scelta in acciaio A.430 lucido  
con magnete e cavo in nylon incolore  
*letter on demand in A.430 polished with clear nylon  
wire to hang over and magnetic support*

acc00500

a richiesta anche con interruttore on/off su cavo e spina EU assemblata  
*also with on/off switch on cable and assembled EU plug on demand*

- 36 -  
- 30 -



**close-up 140/ap**  
3w 700mA 180lm 2700k  
fornito con modulo led  
integrazione di classe A+  
*this luminaire contains built-in led A+*




finiture/finishes

codice/code

brunito scuro-matt - elemento pendente in vetro rosso  
*burnished dark-matt - pendant red glass element*


ap00631



**102 accessorio tela grande**

tela bianca tramata spalla 5cm - dimensione 70x110cm  
*white canvas thickness 5cm - dimensions 70x110cm*



acc00526



**103 accessorio tela piccola**

tela bianca tramata spalla 5cm - dimensioni 40x50cm  
*white canvas thickness 5cm - dimensions 40x50cm*

acc00527





pendente a richiesta  
*pendant on demand*



a

b b

cc



**...ambarabà cicì cocò  
tre scimmiette (o civette) sul comò  
che facevano l'amore  
con la figlia del dottore  
il dottore si ammalò  
ambarabà cicì cocò**


88



la filastrocca nell'arte, nello spettacolo... nella luce.


citata in espressione artistiche e canzoni (non solo infantili) a teatro e nella letteratura, dalla canzone dello zecchino d'oro del '65, a quella di nilla pizzi del 2003, alla versione punk-rock dei punkreas, e poi ancora vasco rossi, elio e le storie tese fino alla penna di umberto eco.

# ambarabà-cicì-cocò - 2017



apparecchio da tavolo, parete e sospensione in acciaio con finiture galvanizzate in ottonato brunito spazzolato-matt, ramato brunito spazzolato-matt. anche in ottone naturale lucido. finitura verniciata totalwhite e totalblack. versione sospensione con speciale cavo elettrico in silicone rivestito in tessuto e regolabile in altezza. diffusore in vetro soffiato naturale, decorato fumè o con parziale decoro lucido in bianco, grigio, arancio o bronzo-matt.

luminaire with iron structure finished galvanized, old brassed brushed-matt, old copper brushed-matt, natural brass polished, painted in totalwhite and totalblack. also in natural brass polished. suspension version adjustable in lenght with special electric cable in silicone fabric coated. blow glass diffuser in natural clear or painted fumè, also with partial decor in white, grey, orange, bronze-matt.



**ambarabà 25/Ip on/off**


E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

finiture/finishes

codice/code

totalwhite-colore del diffusore a scelta	lp00644
totalwhite-color diffuser at your choice	
totalblack-colore del diffusore a scelta	lp00645
totalblack-color diffuser at your choice	
ottonato brunito spazzolato-matt-colore del diffusore a scelta	lp00647
old brassed brushed-matt-color diffuser at your choice	
ramato brunito spazzolato-matt-colore del diffusore a scelta	lp00648
old copper brushed-matt-color diffuser at your choice	
ottone naturale lucido-colore del diffusore a scelta	lp00646
natural brass polished-color diffuser at your choice	




**cicì 20/Ip on/off**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta	lp00649
totalwhite-color diffuser at your choice	
totalblack-colore del diffusore a scelta	lp00650
totalblack-color diffuser at your choice	
ottonato brunito spazzolato-matt-colore del diffusore a scelta	lp00652
old brassed brushed-matt-color diffuser at your choice	
ramato brunito spazzolato-matt-colore del diffusore a scelta	lp00653
old copper brushed-matt-color diffuser at your choice	
ottone naturale lucido-colore del diffusore a scelta	lp00651
natural brass polished-color diffuser at your choice	




**cocò 30/Ip on/off**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta	lp00660
totalwhite-color diffuser at your choice	
totalblack-colore del diffusore a scelta	lp00661
totalblack-color diffuser at your choice	
ottonato brunito spazzolato-matt-colore del diffusore a scelta	lp00662
old brassed brushed-matt-color diffuser at your choice	
ramato brunito spazzolato-matt-colore del diffusore a scelta	lp00664
old copper brushed-matt-color diffuser at your choice	
ottone naturale lucido-colore del diffusore a scelta	lp00663
natural brass polished-color diffuser at your choice	



**ambarabà 45/ap**


E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta	ap00878
totalwhite-color diffuser at your choice	
totalblack-colore del diffusore a scelta	ap00879
totalblack-color diffuser at your choice	
ottonato brunito spazzolato-matt-colore del diffusore a scelta	ap00881
old brassed brushed-matt-color diffuser at your choice	
ramato brunito spazzolato-matt-colore del diffusore a scelta	ap00882
old copper brushed-matt-color diffuser at your choice	
ottone naturale lucido-colore del diffusore a scelta	ap00880
natural brass polished-color diffuser at your choice	

## finiture/finishes

## codice/code

**cicì 45/ap**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta

ap00883

totalwhite-color diffuser at your choice

ap00884

totalblack-colore del diffusore a scelta

ap00885

totalblack-color diffuser at your choice

ap00886

ottonato brunito spazzolato-matt-colore del diffusore a scelta

ap00885

old brassed brushed-matt-color diffuser at your choice

ramato brunito spazzolato-matt-colore del diffusore a scelta


ap00886

old copper brushed-matt-color diffuser at your choice

ottone naturale lucido-colore del diffusore a scelta

ap00887

natural brass polished-color diffuser at your choice

**cocò 50/ap**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta

ap00888

totalwhite-color diffuser at your choice

ap00889

totalblack-colore del diffusore a scelta

ap00890

totalblack-color diffuser at your choice

ap00891

ottonato brunito spazzolato-matt-colore del diffusore a scelta

ap00890

old brassed brushed-matt-color diffuser at your choice

ramato brunito spazzolato-matt-colore del diffusore a scelta

ap00891

old copper brushed-matt-color diffuser at your choice

ottone naturale lucido-colore del diffusore a scelta

ap00892

natural brass polished-color diffuser at your choice

**ambarabà 40/so**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta

so01258

totalwhite-color diffuser at your choice

so01259

totalblack-colore del diffusore a scelta

so01261

totalblack-color diffuser at your choice

so01262

ottonato brunito spazzolato-matt-colore del diffusore a scelta

so01261

old brassed brushed-matt-color diffuser at your choice

ramato brunito spazzolato-matt-colore del diffusore a scelta


so01262

old copper brushed-matt-color diffuser at your choice

ottone naturale lucido-colore del diffusore a scelta

so01260

natural brass polished-color diffuser at your choice

**cicì 38/so**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta

so01273

totalwhite-color diffuser at your choice

so01274

totalblack-colore del diffusore a scelta

so01276

totalblack-color diffuser at your choice

so01277

ottonato brunito spazzolato-matt-colore del diffusore a scelta

so01276

old brassed brushed-matt-color diffuser at your choice

ramato brunito spazzolato-matt-colore del diffusore a scelta


so01277

old copper brushed-matt-color diffuser at your choice

ottone naturale lucido-colore del diffusore a scelta

so01275

natural brass polished-color diffuser at your choice

**cocò 45/so**

E27 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

totalwhite-colore del diffusore a scelta

so01278

totalwhite-color diffuser at your choice

so01279

totalblack-colore del diffusore a scelta

so01281

totalblack-color diffuser at your choice

so01282

ottonato brunito spazzolato-matt-colore del diffusore a scelta

so01281

old brassed brushed-matt-color diffuser at your choice

ramato brunito spazzolato-matt-colore del diffusore a scelta


so01282

old copper brushed-matt-color diffuser at your choice

ottone naturale lucido-colore del diffusore a scelta

so01280

natural brass polished-color diffuser at your choice



### ambaràba-cici-cocò 60/s2

2 E27 max 60w


compatibile con lampade classe C-A+  
compatible with lamps class C-A+



#### finiture/finishes

#### codice/code

totalwhite-diffusori e colori a scelta	so01263
totalwhite-diffusers and colors at your choice	
totalblack-diffusori e colori a scelta	so01264
totalblack-diffusers and colors at your choice	
ottonato brunito spazzolato-matt-diffusori e colori a scelta	so01266
old brassed brushed-matt-diffusers and colors at your choice	
ramato brunito spazzolato-matt-diffusori e colori a scelta	so01267
old copper brushed-matt-diffusers and colors at your choice	
ottone naturale lucido-diffusori e colori a scelta	so01265
natural brass polished-diffusers and colors at your choice	



### ambaràba-cici-cocò 60/s3


3 E27 max 60w

compatibile con lampade classe C-A+  
compatible with lamps class C-A+


totalwhite-diffusori e colori a scelta	so01268
totalwhite-diffusers and colors at your choice	
totalblack-diffusori e colori a scelta	so01269
totalblack-diffusers and colors at your choice	
ottonato brunito spazzolato-matt-diffusori e colori a scelta	so01271
old brassed brushed-matt-diffusers and colors at your choice	
ramato brunito spazzolato-matt-diffusori e colori a scelta	so01272
old copper brushed-matt-diffusers and colors at your choice	
ottone naturale lucido-diffusori e colori a scelta	so01270
natural brass polished-diffusers and colors at your choice	

l'ordine delle strutture a sospensione si completa con il diffusore in vetro a scelta  
suspension structures order will be completed with glass diffuser at your choice


318 accessorio  
ambaràba



319 accessorio  
cici



320 accessorio  
cocò



trasparente/clear

acc00601

acc00607

acc00613

fumè/fumè

acc00602

acc00608

acc00614

trasparente-bianco/clear-white

acc00603

acc00609

acc00615

trasparente-arancio/clear-orange

acc00604

acc00610

acc00616

trasparente-grigio/clear-grey

acc00605

acc00611

acc00617

trasparente-bronzo-matt/clear-bronze-matt

acc00606

acc00612

acc00618


















apparecchio da tavolo con struttura in acciaio verniciato **totalwhite**, finitura galvanica brunito scuro-matt. anche versione in ottone grezzo non trattato, versione led integrato con cavo elettrico coassiale nero e driver su spina EU assemblato, interruttore on/off su cavo.

**table luminaire in iron painted totalwhite, galvanized old dark brass-matt or raw brass untreated. also led version with coaxial black cable and driver EU on plug assembled on/off switch on electric cable.**




### eretta 12/Ip on/off

E27 max 60W

compatibile con lampade classe C→A+  
compatible with lamps class C→A+



finiture/finishes	codice/code
totalwhite	lp00247
brunito scuro-matt-cavo nero old dark brass-matt-black cable	lp00248
ottone grezzo non trattato-cavo nero raw brass untreated-black cable	lp00253



### eretta 12/Ip led on/off

3w 700mA 180lm 2700K

fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+



finiture/finishes	codice/code
totalwhite	lp00254
brunito scuro-matt-cavo nero old dark brass-matt-black cable	lp00255
ottone grezzo non trattato-cavo nero raw brass untreated-black cable	lp00252

99











# trepìè - 2015




apparecchio da tavolo e pavimento in acciaio con finitura verniciato brunito, totalwhite, totalblack, giallo. interruttore on-off su cavo elettrico rivestito in tessuto. a richiesta con accensione a sfioramento sulla struttura.

table and floor luminaire with iron structure painted old brass, totalwhite, totalblack, yellow. on-off switch on fabric coated electric cable. touch on-off switch on demand.



**trepìè 50/Ip on/off**  
14w 1200lm 3000k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes	codice/code
totalwhite	lp00211
totalblack	lp00212
giallo/yellow	lp00688
brunito verniciato/old brass painted	lp00213



**trepìè 65/ph on/off**  
23w 1800lm 3000k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite	ph00091
totalblack	ph00092
giallo/yellow	ph00322
brunito verniciato/old brass painted	ph00093

103

a richiesta fornibile con accensione a sfioramento con maggiorazione  
supplied with on/off touch on with surcharge on demand












108




apparecchio a parete e sospensione regolabile in altezza con speciale cavo elettrico in silicone rivestito in tessuto e componenti in ottone grezzo non trattato o verniciato totalwhite o totalblack. lampada led opale inclusa.

wall and suspension luminaire adjustable in length with special electric cable in silicone fabric coated and metal parts in natural raw brass untreated. also painted totalwhite or totalblack. led bulb opal included.



codice/code




**t 25 18/ap verticale**  
E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

finiture/finishes

codice/code


totalwhite	ap00832
totalblack	ap00833
ottone grezzo non trattato-bianco/ raw brass untreated-white	ap00834
ottone grezzo non trattato-nero/ raw brass untreated-black	ap00835



**t 25 45/ap orizzontale**  
E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

totalwhite	ap00828
totalblack	ap00829
ottone grezzo non trattato-bianco/ raw brass untreated-white	ap00830
ottone grezzo non trattato-nero/ raw brass untreated-black	ap00831

109




**t 25 35/so**  
E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

totalwhite	so01448
totalblack	so01449
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01450
ottone grezzo non trattato-nero/ raw brass untreated-black	so01451

**t 25 35/so dec.**  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

totalwhite	so01452
totalblack	so01453
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01454
ottone grezzo non trattato-nero/ raw brass untreated-black	so01455



**t 25 70/so**  
E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

totalwhite	so01289
totalblack	so01290
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01291
ottone grezzo non trattato-nero/ raw brass untreated-black	so01292


**t 25 70/so dec.**  
E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

totalwhite	so01293
totalblack	so01294
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01295
ottone grezzo non trattato-nero/ raw brass untreated-black	so01296

sperimentazione







**t 25 140/so**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

finiture/finishes


codice/code

totalwhite	so01297
totalblack	so01298
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01299
ottone grezzo non trattato-nero/ raw brass untreated-black	so01300

**t 25 140/so dec.**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+


totalwhite	so01301
totalblack	so01302
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01303
ottone grezzo non trattato-nero/ raw brass untreated-black	so01304



**t 25 45/s3**

3 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
compatible with lamps class E→A+  
supplied with lamps class A+

totalwhite	so01398
totalblack	so01399
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01400
ottone grezzo non trattato-nero/ raw brass untreated-black	so01401



**t 25 90/s8**

8 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
compatible with lamps class E→A+  
supplied with lamps class A+

totalwhite	so01305
totalblack	so01306
ottone grezzo non trattato-bianco/ raw brass untreated-white	so01307
ottone grezzo non trattato-nero/ raw brass untreated-black	so01308

fornite con lampada tubolare opale led cod. lamled035 4w 400lm 2700k a richiesta chiara supplied with tubular opal lamp led cod. lamled035 4w 400lm 2700k clear on request
---







ottone verniciato / painted brass


116





apparecchio a sospensione con struttura in acciaio regolabile in altezza su cavi di tenuta in acciaio finitura verniciata brunito, ottone, totalwhite, totalblack. si completa a richiesta con gli accessori "schermo" o "frangiluce" in lamiera di acciaio verniciato brunito, bianco o nero. lampada led inclusa.

suspension luminaire with iron structure adjustable in lenght on iron wires finished brass painted, old brass painted, totalwhite, totalblack. suitable for accessory "schermo" o "frangiluce" in iron painted old brass, white or black. led lamp included.



- | **t-five 95/so**  
250 max  
G5 9w ac100~240V 2700k 990lm 140°  
fornito con lampada tubolare led  
sostituibile classe A+  
| supplied with tubular led lamp  
replaceable class A+


finiture/finishes

- |                                      |         |
|--------------------------------------|---------|
| totalwhite                           | so00956 |
| totalblack                           | so00957 |
| brunito verniciato/old brass painted | so00958 |
| ottone verniciato/brass painted      | so01013 |

codice/code



fornite con lampada tubolare opale led G5 cod. lamled061 9w 990lm 2700k  
supplied with tubular opal led lamp G5 cod. lamled061 9w 990lm 2700k



- | **t-five 125/so**  
250 max  
G5 18w ac100~240V 2700k 1980lm 140°  
fornito con lampada tubolare led  
sostituibile classe A+  
| supplied with tubular led lamp  
replaceable class A+

totalwhite

totalblack

brunito verniciato/old brass painted

ottone verniciato/brass painted

so00946


so00947

so00948

so01009

117

fornite con lampada tubolare opale led G5 cod. lamled062 18w 1980lm 2700k  
supplied with tubular opal led lamp G5 cod. lamled062 18w 1980lm 2700k



- | **t-five 150/so**  
250 max  
G5 22w ac100~240V 2700k 2420lm 140°  
fornito con lampada tubolare led  
sostituibile classe A+  
| supplied with tubular led lamp  
replaceable class A+

totalwhite

totalblack

brunito verniciato/old brass painted

ottone verniciato/brass painted

so00952

so00953

so00954

so01011

fornite con lampada tubolare opale led G5 cod. lamled063 22w 2420lm 2700k  
supplied with tubular opal led lamp G5 cod. lamled063 22w 2420lm 2700k

117



88/875mm accessorio schermo

finiture/finishes

codice/code

lamiera in acciaio verniciato totalwhite  
*iron light protection totalwhite painted*  
 lamiera in acciaio verniciato totalblack  
*iron light protection totalblack painted*  
 lamiera in acciaio brunito verniciato  
*iron light protection old brass painted*

acc00385

acc00386

acc00482



88/1180mm accessorio schermo

lamiera in acciaio verniciato totalwhite  
*iron light protection totalwhite painted*  
 lamiera in acciaio verniciato totalblack  
*iron light protection totalblack painted*  
 lamiera in acciaio brunito verniciato  
*iron light protection old brass painted*

acc00387

acc00388

acc00483



88/1475mm accessorio schermo

lamiera in acciaio verniciato totalwhite  
*iron light protection totalwhite painted*  
 lamiera in acciaio verniciato totalblack  
*iron light protection totalblack painted*  
 lamiera in acciaio brunito verniciato  
*iron light protection old brass painted*

acc00473

acc00474

acc00486



91/875mm accessorio frangiluce

lamiera in acciaio microforato verniciato totalwhite  
*iron light protection totalwhite painted*  
 lamiera in acciaio microforato verniciato totalblack  
*iron light protection totalblack painted*  
 lamiera in acciaio microforato brunito verniciato  
*iron light protection old brass painted*

acc00469

acc00470

acc00484



91/1180mm accessorio frangiluce

lamiera in acciaio microforato verniciato totalwhite  
*iron light protection totalwhite painted*  
 lamiera in acciaio microforato verniciato totalblack  
*iron light protection totalblack painted*  
 lamiera in acciaio microforato brunito verniciato  
*iron light protection old brass painted*

acc00471

acc00472

acc00485



91/1475mm accessorio frangiluce

lamiera in acciaio microforato verniciato totalwhite  
*iron light protection totalwhite painted*  
 lamiera in acciaio microforato verniciato totalblack  
*iron light protection totalblack painted*  
 lamiera in acciaio microforato brunito verniciato  
*iron light protection old brass painted*

acc00475

acc00476

acc00487




accessorio frangiluce/iron indirect light protection



brunito verniciato / old brass painted




120




# tubetto

2014 - 2017



apparecchio a sospensione regolabile in altezza con speciale cavo elettrico coassiale. versione a soffitto con corpo direzionabile di circa 50° max in alluminio estruso finitura verniciato totalwhite, totalblack, giallo, arancio, rosso e verde o con finiture galvaniche cromo o ramato. anche in versione ottone grezzo non trattato. a richiesta fissaggio a soffitto ad incasso.

suspension luminaire with extruded aluminium body adjustable in length on special coaxial electric cable. ceiling version adjustable 50° max finished in painted totalwhite, totalblack, yellow, orange, red and green. galvanized finishes in chrome or copper or in raw brass untreated. with fixing base recessed on demand.




**tubetto 50/pl**  
3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes


codice/code

totalwhite	pl00598
totalblack	pl00599
giallo/yellow	pl01535
arancio/orange	pl01536
rosso/red	pl01537
verde/green	pl01538
ottone grezzo non trattato/ raw brass untreated	pl01507
ramato/copper	pl01508
cromo/chrome	pl00600




**tubetto 100/pl**  
3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


totalwhite	pl00590
totalblack	pl00591
giallo/yellow	pl01527
arancio/orange	pl01528
rosso/red	pl01529
verde/green	pl01530
ottone grezzo non trattato/ raw brass untreated	pl01503
ramato/copper	pl01504
cromo/chrome	pl00589



**tubetto 150/pl**  
3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


totalwhite	pl00594
totalblack	pl00595
giallo/yellow	pl01531
arancio/orange	pl01532
rosso/red	pl01533
verde/green	pl01534
ottone grezzo non trattato/ raw brass untreated	pl01505
ramato/copper	pl01506
cromo/chrome	pl00593






### tubetto 50/so

3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*




### tubetto 100/so

3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



### tubetto 150/so

3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



### tubetto 90/s6

6x3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



finiture/finishes

codice/code

<i>totalwhite</i>	so00971
<i>totalblack</i>	so00972
<i>giallo-cavo bianco/yellow-white cable</i>	so01112
<i>arancio-cavo bianco/orange-white cable</i>	so01113
<i>rosso-cavo bianco/red-white cable</i>	so01114
<i>verde-cavo bianco/green-white cable</i>	so01115

<i>ottone grezzo non trattato-cavo nero</i>	so00974
<i>raw brass untreated-black cable</i>	
<i>ramato-cavo bianco/copper-white cable</i>	so00976
<i>cromo-cavo nero/chrome-black cable</i>	so00973

<i>totalwhite</i>	so00960
<i>totalblack</i>	so00961
<i>giallo-cavo bianco/yellow-white cable</i>	so01104
<i>arancio-cavo bianco/orange-white cable</i>	so01105
<i>rosso-cavo bianco/red-white cable</i>	so01106
<i>verde-cavo bianco/green-white cable</i>	so01107
<i>ottone grezzo non trattato-cavo nero</i>	so00963
<i>raw brass untreated-black cable</i>	
<i>ramato-cavo bianco/copper-white cable</i>	so00964
<i>cromo-cavo nero/chrome-black cable</i>	so00962


123

<i>totalwhite</i>	so00965
<i>totalblack</i>	so00966
<i>giallo-cavo bianco/yellow-white cable</i>	so01108
<i>arancio-cavo bianco/orange-white cable</i>	so01109
<i>rosso-cavo bianco/red-white cable</i>	so01110
<i>verde-cavo bianco/green-white cable</i>	so01111
<i>ottone grezzo non trattato-cavo nero</i>	so00970
<i>raw brass untreated-black cable</i>	
<i>ramato-cavo bianco/copper-white cable</i>	so00969
<i>cromo-cavo nero/chrome-black cable</i>	so00967



*giallo-cavo nero/yellow-black cable* so01173

altre finiture solo a richiesta/others finishes only on demand

**tubetto 80/s12**

12x3w 700mA 180lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes




codice/code

ottone grezzo non trattato nero-cavo nero  
raw brass untreated black-black cable

so01478

fornibile a richiesta con potenze superiori con maggiorazione  
supplied powerfull led with surcharge on demand


























# pallatre

2016 - 2017



apparecchio a sospensione regolabile in altezza su cavi speciali di tenuta rivestiti in tessuto completi di sistema di fissaggio. anche in versione pavimento e tavolo con elementi in acciaio verniciato totalwhite o totalblack, in ottone grezzo non trattato e diffusore in vetro soffiato triplex opale acidato. lampada led inclusa.


suspension, floor, table luminaire adjustable in lenght on special cables fabric coated. details structure in iron painted totalwhite, totalblack or raw brass untreated. globe glass diffuser in opal triplex etced. opal bulb led included.



### pallatre 30/so led

E27 max 60w


compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+



### pallatre 40/so led

E27 max 60w


compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+



### pallatre 50/so led

E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+



### pallatre/s3 led

3 E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+



#### finiture/finishes

#### codice/code

totalwhite	so01153
totalblack	so01155
ottone grezzo non trattato - cavo nero	so01154
raw brass untreated - black cable	
ottone grezzo non trattato - cavo bianco	so01165
raw brass untreated - white cable	

inclusa lampada led - cod. lamled049 - 9w 630lm 2700k  
included led lamp - cod. lamled049 - 9w 630lm 2700k

totalwhite	so01153
totalblack	so01155
ottone grezzo non trattato - cavo nero	so01154
raw brass untreated - black cable	
ottone grezzo non trattato - cavo bianco	so01165
raw brass untreated - white cable	

135



totalwhite	so01156
totalblack	so01157
ottone grezzo non trattato - cavo nero	so01158
raw brass untreated - black cable	
ottone grezzo non trattato - cavo bianco	so01166
raw brass untreated - white cable	

totalwhite	so01159
totalblack	so01160
ottone grezzo non trattato - cavo nero	so01161
raw brass untreated - black cable	
ottone grezzo non trattato - cavo bianco	so01167
raw brass untreated - white cable	

inclusa lampada led - cod. lamled055 - 18w 1700lm 2700k  
included led lamp - cod. lamled055 - 18w 1700lm 2700k

totalwhite	so01150
totalblack	so01151
ottone grezzo non trattato - cavo nero	so01152
raw brass untreated - black cable	
ottone grezzo non trattato - cavo bianco	so01164
raw brass untreated - white cable	

inclusa lampade led 1pz. cod. 049 + 2pz. cod. lamled055  
included led lamps 1pcs cod. 049 + 2pcs cod. lamled055



**pallatre 25/Ip led on/off**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

supplied with lamp class A+

finiture/finishes

codice/code

totalwhite

lp00665

totalblack


lp00666

ottone grezzo non trattato - cavo nero

lp00668

raw brass untreated - black cable

inclusa lampada led - cod. lamled049 - 9w 630lm 2700k  
included led lamp - cod. lamled049 - 9w 630lm 2700k



**pallatre 50/ph 150 led on/off**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

supplied with lamp class A+

totalwhite

ph00309

totalblack


ph00310

ottone grezzo non trattato - cavo nero

ph00312

raw brass untreated - black cable

inclusa lampada led - cod. lamled055 - 18w 1700lm 2700k  
included led lamp - cod. lamled055 - 18w 1700lm 2700k



**pallatre 60/ph 160 led on/off**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

supplied with lamp class A+

totalwhite

ph00325

totalblack


ph00326

ottone grezzo non trattato - cavo nero

ph00327

raw brass untreated - black cable

inclusa lampada led - cod. lamled056 - 30w 2600lm 2700k  
included led lamp - cod. lamled056 - 30w 2600lm 2700k



**pallatre 40/ph 190 led on/off**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

supplied with lamp class A+

totalwhite

ph00305

totalblack

ph00306

ottone grezzo non trattato - cavo nero

ph00307

raw brass untreated - black cable

inclusa lampada led - cod. lamled055 - 18w 1700lm 2700k  
included led lamp - cod. lamled055 - 18w 1700lm 2700k







140







142











146



apparecchio a parete e sospensione regolabile in altezza su cavi di tenuta in acciaio, speciale cavo elettrico in silicone rivestito in tessuto bianco/nero, con struttura in alluminio estruso verniciato totalwhite o totalblack, diffusore in PMMA opale. emissione a luce diretta/indiretta, doppia accensione, a richiesta dimmerabile da remoto.

wall and suspension luminaire adjustable in lenght on iron wires, special electric cable silicone fabric coated black/white with structure exstruded alluminium finished painted totalwhite or totalblack, diffuser in PMMA opal. emission light indirect and direct, double lighting, remote dimmable on demand.



### tratto 200/ap incasso

2x46w 24V 2200lm 2700k

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+


finiture/finishes



codice/code

totalwhite ap00876

totalblack ap00877



### tratto 200/ap dec.

2x46w 24V 2200lm 2700k

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+

totalwhite

totalblack

ap00936

ap00937

147

### tratto 200/so

2x46w 24V 2200lm 2700k

fornito con modulo led

integrato di classe A+


this luminaire contains built-in led A+

totalwhite

totalblack

so01388

so01389











# tiramisù - 2015



apparecchio a pavimento regolabile in altezza con fissaggio a soffitto a carrucola. base-zavorra e corpo diffusore in cemento colato. speciale cavo elettrico rivestito con treccia di acciaio finitura nichel, interruttore on/off a pavimento. a richiesta on/off dimmer. anche in versione tavolo e sospensione.

floor luminaire with pulley fixing on the ceiling adjustable in length, floor base and diffuser body in solid natural cement. special electric cable coated in iron flexible nikel finished with floor on/off switch. also table or suspension version.



**tiramisù 10/Ip on/off**

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

finiture/finishes



codice/code

cemento naturale-cavo nero/natural cement-cable black lp00220



**tiramisù 10/so**

E27 max 60w


compatibile con lampade classe E→A+


compatible lamps class E→A+



cemento naturale-cavo nero/natural cement-cable black so01190


151





finiture/finishes

codice/code



**tiramisù 20/ph1 on/off**


E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

versione ad 1 carrucola/single pulley

cemento naturale-cavo nichel 700cm  
natural cement-cable nikel 700cm

ph00095



**tiramisù 20/ph2 on/off**

2 x E27 max 60w


compatibile con lampade classe E→A+  
compatible lamps class E→A+

versione a 2 carrucole/double pulley

cemento naturale-cavo nichel 700cm  
natural cement-cable nikel 700cm

ph00332

152



**tiramisù 20/ph1 on/off**

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

versione a 2 carrucole/double pulleys

cemento naturale-cavo nichel 700cm  
natural cement-cable nikel 700cm

ph00110

a richiesta con cavo elettrico arancio pvc  
with pvc orange electric cable on demand






finiture/finishes

codice/code

**tiramisù 10/Ip led on/off**  
 2,4w 700mA 270lm 2700k  
 fornito con modulo led  
 integrato di classe A+  
*this luminaire contains built-in led A+*

Ip00221




**tiramisù 10/so led**  
 2,4w 700mA 270lm 2700k  
 fornito con modulo led  
 integrato di classe A+  
*this luminaire contains built-in led A+*

so01189



**cemento naturale-ottica 180°-cavo nero**  
 natural cement-optic 180°-cable black



**tiramisù 20/ph1 led on/off**  
 3,7w 350mA 380lm 2700k  
 fornito con modulo led  
 integrato di classe A+  
*this luminaire contains built-in led A+*

ph00096

versione ad 1 carrucola/single pulley

**cemento naturale-ottica 180°-cavo arancio 1000cm**  
 natural cement-optic 180°-cable orange 1000cm


154



versione ad 1 carrucola/single pulley

**cemento naturale-ottica 180°-cavo arancio 1000cm**  
 natural cement-optic 180°-cable orange 1000cm

ph00096




**tiramisù 20/ph1 led on/off**  
 3,7w 350mA 380lm 2700k  
 fornito con modulo led  
 integrato di classe A+  
*this luminaire contains built-in led A+*

ph00111

versione a 2 carrucole/double pulleys

**cemento naturale-ottica 180°-cavo arancio 1000cm**  
 natural cement-optic 180°-cable orange 1000cm

**302 accessorio CARRUCOLA**

**carrucola in metallo nichelato grezzo**  
 completa di supporto nichelato  
 pulley wheel in metal nikel raw  
*including ceiling fixing support*

acc00499

a richiesta con potenze superiori con maggiorazione  
 powerfull led with surcharge on demand



colore cavo arancio a richiesta  
orange cable color on demand










apparecchio a sospensione regolabile in altezza con struttura in acciaio verniciato nei colori nero, giallo, arancio, rosso, verde e speciale cavo elettrico rivestito in tessuto n e t in colore. finitura cromo cavo n e t nero. diffusore automontante in PMMA opale. lampada led inclusa.

suspension luminaire adjustable in lenght. structure in iron painted white, black, yellow, orange, red, green and electric cable n e t fabric coated the same color. also chrome finished with black cable. self-standing diffuser in opal PMMA sheet for perfect comfort. led lamp included.




### **ocono 28/so led**

E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible lamps class E→A+  
supplied with lamp class A+

finiture/finishes	codice/code
diffusore opale-nero-cavo net nero opal diffuser-black-cable net black	so01090
diffusore opale-giallo-cavo net giallo opal diffuser-yellow-cable net yellow	so01091
diffusore opale-arancio-cavo net arancio opal diffuser-orange-cable net orange	so01092
diffusore opale-rosso-cavo net rosso opal diffuser-red-cable net red	so01093
diffusore opale-verde-cavo net verde opal diffuser-green-cable net green	so01094
diffusore opale-cromo-cavo net nero opal diffuser-chrome-cable net black	so01142

inclusa lampada led cod.049 - 9w 630lm 2700k  
included led lamp cod.049 - 9w 630lm 2700k

159




### **ocono 45/so led**

E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible lamps class E→A+  
supplied with lamp class A+

diffusore opale-nero-cavo net nero opal diffuser-black-cable net black	so01095
diffusore opale-giallo-cavo net giallo opal diffuser-yellow-cable net yellow	so01096
diffusore opale-arancio-cavo net arancio opal diffuser-orange-cable net orange	so01097
diffusore opale-rosso-cavo net rosso opal diffuser-red-cable net red	so01098
diffusore opale-verde-cavo net verde opal diffuser-green-cable net green	so01099
diffusore opale-cromo-cavo net nero opal diffuser-chrome-cable net black	so01143

inclusa lampada led cod.055 - 18w 1700lm 2700k  
included led lamp cod.055 - 18w 1700lm 2700k




316 accessorio  
ocono 28

diffusore in PMMA opale completo di struttura in acciaio verniciato  
PMMA opal diffuser self-standing with iron structure

opale-nero/opal-black  
opale-giallo/opal-yellow  
opale-arancio/opal-orange  
opale-rosso/opal-red  
opale-verde/opal-green  
opale-cromo/opal chrome

acc00561  
acc00562  
acc00563  
acc00564  
acc00565  
acc00575



317 accessorio  
ocono 45

diffusore in PMMA opale completo di struttura in acciaio verniciato  
PMMA opal diffuser self-standing with iron structure

opale-nero/opal-black  
opale-giallo/opal-yellow  
opale-arancio/opal-orange  
opale-rosso/opal-red  
opale-verde/opal-green  
opale-cromo/opal chrome

acc00566  
acc00567  
acc00568  
acc00569  
acc00570  
acc00576









# puntina

- 2016




apparecchio da parete, base di fissaggio in acciaio ed interruttore on/off. braccio flessibile direzionale rivestito in pvc nei colori totalwhite, totalblack, giallo, rosso, verde, azzurro e disponibile in ottone grezzo non trattato. anche in versione tavolo, soffitto, pavimento ed incasso.

reading luminaire with iron base and built-in on/off switch, flexible arm directional pvc coated colors totalwhite, totalblack, yellow, red, green, light blue or raw brass untreated. also in version table, ceiling, floor and recessed.




**puntina 10/Ip on/off**  
2w 500mA 124lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes	codice/code
totalwhite	lp00669
totalblack	lp00670
ottone grezzo non trattato-nero/raw brass untreated-black	lp00677
ottone grezzo non trattato-bianco/raw brass untreated-white	lp00676




**puntina 50/AP on/off**  
2w 500mA 124lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

CE	EN60598 SAFETY	ON OFF
totalwhite	ap00692	
totalblack	ap00693	
giallo/yellow	ap00694	
rosso/red	ap00695	
verde/green	ap00696	
azzurro/light blue	ap00697	
ottone grezzo non trattato/raw brass untreated	ap00782	
ottone grezzo non trattato-nero/raw brass untreated-black	ap00698	
ottone grezzo non trattato-bianco/raw brass untreated-white	ap00779	




**puntina 50/AP incasso**  
2w 500mA 124lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

CE	EN60598 SAFETY	ON OFF
totalwhite	ap00721	
totalblack	ap00722	
giallo/yellow	ap00723	
rosso/red	ap00724	
verde/green	ap00725	
azzurro/light blue	ap00726	
ottone grezzo non trattato/raw brass untreated	ap00783	
ottone grezzo non trattato-nero/raw brass untreated-black	ap00727	
ottone grezzo non trattato-bianco/raw brass untreated-white	ap00784	



**puntina 70/PL**  
2w 500mA 124lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

CE	EN60598 SAFETY	ON OFF
totalwhite	pl01673	
totalblack	pl01674	
giallo/yellow	pl01675	
rosso/red	pl01676	
verde/green	pl01677	
azzurro/light blue	pl01678	
ottone grezzo non trattato/raw brass untreated	pl01679	
ottone grezzo non trattato-nero/raw brass untreated-black	pl01680	
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01681	




**puntina 150/pi**

2w 500mA 124lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes

codice/code

totalwhite	pi01682
totalblack	pi01683
giallo/yellow	pi01684
rosso/red	pi01685
verde/green	pi01686
azzurro/light blue	pi01687
ottone grezzo non trattato/raw brass untreated	pi01688
ottone grezzo non trattato-nero/raw brass untreated-black	pi01689
ottone grezzo non trattato-bianco/raw brass untreated-white	pi01690



**puntina 170/ph on/off**

2w 500mA 124lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



totalwhite

ph00313

totalblack

ph00314

giallo/yellow

ph00315

rosso/red

ph00316

verde/green

ph00317

azzurro/light blue

ph00318

ottone grezzo non trattato/raw brass untreated

ph00319

ottone grezzo non trattato-nero/raw brass untreated-black

ph00320

ottone grezzo non trattato-bianco/raw brass untreated-white

ph00321


















colori del flessibile/colors of flexible arm




172




# U brass

2016 - 2017



apparecchio parete/soffitto in solido ottone grezzo non trattato con sorgente tubolare led. anche in versione sospensione regolabile in altezza su cavi di tenuta in acciaio con cavo elettrico rivestito in tessuto nero. lampada opale led inclusa.

wall/ceiling luminaire in solid raw brass untreated with tubular led lamp opal or clear. also suspension version with black electric fabric coated cable, adjustable in lenght on iron cable. opal led lamp included.



**u brass 40/sp**  
S14d max 35w  
fornito con lampada led opale  
sostituibile classe E→A  
supplied with led lamp opal  
replaceable class E→A

finiture/finishes




codice/code

ottone grezzo non trattato/raw brass untreated  
brunito antico/burnished antique

sp00417  
sp00418

inclusa lampada led opale cod. 092 - 5w 450lm 2700k  
included led lamp cod. 092 - 5w 450lm 2700k




**u brass 55/sp**  
S14d max 60w  
fornito con lampada led opale  
sostituibile classe E→A  
supplied with led lamp opal  
replaceable class E→A

ottone grezzo non trattato/raw brass untreated  
brunito antico/burnished antique

sp00419  
sp00420

inclusa lampada led opale cod. 091 - 8w 750lm 2700k  
included led lamp cod. 091 - 8w 750lm 2700k

173



**u brass 105/sp**  
S14s max 60w  
fornito con lampada led opale  
sostituibile classe E→A  
supplied with led lamp opal  
replaceable class E→A

ottone grezzo non trattato/raw brass untreated  
brunito antico/burnished antique

sp00416  
sp00415


inclusa lampada led opale cod. 094 - 16w 1280lm 2700k  
included led lamp opal cod. 094 - 16w 1280lm 2700k

**u brass 150/so**  
3 x S14d max 60w  
fornito con lampada led opale  
sostituibile classe E→A  
supplied with led lamp opal  
replaceable class E→A

ottone grezzo non trattato/raw brass untreated  
brunito antico/burnished antique

so01163  
so01162

include 3 lampade led opale cod. 091 - 8w 750lm 2700k  
included 3 led lamp cod. 091 - 8w 750lm 2700k



150



















apparecchio a sospensione regolabile in altezza corpo in alluminio estruso e speciale cavo elettrico rivestito in tessuto. anche versione soffitto e pavimento. finitura verniciato brunito, totalwhite, totalblack. versione led Gz10 lampada inclusa.

suspension luminaire adjustable in high body in aluminium extruded and special electric cable fabric coated. also in version ceiling, floor. finished in painted totalwhite, totalblack or old brass painted. led Gz10 version bulb included.



finiture/finishes

codice/code




#### c-yi 10/so micro led

Gz10 max 50w	totalwhite	so00044
compatibile con lampade classe C→A+	totalblack	so00041
fornito con lampada classe A+	brunito verniciato-cavo nero/old brass painted-cable black	so00829
compatible lamps class C→A+		
supplied with led lamp		
replaceable class A+		

#### c-yi 10/so micro

E27 max 100w	totalwhite	so00039
compatibile con lampade classe E→A+	totalblack	so00042
compatible lamps class E→A+	brunito verniciato-cavo nero/old brass painted-cable black	so00830




#### c-yi 35/so led

Gz10 max 50w	totalwhite	so00075
compatibile con lampade classe C→A+	totalblack	so00077
fornito con lampada classe A+	brunito verniciato-cavo nero/old brass painted-cable black	so00838
compatible lamps class C→A+		
supplied with led lamp		
replaceable class A+		

#### c-yi 35/so

E27 max 100w	totalwhite	so00078
compatibile con lampade classe E→A+	totalblack	so00080
compatible lamps class E→A+	brunito verniciato-cavo nero/old brass painted-cable black	so00837



#### c-yi 50/so led


Gz10 max 50w	totalwhite	so00087
compatibile con lampade classe C→A+	totalblack	so00089
fornito con lampada classe A+	brunito verniciato-cavo nero/old brass painted-cable black	so00842
compatible lamps class C→A+		
supplied with led lamp		
replaceable class A+		

#### c-yi 50/so

E27 max 100w	totalwhite	so00090
compatibile con lampade classe E→A+	totalblack	so00092
compatible lamps class E→A+	brunito verniciato-cavo nero/old brass painted-cable black	so00841



finiture/finishes	codice/code
-------------------	-------------



<b>c-yl 100/so led</b> Gz10 max 50w compatibile con lampade classe C→A+ fornito con lampada classe A+ compatible lamps class C→A+ supplied with led lamp replaceable class A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato-cavo nero/old brass painted-cable black so00834	so00051 so00053 so00834
---	--	-------------------------------


<b>c-yl 100/so</b> E27 max 100w compatibile con lampade classe E→A+ compatible lamps class E→A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato-cavo nero/old brass painted-cable black so00833	so00052 so00056 so00833
--	--	-------------------------------

sospensione a richiesta decentrata con maggiorazione suspension decentralized with surcharge on demand	versioni led fornite con lampada cod.lamled003 9w - 850lm - 2700k versions led supplied with lamp cod.lamled003 9w - 850lm - 2700k
---	---




<b>c-yl 10/pl micro led</b> Gz10 max 50w compatibile con lampade classe C→A+ fornito con lampada classe A+ compatible lamps class C→A+ supplied with led lamp replaceable class A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato/old brass painted	pl00064 pl00063 pl00409
--	--	-------------------------------

<b>c-yl 10/pl micro</b> E27 max 100w compatibile con lampade classe E→A+ compatible lamps class E→A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato/old brass painted	pl00067 pl00066 pl00408
---	--	-------------------------------




<b>c-yl 35/pl led</b> Gz10 max 50w compatibile con lampade classe C→A+ fornito con lampada classe A+ compatible lamps class C→A+ supplied with led lamp replaceable class A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato/old brass painted	pl00081 pl00082 pl00412
--	--	-------------------------------

<b>c-yl 35/pl</b> E27 max 100w compatibile con lampade classe E→A+ compatible lamps class E→A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato/old brass painted	pl00084 pl00085 pl00413
---	--	-------------------------------



<b>c-yl 50/pl led</b> Gz10 max 50w compatibile con lampade classe C→A+ fornito con lampada classe A+ compatible lamps class C→A+ supplied with led lamp replaceable class A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato/old brass painted	pl00088 pl00087 pl00414
--	--	-------------------------------

<b>c-yl 50/pl</b> E27 max 100w compatibile con lampade classe E→A+ compatible lamps class E→A+	<b>totalwhite</b> <b>totalblack</b> brunito verniciato/old brass painted	pl00091 pl00090 pl00415
---	--	-------------------------------


**c-yl 100/pl led**

Gz10 max 50w  
compatibile con lampade classe C→A+  
fornito con lampada classe A+  
*compatible lamps class C→A+*  
*supplied with led lamp*  
*replaceable class A+*

finiture/finishes

*totalwhite*  
*totalblack*  
*brunito verniciato/old brass painted*

codice/code

pl00071  
pl00072  
pl00410

**c-yl 100/pl**

E27 max 100w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

*totalwhite*  
*totalblack*  
*brunito verniciato/old brass painted*

pl00068  
pl00069  
pl00411

versioni led fornite con lampada cod.lamled003 9w - 850lm - 2700k  
versions led supplied with lamp cod.lamled003 9w - 850lm - 2700k

**c-yl 12/pl 45**

22,5w 1850lm 3000k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

*totalwhite*  
*totalblack*  
*brunito verniciato/old brass painted*

pl01607  
pl01608  
pl01609

**c-yl 12/ph 180**

22,5w 1850lm 3000k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

*totalwhite*  
*totalblack*  
*brunito verniciato/old brass painted*

ph00082  
ph00083  
ph00084

**c-yl 12/ph 180 touch dim**

37w 5300lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

*totalwhite*  
*totalblack*  
*brunito verniciato/old brass painted*


ph00085  
ph00086  
ph00087



FLOS







186











190

# spazio - 2014




apparecchio con alimentazione a pavimento, parete/soffitto con corpo in alluminio tornito che integra modulo led, dissipatore ed ottica. finitura nero con cavo rosso disponibile con ottiche 30°/90°/180°. la versione globo è fornita con diffusore in vetro opale, trasparente a richiesta.

luminaire with power base floor, wall/ceiling and aluminium body integrated led module, heat sink and optic. body finished in black painted with red cable, available optic 30°/90°/180°. globo version with glass opal diffuser, clear on demand.




## spazio 10/ph

4w 350mA 280lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*




## spazio 10/ph2

2 x 4w 350mA 280lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*



## spazio 10/ph globo

4w 350mA 280lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*



## spazio 10/ph2 globo

2 x 4w 350mA 280lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes



codice/code

nero-cavo rosso 15 metri-inclusi 10 fissaggi a vite  
black-red cable 15 meters-10 pcs screw fixing included

ph00078


191

nero-2 cavi rosso 2x15 metri-inclusi 20 fissaggi a vite  
black-2 red cables 2x15 meters-20 pcs screw fixing included

ph00080


nero-vetro opale-cavo rosso 15 metri-inclusi 10 fissaggi a vite ph00079  
black-opal glass-red cable 15 meters-10 pcs screw fixing included

nero-vetro opale-2 cavi rosso 2x15m-inclusi 20 fissaggi a vite ph00081  
black-opal glass-2 red cables 2x15m-20 pcs screw fixing included



**spazio 10/sp**  
4w 350mA 280lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


finiture/finishes	CE III	codice/code
nero-cavo rosso 15m-inclusi 10 fissaggi a vite black-red cable 15m-10 pcs screw fixing included		sp00805



**spazio 10/sp2**  
2 x 4w 350mA 280lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


nero-2 cavi rosso 2x15m-inclusi 20 fissaggi a vite black-2 red cables 2x15m-20 pcs screw fixing included	sp00807
---	---------

192



**spazio 10/sp globo**  
4w 350mA 280lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

nero-vetro opale-cavo rosso 15m-inclusi 10 fissaggi a vite black-opal glass-red cable 15m-10 pcs screw fixing included	sp00806
---	---------



**spazio 10/sp2 globo**  
2 x 4w 350mA 280lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

nero-vetro opale-2 cavi rosso 2x15m-inclusi 20 fissaggi a vite black-opal glass-2 red cables 2x15m-20 pcs screw fixing included	sp00808
--	---------


potenze superiori con maggiorazione  
powerfull led with surcharge on demand


a richiesta ottica da 11°-30°-90° senza maggiorazioni  
optic 11°-30°-90° without surcharges on demand


altri colori cavo coassiale - kevlar: nero, marrone, verde, arancio e viola senza maggiorazione  
others coaxial cable kevlar colors: black, brown, green, orange and violet without surcharge












apparecchio parete/soffitto in pressofusione di alluminio che ruota sulla base di 45° luce indiretta. finitura verniciata totalwhite o totalblack. anche versione dimmerabile da remoto.

wall/ceiling luminaire in diecast aluminium, adjustable turning on the wall at 45°, indirect light emission finished in painted totalwhite or totalblack. also remote dimmable version.



**pic 45/sp**  
10w 1200lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*




finiture/finishes

codice/code

**totalwhite**  
**totalblack**


sp00567  
sp00568



**pic 45/sp dim.**  
10w 1200lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

**totalwhite**  
**totalblack**


sp00569  
sp00570



**pic 90/sp**  
20w 1800lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

**totalwhite**  
**totalblack**


sp00571  
sp00572



**pic 90/sp dim.**  
20w 1800lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

**totalwhite**  
**totalblack**


sp00573  
sp00574



**pic 120/sp**  
20w 1800lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

**totalwhite**  
**totalblack**

sp00563  
sp00564



**pic 120/sp dim.**  
20w 1800lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

**totalwhite**  
**totalblack**

sp00565  
sp00566



veso




# dondolo - 2010




apparecchio da tavolo con struttura in acciaio finitura cromo o verniciato totalwhite, totalblack con diffusore in PMMA opale. emissione indiretta con modulo led integrato, interruttore on/off su cavo elettrico. a richiesta con interruttore on/off touch-dimmer sulla struttura.

table luminaire with iron structure finished chrome or painted totalwhite or totalblack, diffuser in opal PMMA. indirect emission led module integrated. on/off switch on electric cable. also with on/off switch touch-dimmer on structure on demand.



**dondolo 35/Ip on/off**  
12,5w 24V 1100lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**dondolino 20/Ip on/off**  
5 x 1w 350mA 90lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



finiture/finishes

codice/code

<b>totalwhite</b>	lp00065
<b>totalblack</b>	lp00066
<b>cromo/chrome</b>	lp00064



<b>totalwhite</b>	lp00059
<b>totalblack</b>	lp00060
<b>cromo/chrome</b>	lp00058

201



202








204

# tiperdue

- 2017




apparecchio a parete e soffitto con snodi direzionabili e struttura in acciaio verniciato totalwhite o totalblack ed ottone grezzo non trattato bianco o nero.

wall and ceiling adjustable luminaire with iron structure finished totalwhite or totalblack painted and raw brass untreated.



codice/code



## tiperdue 125/ep snodi

E27 max 60w

compatibile con lampade classe E→A  
compatible with lamps class E→A

finiture/finishes

**totalwhite**

ap00893

**totalblack**

ap00894

**ottone grezzo non trattato-bianco**

ap00895

**raw brass untreated-white**

**ottone grezzo non trattato-nero**

ap00896

**raw brass untreated-black**

**ottone grezzo non trattato/raw brass untreated**

ap00897

## tiperdue 125/ep2 snodi

2 E27 max 60w

compatibile con lampade classe E→A  
compatible with lamps class E→A

**totalwhite**

ap00898

**totalblack**

ap00899

**ottone grezzo non trattato-bianco**

ap00900

**raw brass untreated-white**

**ottone grezzo non trattato-nero**


ap00901

**raw brass untreated-black**

**ottone grezzo non trattato/raw brass untreated**

ap00902

205



## tiperdue 70/pl snodo

E27 max 60w

compatibile con lampade classe E→A  
compatible with lamps class E→A

**totalwhite**

pl01658

**totalblack**

pl01659

**ottone grezzo non trattato-bianco**

pl01660

**raw brass untreated-white**

**ottone grezzo non trattato-nero**

pl01661

**raw brass untreated-black**

**ottone grezzo non trattato/raw brass untreated**

pl01667

## tiperdue 70/pl2 snodi

2 E27 max 60w

compatibile con lampade classe E→A  
compatible with lamps class E→A

**totalwhite**

pl01620

**totalblack**

pl01621

**ottone grezzo non trattato-bianco**

pl01623

**raw brass untreated-white**


**ottone grezzo non trattato-nero**

pl01622

**raw brass untreated-black**

**ottone grezzo non trattato/raw brass untreated**

pl01624




**tiperdue 140/pl snodo**  
E27 max 60w  
compatibile con lampade classe E→A  
compatible with lamps class E→A

finiture/finishes	codice/code
<i>totalwhite</i>	pl01662
<i>totalblack</i>	pl01663
ottone grezzo non trattato-bianco	pl01664
raw brass untreated-white	
ottone grezzo non trattato-nero	pl01665
raw brass untreated-black	
ottone grezzo non trattato/raw brass untreated	pl01666

**tiperdue 140/pl2 snodi**  
2 E27 max 60w  
compatibile con lampade classe E→A  
compatible with lamps class E→A

<i>totalwhite</i>	pl01615
<i>totalblack</i>	pl01616
ottone grezzo non trattato-bianco	pl01617
raw brass untreated-white	
ottone grezzo non trattato-nero	pl01618
raw brass untreated-black	
ottone grezzo non trattato/raw brass untreated	pl01619





**tiperdue 70/pl cavo dec.**  
2 E27 max 60w  
compatibile con lampade classe E→A  
compatible with lamps class E→A

<i>totalwhite</i>	pl01668
<i>totalblack</i>	pl01669
ottone grezzo non trattato-bianco	pl01670
raw brass untreated-white	
ottone grezzo non trattato-nero	pl01671
raw brass untreated-black	
ottone grezzo non trattato-cavo nero	pl01672
raw brass untreated-black cable	

**tiperdue 140/pl2 cavo dec.**  
2 E27 max 60w  
compatibile con lampade classe E→A  
compatible with lamps class E→A

<i>totalwhite</i>	pl01610
<i>totalblack</i>	pl01611
ottone grezzo non trattato-bianco	pl01612
raw brass untreated-white	
ottone grezzo non trattato-nero	pl01613
raw brass untreated-black	
ottone grezzo non trattato-cavo nero	pl01614
raw brass untreated-black cable	



**tipercinque 60/pl snodi**  
5 E27 max 60w  
compatibile con lampade classe E→A  
compatible with lamps class E→A

<i>totalwhite</i>	pl01625
<i>totalblack</i>	pl01626
ottone grezzo non trattato-bianco	pl01627
raw brass untreated-white	
ottone grezzo non trattato-nero	pl01628
raw brass untreated-black	
ottone grezzo non trattato/raw brass untreated	pl01629

versione con modulo led integrato a richiesta  
integrated led module version on demand





208





210



211




212

# wl 130 - 2016



apparecchio a parete direzionabile a 180° in acciaio verniciato finitura totalwhite o galvanizzato brunito scuro-matt: interruttore on/off su cavo elettrico o sul portalamppada. anche in versione con led integrato.

wall luminaire adjustable at 180° in iron painted finish totalwhite or galvanized brass burnished dark-matt. on/off switch on lamp-holder or on electric cable.



**wl 130/ap on/off**  
E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+

disponibile con/available with

**316 accessorio per OCONO 28**



finiture/finishes

codice/code


totalwhite  
brunito scuro-matt - cavo nero  
burnished dark-matt - black cable

ap00752  
ap00753

diffusore in PMMA opale automontante con struttura in acciaio verniciato nero  
PMMA opal diffuser self-standing with painted black iron structure

opale/opal

acc00561



**wl 130/ap led dim.**

10w 24V 900lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+




totalwhite  
brunito scuro-matt - cavo nero  
burnished dark-matt - black cable

ap00754  
ap00755












apparecchio a sospensione con corpo in alluminio tornito che integra modulo led, dissipatore ed ottica. finiture verniciato totalwhite o totalblack, cromo o oro cavo trasparente, a richiesta brunito spazzolato-matt cavo nero. fornibile con ottiche a 11°/30°/90°/180°. anche in versione con diffusore globo in vetro opale, trasparente a richiesta.

suspension luminaire aluminium body integrated led module, heat sink and optic. finished in totalwhite or totalblack painted, galvanized chrome or gold clear cable, old brass brushed with black cable. optics 11°/30°/90°/180°. also globe glass diffuser version opal, clear on demand.



### idealed 10/so

2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### finiture/finishes


codice/code
so00362
so00361
so00932
so00363
so00364

### idealed 10/so dec.

2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### finiture/finishes

codice/code
so00366
so00365
so00933
so00367
so00368




### idealed 13/s3 dec.

3 x 2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### finiture/finishes

codice/code
so00378
so00377
so00936
so00379
so00380



### idealed 13/s6 dec.

6 x 2,5w 700mA 270lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### finiture/finishes

codice/code
so00386
so00385
so00938
so00387
so00388

a richiesta ottica da 11°-30°-90° senza maggiorazioni  
optic 11°-30°-90° without surcharges on demand

a richiesta con diffusore globo in vetro opale o trasparente con maggiorazione  
also with globe glass diffuser opal or clear on demand with surcharge

versione globo/glass globe version

218



lenti disponibili/available optic





220





222





224



225






tributo a t.a. edison (1847-1931)  
autore della più importante invenzione  
del secolo scorso  
cambiando i ritmi di vita della società  
che scopriva l'inizio dell'era  
della luce artificiale.

tribute to t.a. edison (1847-1931)  
author of the most important invention  
of last century which changing  
lifestyle of society discover  
the beginning of artificial light era.

# per E - 2009



apparecchio parete/soffitto con struttura ad incasso e cassaforma in acciaio zincato con chiusura in acciaio AISI 430 lucido. disponibile anche con fissaggio esterno, si può completare con accessorio "molla" in acciaio finitura cromo. anche con lampada consigliata led opale inclusa.

wall/ceiling luminaire with steel recessed structure and cover in AISI 430 mirror. also with external fixing base. suitable for accessory "molla" in iron chrome finished. also with led lamp opal included.



finiture/finishes

codice/code

## per E 10/sp

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



- 22 -

## per E 10/sp led

E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo/chrome

sp00147




cromo/chrome

sp00148

## per E 10/sp incasso

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



## per E 10/sp led incasso

E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

AISI 430 lucido/AISI 430 mirror

inc00009




AISI 430 lucido/AISI 430 mirror

inc00010




versioni led fornite con lampada cod. lamed 055 - G120 E27 18w 1600lm 2700k  
versions led supplied with bulb lamp code lamed 055 - G120 E27 18w 1600lm 2700k









apparecchio a sospensione regolabile in altezza emissione indiretta, speciali effetti al soffitto con decoro a scelta. dettagli in acciaio verniciato totalwhite, totalblack o con finitura galvanica ottonato brunito spazzolato-matt cavo nero. anche in versione da pavimento.

suspension luminaire adjustable height with indirect light, special effects on ceiling with decor glass diffuser available. finished painted totalwhite or totalblack, or galvanized old brassed brushed-matt cable black. also floor version.




**i...no 14/so**  
3 x 2,5w 700mA 250lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**i...no 22/so**  
6,5w 24V 600lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**i...no 35/so**  
12,5w 24V 1100lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**i...no 35/ph on/off dim.**  
12,5w 24V 1100lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes	codice/code
-------------------	-------------

totalwhite/totalwhite	so00910
totalblack/totalblack	so00911
ottonato brunito spazzolato-nero/old brassed brushed-black	so00912
diffusore in vetro Ø14 "fiori"/glass diffuser Ø14 "fiori"	acc00206
diffusore in vetro Ø14 "forme"/glass diffuser Ø14 "forme"	acc00207
diffusore in vetro Ø14 "disegno a richiesta"*	acc00208
glass diffuser Ø14 "drawn on demand"*	

totalwhite/totalwhite	so00913
totalblack/totalblack	so00914
ottonato brunito spazzolato-nero/old brassed brushed-black	so00915
diffusore in vetro Ø22 "fiori"/glass diffuser Ø22 "fiori"	acc00214
diffusore in vetro Ø22 "forme"/glass diffuser Ø22 "forme"	acc00215
diffusore in vetro Ø22 "disegno a richiesta"*	acc00216
glass diffuser Ø22 "drawn on demand"*	

totalwhite/totalwhite	so00916
totalblack/totalblack	so00917
ottonato brunito spazzolato-nero/old brassed brushed-black	so00918
diffusore in vetro Ø35 "fiori"/glass diffuser Ø35 "fiori"	acc00217
diffusore in vetro Ø35 "forme"/glass diffuser Ø35 "forme"	acc00218
diffusore in vetro Ø35 "disegno a richiesta"*	acc00219
glass diffuser Ø35 "drawn on demand"*	

\* a richiesta decoro personalizzata da inviarci in formato jpg-pdf  
for personal decor send us in jpg/pdf format on demand



totalwhite	ph00015
totalblack	ph00016
cromo/chrome	ph00014



232










236



diffusore /diffuser "fiori"


diffusore / *diffuser "forme"*





apparecchio parete/soffitto con struttura in acciaio verniciato bianco e diffusore interno in metacrilato. diffusore esterno in acciaio con finitura verniciato bianco o nero lucido, finiture galvaniche ECOCROMO\* e ottonato brunito spazzolato-matt.

wall/ceiling luminaire with painted iron structure and invisible metacrylate screen, iron diffuser painted glossy white, black, galvanized ECOCHROME\* or old brassed brushed-matt.




**sentou 45/sp**  
23w 24V 1800lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes



codice/code

bianco lucido/glossy white	sp00157
nero lucido/glossy black	sp00162
ottonato brunito spazzolato-matt/old brassed brushed-matt	sp00159
ECOCROMO*/ECOCHROME*	sp00158



**sentou 55/sp**  
23w 24V 1800lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

bianco lucido/glossy white	sp00165
nero lucido/glossy black	sp00169
ottonato brunito spazzolato-matt/old brassed brushed-matt	sp00166


239

\* ECOCROMO è caratterizzato dalla totale assenza di acidi corrosivi ed è di origine vegetale, in osservanza della direttiva RoHS 2 che limita l'uso di sostanze nocive nella produzione di apparecchiature elettriche ed elettroniche nell'UE; inoltre dona alla lucentezza del cromo una delicata e calda tonalità di colore.

ECOCHROME is characterized by the complete absence of corrosive acids with his vegetal origin in observance with the RoHS 2 directive that restricts the use of toxic substances in the manufacture of electrical and electronic equipment in UE, giving at the same times at brightness of chrome a delicate and warm color tone.









# lumone

- 2009



apparecchio da pavimento con struttura in acciaio verniciato totalgrey o totalvisone e diffusore in tessuto colore grigio o visone stone washed. doppia accensione con interruttore on/off a pavimento e cavo elettrico rivestito in tessuto. anche con lampada consigliata led opale inclusa.

*floor lamp with iron structure painted totalgrey or totalvisone. fabric diffuser color grey or visone stone washed. double lighting with floor on/off switch on fabric coated electric cable. also with led lamp opal included.*



## lumone 80/ph on/off

2 E27 max 60w

doppia accensione/double lighting

compatibile con lampade classe E→A+

compatible lamps class E→A+

### finiture/finishes

### codice/code


grey-matt-cavo rosso/grey matt-cable red

ph00035

visone-matt-cavo bianco-marrone

ph00036

visone-matt-cable white-brown



154

## lumone 80/ph led on/off

2 E27 max 60w

doppia accensione/double lighting

compatibile con lampade classe E→A+

fornito con lampadine classe A+

compatible with lamps class E→A+

supplied with lamps class A+



grey-matt-cavo rosso/grey matt-cable red

ph00127

visone-matt-cavo bianco-marrone

ph00128


visone-matt-cable white-brown



— 80 —

243

fornito con lampade led retrofit cod.lamled055 G120 E27 18w 1600lm 2700k  
supplied with led lamps cod.lamled055 G120 E27 18w 1600lm 2700k





244






tributo all'artista amedeo modigliani (1884-1920) nato a livorno e studiato e vissuto a parigi esponente della omonima scuola degli espressionisti agli inizi del secolo scorso era solito raffigurare con tele e scultura volti di donne che ha molto amato nella sua breve vita al limite.

tribute to the italian artist amedeo modigliani (1884-1920) born in livorno, studied and lived in paris became exponent of the homonymous school of expressionists at the beginning of the last century it was usually picture with canvases and sculpture faces of women that he loved much in his short and to limit life.



apparecchio da tavolo con struttura in acciaio finitura galvanica brunito scuro antico o ottone verniciato e diffusore in vetro soffiato bianco-latte triplex o nero. dimmer on/off sulla struttura per la versione con diffusore bianco-latte, o sul cavo per la versione con diffusore nero. lampada inclusa.

table luminaire with iron structure finished in burnished dark-antique galvanized or painted brass and diffuser in blown glass opal or black. on/off switch on the structure for version with white diffuser or on cable for version with black diffuser. lamp included.



### dedo 18/Ip on/off dim


E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

fornito con lampada di classe C

supplied with lamp class C



### dedo 18 oggetto

dim 18x62cm

finiture/finishes



codice/code

brunito scuro antico-opale/burnished dark-antique - opal	lp00680
brunito scuro antico-nero/burnished dark-antique - black	lp00681
ottone verniciato-opale/brass painted-opal	lp00678
ottone verniciato-nero/brass painted-black	lp00679

brunito scuro antico-opale/burnished dark-antique - opal	obj00018
brunito scuro antico-nero/burnished dark-antique - black	obj00021
ottone verniciato-opale/brass painted-opal	obj00022
ottone verniciato-nero/brass painted-black	obj00023











250

# gesso e27 - 2014



incasso architettonico parete/soffitto con corpo in gesso a scomparsa nel controsoffitto rasato con malta. può accogliere diverse sorgenti con attacco E27 per ogni esigenza estetico-funzionale.

recessed wall/ceiling architectural luminaire white plaster body to flush on plasterboard. accommodate different light sources socket E27.



foro di fissaggio  
fixing hole  
Ø 14cm

**gesso e27/sp incasso**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes




codice/code

gesso/plaster

inc00003

- 12 -






252






# gessoled - 2017



incasso architettonico parete/soffitto con corpo in gesso a scomparsa in controsoffitto rasato con malta. modulo led integrato con speciale diffusore invisibile in PMMA opale antiriflesso, dimmerabile da remoto.

recessed architectural wall/ceiling luminaire in solid plaster invisible. led module integrated remote dimmable and PMMA opal non-glare diffuser.



foro di fissaggio  
fixing hole  
Ø 14cm  
  
gessoled 12/sp incasso  
8,5w 800lm 2700k - 220V  
fornito con modulo led  
integriato di classe A+  
this luminaire contains built-in led A+

finiture/finishes



gesso/plaster


codice/code


inc00007






256








incasso architettonico parete/soffitto con corpo in gesso a scomparsa rasato con malta. può accogliere diverse sorgenti E27 per ogni esigenza estetico-funzionale.

recessed architectural wall/ceiling luminaire body in white plaster to flush on plasterboard. accommodate different light sources E27 socket.



**affilo 21/sp incasso**

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

finiture/finishes



codice/code

inc00004



**affilo 26/sp incasso**


E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

gesso/plaster

inc00005



**affilo 40/sp incasso**

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

gesso/plaster

inc00006












ottica / optic 180°


264





apparecchio da tavolo, soffitto e parete con struttura in legno massello nelle finiture rovere sbiancato, colore wengè, laccato bianco o nero-matt. versione da tavolo con interruttore on/off sulla base.

table, ceiling and wall luminarie with structure in solid wood finished in white oak wood, color wengè, white or black-matt painted. table version with bottom on/off switch.



### cubo 10/Ip on/off

E27 max 60w


compatibile con lampade classe E→A+  
compatible lamps class E→A+

#### finiture/finishes

rovere sbiancato/white oak wood  
colore wengè/color wengè  
bianco-matt/white-matt  
nero-matt/black-matt

#### codice/code

lp00052  
lp00053  
lp00192  
lp00193




### cubo 10/ap

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

rovere sbiancato/white oak wood  
colore wengè/color wengè  
bianco-matt/white-matt  
nero-matt/black-matt

ap00083  
ap00084  
ap00549  
ap00550



### cubo 10/pl


E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

rovere sbiancato/white oak wood  
colore wengè/color wengè  
bianco-matt/white-matt  
nero-matt/black-matt

pl01469  
pl01470  
pl01471  
pl01472

265



### cubo 10/Ip led on/off

2,5w 700mA 270lm 2700k


fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+

bianco-rovere sbiancato/white-white oak wood  
nero-colore wengè/black-color wengè  
bianco-bianco-matt/white-white-matt  
nero-nero-matt/black-black-matt

lp00194  
lp00195  
lp00196  
lp00197



### cubo 10/ap led

2,5w 700mA 270lm 2700k


fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+

bianco-rovere sbiancato/white-white oak wood  
nero-colore wengè/black-color wengè  
bianco-bianco-matt/white-white-matt  
nero-nero-matt/black-black-matt

ap00551  
ap00552  
ap00553  
ap00554



### cubo 10/ap led biemissione

2 x 2,5w 700mA 270lm 2700k

biemission/biemission


fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+

bianco-rovere sbiancato/white-white oak wood  
nero-colore wengè/black-color wengè  
bianco-bianco-matt/white-white-matt  
nero-nero-matt/black-black-matt

ap00563  
ap00564  
ap00565  
ap00566



### cubo 10/pl led

2,5w 700mA 270lm 2700k

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+

bianco-rovere sbiancato/white-white oak wood  
nero-colore wengè/black-color wengè  
bianco-bianco-matt/white-white-matt  
nero-nero-matt/black-black-matt

pl01465  
pl01466  
pl01467  
pl01468




265








268



apparecchio da tavolo, parete/soffitto, soffitto e sospensione regolabile in altezza. struttura in acciaio finitura cromo, verniciato totalblack o in ottone grezzo non trattato con diffusore in vetro soffiato triplex opale acidato. lampada led inclusa.

table, wall/ceiling, ceiling and suspension luminaire adjustable in length. structure in iron finished chrome or painted totalblack or in raw brass untreated. bulb led included.



**palla 25/Ip led on/off**

E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+


finiture/finishes



codice/code

cromo-bianco-latte acidato/chrome-white etched	lp00187
totalblack-bianco-latte acidato/totalblack-white etched	lp00240
ottone grezzo non trattato-bianco-latte acidato	lp00223
raw brass untreated-white etched	

inclusa lampada led cod. 049 - 9w 630lm 2700k  
included led lamp cod. 049 - 9w 630lm 2700k



**palla 30/Ip led on/off**


E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/chrome-white etched	lp00188
totalblack-bianco-latte acidato/totalblack-white etched	lp00241
ottone grezzo non trattato-bianco-latte acidato	lp00224
raw brass untreated-white etched	

inclusa lampada led cod. 049 - 9w 630lm 2700k  
included led lamp cod. 049 - 9w 630lm 2700k

269



**palla 40/Ip led on/off**

E27 max 60w

compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/chrome-white etched	lp00136
totalblack-bianco-latte acidato/totalblack-white etched	lp00226
ottone grezzo non trattato-bianco-latte acidato	lp00225
raw brass untreated-white etched	

inclusa lampada led cod. 055 - 18w 1700lm 2700k  
included led lamp cod. 055 - 18w 1700lm 2700k

269

## finiture/finishes

## codice/code

**palla 25/pl led**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

- 25 -

supplied with lamp class A+

totalwithe-bianco-latte acidato/totalwithe-white etched

pl00339

totalblack-bianco-latte acidato/totalblack-white etched

pl01540

ottone grezzo non trattato-bianco-latte acidato

pl01539

raw brass untreated-white etched

inclusa lampada led cod. 049 - 9w 630lm 2700k  
included led lamp cod. 049 - 9w 630lm 2700k**palla 30/pl led**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

- 30 -

supplied with lamp class A+

totalwithe-bianco-latte acidato/totalwithe-white etched

pl00341

totalblack-bianco-latte acidato/totalblack-white etched

pl01542

ottone grezzo non trattato-bianco-latte acidato

pl01541

raw brass untreated-white etched

inclusa lampada led cod. 049 - 9w 630lm 2700k  
included led lamp cod. 049 - 9w 630lm 2700k**palla 40/pl led**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

- 40 -

supplied with lamp class A+

totalwithe-bianco-latte acidato/totalwithe-white etched

pl00343

totalblack-bianco-latte acidato/totalblack-white etched

pl01544

ottone grezzo non trattato-bianco-latte acidato

pl01543

raw brass untreated-white etched

inclusa lampada led cod. 055 - 18w 1700lm 2700k  
included led lamp cod. 055 - 18w 1700lm 2700k**palla 50/pl led**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

- 50 -

supplied with lamp class A+

totalwithe-bianco-latte acidato/totalwithe-white etched

pl00345


totalblack-bianco-latte acidato/totalblack-white etched

pl01546

ottone grezzo non trattato-bianco-latte acidato

pl01545

raw brass untreated-white etched

inclusa lampada led cod. 055 - 18w 1700lm 2700k  
included led lamp cod. 055 - 18w 1700lm 2700k**palla 30/so led**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched

so00512

totalblack-bianco-latte acidato/totalblack-white etched

so00875

ottone grezzo non trattato-bianco-latte acidato

so01117

raw brass untreated-white etched

**palla 30/so led dec.**

E27 max 60w

compatibile con lampade classe E→A+

fornito con lampada classe A+

compatible with lamps class E→A+

supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched

so00862

totalblack-bianco-latte acidato/totalblack-white etched


so00877

ottone grezzo non trattato-bianco-latte acidato

so01118

raw brass untreated-white etched

inclusa lampada led cod. 049 - 9w 630lm 2700k  
included led lamp cod. 049 - 9w 630lm 2700k



**palla 40/so led**  
E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched


so00515  
so00879  
so01119

**palla 40/so led dec.**  
E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched

so00863  
so00881  
so01120

inclusa lampada led cod. 055 - 18w 1700lm 2700k  
included led lamp cod. 055 - 18w 1700lm 2700k



**palla 50/so led**  
E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched


so00518  
so00883  
so01121

**palla 50/so led dec.**  
E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched

so00520  
so00885  
so01122

inclusa lampada led cod. 055 - 18w 1700lm 2700k  
included led lamp cod. 055 - 18w 1700lm 2700k



**palla 60/so led**  
E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched


so00522  
so00887  
so01123

**palla 60/so led dec.**  
E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched

so00524  
so00889  
so01124

inclusa lampada led cod. 068 - 30w 2600lm 2700k  
included led lamp cod. 068 - 30w 2600lm 2700k



**palla 14/s4 led dec.**  
4 E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-bianco-latte acidato/ chrome-white etched  
totalblack-bianco-latte acidato/totalblack-white etched  
ottone grezzo non trattato-bianco-latte acidato  
raw brass untreated-white etched

so00860  
so00861  
so01116

inclusa lampada led 2pz. cod. 049 + 2pz. cod. 055  
included led lamp 2pcs cod. 049 + 2pcs cod. 055












276



apparecchio parete/soffitto con struttura in acciaio verniciato bianco e diffusore in vetro soffiato naturale, verniciato fumè o con parziale decoro lucido in bianco, grigio, arancio o bronzo-matt.

wall/ceiling luminaire with iron structure white painted and blow glass diffuser in natural clear or painted fumè, also with partial decor in shine white, grey, orange or bronze-matt.

**bice 28/sp**

E27 max 60w

compatibile con lampade classe E→A+  
compatible with lamps class E→A+

## finiture/finishes

## codice/code

bianco-naturale/white-clear	sp00037
bianco-fumè/white-fumè	sp00038
bianco-bianco/white-white	sp00039
bianco-grigio/white-grey	sp00040
bianco-bronzo-matt/white-bronze-matt	sp00041
bianco-arancio/white-orange	sp00042











280

accessorio/accessory 122




apparecchio parete/soffitto, incasso direzionale con snodo in acciaio finitura cromo o verniciato totalwhite, totalblack o in ottone grezzo non trattato. anche con portalampade in ceramica e snodo a farfalla, con diffusore in vetro chiaro ed opale. con led integrato.

wall/ceiling luminaire adjustable junction with iron structure chrome finished or painted totalwhite, totalblack or in raw brass untreated. also with ceramic socket and butterfly joint, with glass diffuser opal or clear. led module integrated.




**tiges 15/sp snodo ceramica**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes	codice/code
totalwhite	sp00199
totalblack	sp00200
ottone grezzo non trattato-ceramica	sp00201
raw brass untreated-ceramic	
cromo-ceramica/ chrome-ceramic	sp00202
ottone grezzo non trattato-nero-ceramica	sp00203
raw brass untreated-black-ceramic	




**tiges 15/sp snodo**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	sp00209
totalblack	sp00210
ottone grezzo non trattato/ raw brass untreated	sp00211
cromo/chrome	sp00212
ottone grezzo non trattato-nero/ raw brass untreated-black	sp00213




**tiges 10/ap snodo ceramica**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	ap00586
totalblack	ap00587
ottone grezzo non trattato-ceramica	ap00446
raw brass untreated-ceramic	
cromo-ceramica/chrome-ceramic	ap00443




**tiges 10/ap snodo**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	ap00594
totalblack	ap00595
ottone grezzo non trattato/raw brass untreated	ap00452
cromo/chrome	ap00449



**tiges 40/ap snodo lungo**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	ap00717
totalblack	ap00718
ottone grezzo non trattato/raw brass untreated	ap00720
cromo/chrome	ap00719
ottone grezzo non trattato-nero/raw brass untreated-black	ap00716



**122 accessorio supporto parete**

supporto completo di cavo nylon e fissaggio parete/soffitto  
consigliato per il fissaggio a parete  
support with nylon wire and fixing system wall/ceiling  
suitable for wall fixing

totalwhite	acc00571
totalblack	acc00572
ottone grezzo non trattato/raw brass untreated	acc00573
cromo/chrome	acc00574



282





284




**tiges 15/sp led snodo ceramica**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**tiges 15/sp led snodo**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**tiges 10/ap led snodo**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



**tiges 40/ap led snodo lungo**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes	codice/code
<b>totalwhite</b>	sp00195
<b>totalblack</b>	sp00194
ottone grezzo non trattato-ceramic	sp00198
raw brass untreated-ceramic	
cromo-ceramica/ chrome-ceramic	sp00197
ottone grezzo non trattato-nero-ceramica	sp00196
raw brass untreated-black-ceramic	
<b>totalwhite</b>	sp00207
<b>totalblack</b>	sp00206
ottone grezzo non trattato/ raw brass untreated	sp00208
cromo/chrome	sp00205
ottone grezzo non trattato-nero/ raw brass untreated-black	sp00204
<b>totalwhite</b>	ap00602
<b>totalblack</b>	ap00603
ottone grezzo non trattato/raw brass untreated	ap00497
cromo/chrome	ap00493

<b>totalwhite</b>	ap00711
<b>totalblack</b>	ap00712
ottone grezzo non trattato/ raw brass untreated	ap00713
cromo/chrome	ap00714
ottone grezzo non trattato-nero/ raw brass untreated-black	ap00715





286


BUL  
SUE'S  
ARE  
WELCOME...





289





**tiges 80/pl snodo ceramica**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

**tiges 150/pl snodo ceramica**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

**tiges 220/pl snodo ceramica**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+


finiture/finishes

codice/code

**totalwhite** pl01497  
**totalblack** pl01498  
**ottone grezzo non trattato-ceramica** pl00392  
**raw brass untreated-ceramic**  
**cromo-ceramica/chrome-ceramic** pl00393

**totalwhite** pl01481  
**totalblack** pl01482  
**ottone grezzo non trattato-ceramica** pl00383  
**raw brass untreated-ceramic**  
**cromo-ceramica/chrome-ceramic** pl00384

**totalwhite** pl01489  
**totalblack** pl01490  
**ottone grezzo non trattato-ceramica** pl00387  
**raw brass untreated-ceramic**  
**cromo-ceramica/chrome-ceramic** pl00388



**tiges 80/pl led snodo ceramica**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+


**tiges 150/pl led snodo ceramica**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

**tiges 220/pl led snodo ceramica**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

**totalwhite** pl01495  
**totalblack** pl01496  
**ottone grezzo non trattato-ceramica** pl00612  
**raw brass untreated-ceramic**  
**cromo-ceramica/chrome-ceramic** pl00611

**totalwhite** pl01479  
**totalblack** pl01480  
**ottone grezzo non trattato-ceramica** pl00608  
**raw brass untreated-ceramic**  
**cromo-ceramica/chrome-ceramic** pl00607

**totalwhite** pl01487  
**totalblack** pl01488  
**ottone grezzo non trattato-ceramica** pl00610  
**raw brass untreated-ceramic**  
**cromo-ceramica/chrome-ceramic** pl00609



#### tiges 80/pl snodi

E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

#### finiture/finishes

	codice/code
totalwhite	pl01501
totalblack	pl01502
ottone grezzo non trattato/raw brass untreated	pl00396
cromo/chrome	pl00395

#### tiges 150/pl snodi

E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

#### totalwhite

pl01485
pl01486
pl00386
pl00385


#### tiges 220/pl snodi

E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

#### totalwhite

pl01493
pl01494
pl00391
pl00390

292



#### tiges 80/pl led snodi

3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### totalwhite

pl01499
pl01500
pl00421
pl00420

#### tiges 150/pl led snodi

3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### totalwhite

pl01483
pl01484
pl00417
pl00416

#### tiges 220/pl led snodi

3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

#### totalwhite

pl01491
pl01492
pl00419
pl00418


a richiesta anche con fissaggio a soffitto incasso  
recessed ceiling fixing base on demand



294



tigespallina


**tigespera 70/pl snodi**

G9 max 40w  
compatibile con lampade classe C→A+  
fornita con lampada di classe A+  
compatible lamps class C→A+  
supplied with lamp class A+

**tigespera 140/pl snodi**

G9 max 40w  
compatibile con lampade classe C→A+  
fornita con lampada di classe A+  
compatible lamps class C→A+  
supplied with lamp class A+

**tigespera 220/pl snodi**


G9 max 40w  
compatibile con lampade classe C→A+  
fornita con lampada di classe A+  
compatible lamps class C→A+  
supplied with lamp class A+

**finiture/finishes**
**codice/code**

<i>totalwhite opale/opal</i>	pl01760
<i>totalwhite chiaro/clear</i>	pl01761
<i>totalblack opale/opal</i>	pl01762
<i>totalblack chiaro/clear</i>	pl01763
ottone grezzo non trattato opale/opal raw brass untreated	pl01766
ottone grezzo non trattato chiaro/clear raw brass untreated	pl01767
cromo opale/chrome opal	pl01764
cromo chiaro/chrome clear	pl01765

<i>totalwhite opale/opal</i>	pl01744
<i>totalwhite chiaro/clear</i>	pl01745
<i>totalblack opale/opal</i>	pl01746
<i>totalblack chiaro/clear</i>	pl01747
ottone grezzo non trattato opale/opal raw brass untreated	pl01750
ottone grezzo non trattato chiaro/clear raw brass untreated	pl01751
cromo opale/chrome opal	pl01748
cromo chiaro/chrome clear	pl01749

<i>totalwhite opale/opal</i>	pl01752
<i>totalwhite chiaro/clear</i>	pl01753
<i>totalblack opale/opal</i>	pl01754
<i>totalblack chiaro/clear</i>	pl01755
ottone grezzo non trattato opale/opal raw brass untreated	pl01758
ottone grezzo non trattato chiaro/clear raw brass untreated	pl01759
cromo opale/chrome opal	pl01756
cromo chiaro/chrome clear	pl01757


**tigespallina 70/pl snodi**

G9 max 40w  
compatibile con lampade classe C→A+  
fornita con lampada di classe A+  
compatible lamps class C→A+  
supplied with lamp class A+

**tigespallina 140/pl snodi**

G9 max 40w  
compatibile con lampade classe C→A+  
fornita con lampada di classe A+  
compatible lamps class C→A+  
supplied with lamp class A+

**tigespallina 220/pl snodi**

G9 max 40w  
compatibile con lampade classe C→A+  
fornita con lampada di classe A+  
compatible lamps class C→A+  
supplied with lamp class A+

<i>totalwhite opale/opal</i>	pl01736
<i>totalwhite chiaro/clear</i>	pl01737
<i>totalblack opale/opal</i>	pl01738
<i>totalblack chiaro/clear</i>	pl01739
ottone grezzo non trattato opale/opal raw brass untreated	pl01742
ottone grezzo non trattato chiaro/clear raw brass untreated	pl01743
cromo opale/chrome opal	pl01740
cromo chiaro/chrome clear	pl01741

<i>totalwhite opale/opal</i>	pl01720
<i>totalwhite chiaro/clear</i>	pl01721
<i>totalblack opale/opal</i>	pl01722
<i>totalblack chiaro/clear</i>	pl01723
ottone grezzo non trattato opale/opal raw brass untreated	pl01726
ottone grezzo non trattato chiaro/clear raw brass untreated	pl01727
cromo opale/chrome opal	pl01724
cromo chiaro/chrome clear	pl01725

<i>totalwhite opale/opal</i>	pl01728
<i>totalwhite chiaro/clear</i>	pl01729
<i>totalblack opale/opal</i>	pl01730
<i>totalblack chiaro/clear</i>	pl01731
ottone grezzo non trattato opale/opal raw brass untreated	pl01734
ottone grezzo non trattato chiaro/clear raw brass untreated	pl01735
cromo opale/chrome opal	pl01732
cromo chiaro/chrome clear	pl01733

296

tigespera





298





15



# seamless - 2010



apparecchio a parete con struttura in acciaio verniciato bianco e diffusore in acciaio AISI 430 lucido o verniciato totalwhite o totalblack.

wall luminaire with steel white painted inner structure, front diffuser in steel AISI 430 mirror or totalwhite or totalblack painted.



## seamless 86/ap

15w 24V 1200lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes

**totalwhite**  
**totalblack**  
**AISI 430 lucido/mirror**


codice/code



ap00532

ap00531

ap00533



## seamless 116/ap

20w 24V 2000lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

**totalwhite**  
**totalblack**  
**AISI 430 lucido/mirror**

ap00525


ap00526

ap00524





302




apparecchio parete/soffitto con diffusore in composito di alluminio finitura verniciato bianco o nero. lampade led incluse.

wall/ceiling luminaire finished painted aluminium diffuser white or black. led lamps included.



codice/code



**areaqua 55/sp led**

4 E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampade led classe A+  
compatible with lamps led class E→A+  
supplied with lamps class A+


finiture/finishes

bianco/white

sp00019

nero/black

sp00020



**areaqua 70/sp led**


6 E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampade led classe A+  
compatible with lamps led class E→A+  
supplied with lamps class A+

bianco/white

sp00021

nero/black

sp00022



**areaova 100/sp led**

4 E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampade led classe A+  
compatible with lamps led class E→A+  
supplied with lamps class A+

bianco/white

sp00015

nero/black

sp00016

fornito con lampade led G95 cod.lamled054 opale 9w - 800lm - 2700k  
supplied with led lamps G95 cod.lamled054 opal 9w - 800lm - 2700k


303






# fuse

2004 - 2015



apparecchio tavolo, pavimento, parete, sospensione in acciaio verniciato totalwhite o totalblack. anche in ottone grezzo non trattato. a richiesta accessorio tappo sulla lampada. lampada led inclusa.

table, wall, floor and suspension luminaire with details iron painted totalwhite or totalblack or natural brass raw untreated. accessory cup on the bulb on demand. led lamp included.



**fuse 12/Ip led filament**


E27 max 60w  
6w 650lm 2200k - 230V  
compatibile con lampade classe E-A+  
fornito con lampada di classe A+  
compatible lamps class E-A+  
supplied with led lamp filament  
replaceable class A+

finiture/finishes

codice/code

totalwhite  
totalblack  
ottone grezzo non trattato/raw brass untreated

lp00216  
lp00217  
lp00215



**fuse 30/ph led filament on-off**


E27 max 60w  
6w 650lm 2200k - 230V  
compatibile con lampade classe E-A+  
fornito con lampada di classe A+  
compatible lamps class E-A+  
supplied with led lamp filament  
replaceable class A+

totalwhite  
totalblack  
ottone grezzo non trattato/raw brass untreated

ph00100  
ph00101  
ph00103



305





**fuse 10/ap led filament**

E27 max 60w  
6w 650lm 2200k - 230V  
compatibile con lampade classe E-A+  
fornito con lampada di classe A+  
compatible lamps class E-A+  
supplied with led lamp filament  
replaceable class A+

totalwhite  
totalblack  
ottone grezzo non trattato/raw brass untreated

ap00646  
ap00647  
ap00649



ENERGY  
STAR**fuse 90/s2 led filament**


E27 max 60w  
2 x 6w 1200lm 2200k - 230V  
compatibile con lampade classe E→A+  
fornito con lampade di classe A+  
compatible lamps class E→A+  
supplied with led lamps filament  
replaceable class A+

## finiture/finishes

## codice/code

*totalwhite*  
*totalblack*  
ottone grezzo non trattato/raw brass untreated

so01023  
so01024  
so01025

**fuse 8/so led filament**

E27 max 60w  
6w 1200lm 2200k - 230V  
compatibile con lampade classe E→A+  
fornito con lampada di classe A+  
compatible lamps class E→A+  
supplied with led lamp filament  
replaceable class A+

*totalwhite**totalblack*

so01432  
so01433  
so01434

306

**97 accessorio tappo fuse serie**

terminale tappo in acciaio tornito dimensione 4x7cm *totalwhite* acc00493  
*terminal cap in iron dimensions 4x7cm*

terminale tappo in acciaio tornito dimensione 4x7cm *totalblack* acc00494  
*terminal cap in iron dimensions 4x7cm*

terminale tappo in ottone tornito dimensione 4x7cm  
finitura ottone grezzo non trattato  
*terminal cap in brass untreated raw dimensions 4x7cm* acc00495  
*raw brass untreated finished*

**lampada inclusa tubolare T.38 E27 cod. lamled 032 6w 1200lm 2200k  
included tubular T.38 E27 cod. lamled 032 6w 1200lm 2200k**





308





310

# sospesa

1999 - 2014



apparecchio a pavimento con struttura in acciaio e finitura verniciata totalblack o ottone grezzo non trattato. interruttore on/off su cavo elettrico lunghezza max 400cm, fornito con fissaggio a soffitto e cavo di tenuta in acciaio. anche led integrato dimmerabile.

floor luminaire with iron structure finished painted totalblack or raw brass untreated. on/off switch on cable max lenght 400 cm supplied with ceiling fixing on iron rope. also integrated led version dimmable.



### sospesastelo/ph on/off

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



codice/code

finiture/finishes

ph00049

cromo-cavo trasparente/chrome-cable clear

ph00119

**totalblack**

ph00278


ottone grezzo non trattato - cavo trasparente

raw brass untreated - clear cable

ottone grezzo non trattato-nero - cavo nero

ph00279

raw brass untreated-black - black cable



### sospesastelo/ph2 on/off

2 E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



311

cromo-cavo trasparente/chrome-cable clear

ph00051

**totalblack**

ph00120

ottone grezzo non trattato - cavo trasparente

ph00280

raw brass untreated - clear cable

ottone grezzo non trattato-nero - cavo nero

ph00281

raw brass untreated-black - black cable



### sospesastelo/ph led on/off dim.

7,5w 700mA 650lm 2700k

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+



cromo-cavo trasparente/chrome-cable clear

ph00123

**totalblack**

ph00124

ottone grezzo non trattato-cavo trasparente


ph00282

raw brass untreated-clear cable

ottone grezzo non trattato-nero- cavo nero

ph00283

raw brass untreated-black-black cable



### sospesastelo /ph2 led on/off dim.

2 x 7,5w 700mA 650lm 2700k

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+



cromo-cavo trasparente/chrome-cable clear

ph00125

**totalblack**

ph00126

ottone grezzo non trattato-cavo trasparente

ph00284

raw brass untreated-clear cable


ottone grezzo non trattato-nero- cavo nero

ph00285

raw brass untreated-black-black cable



**sospesarco/ph on/off**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+



**sospesarco/ph2 on/off**  
2 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+



**sospesarco/ph led on/off dim.**  
7,5w 700mA 650lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+



**sospesarco/ph2 led on/off dim.**  
2 x 7,5w 700mA 650lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+


finiture/finishes	codice/code
cromo-cavo trasparente/chrome-cable clear	ph00045
totalblack	ph00115
ottone grezzo non trattato - cavo trasparente	ph00286
raw brass untreated - clear cable	
ottone grezzo non trattato-nero - cavo nero	ph00287
raw brass untreated-black - black cable	

cromo-cavo trasparente/chrome-cable clear	ph00047
totalblack	ph00118
ottone grezzo non trattato - cavo trasparente	ph00288
raw brass untreated - clear cable	
ottone grezzo non trattato-nero - cavo nero	ph00289
raw brass untreated-black - black cable	

cromo-cavo trasparente/chrome-cable clear	ph00116
totalblack	ph00117
ottone grezzo non trattato - cavo trasparente	ph00157
raw brass untreated - clear cable	
ottone grezzo non trattato-nero - cavo nero	ph00159
raw brass untreated-black - black cable	


cromo-cavo trasparente/chrome-cable clear	ph00121
totalblack	ph00122
ottone grezzo non trattato - cavo trasparente	ph00158
raw brass untreated - clear cable	
ottone grezzo non trattato-nero - cavo nero	ph00160
raw brass untreated-black - black cable	







314




apparecchio da tavolo, pavimento, parete/soffitto e soffitto con braccio regolabile in acciaio finitura cromo, verniciato totalwhite o totalblack, brunito scuro-matt, ottone grezzo non trattato. interruttore on/off su cavo per la versione tavolo e pavimento. anche in versione led integrato.

table, floor, wall/ceiling and ceiling luminaire and structure with adjustable iron chrome finished, painted totalwhite or totalblack, old brass-matt, raw brass untreated. on/off switch on cable for table and floor version. also with led integrated.




finiture/finishes	codice/code
-------------------	-------------




**flex 14/lp on/off tireta**  
E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

cromo/chrome	lp00082
brunito scuro-matt/old brass-matt	lp00682



**flex 13/lp led on/off**  
led 3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

finiture/finishes	codice/code
totalwhite	lp00683
totalblack	lp00684
cromo/chrome	lp00687
ottone grezzo non trattato-bianco/raw brass untreated-white	lp00685
ottone grezzo non trattato-nero/raw brass untreated-black	lp00686




**flex 26/ph on/off**  
E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes	codice/code
totalwhite	ph00071
totalblack	ph00072
cromo/chrome	ph00010

**flex 26/ph led on/off**  
7,5w 700mA 650lm 3000k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

finiture/finishes	codice/code
totalwhite	ph00074
totalblack	ph00075
cromo/chrome	ph00073



**flex 10/ap tondo on/off tireta**  
E27 max 60W  
compatibile con lampade classe E→A+brunito scuro-matt/old brass-matt  
compatible lamps class E→A+

finiture/finishes	codice/code
cromo/chrome	ap00120
brunito scuro-matt/old brass-matt	ap00912









318



319









322






finiture/finishes	codice/code
-------------------	-------------



**flex 30/ap3**  
3 E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

<i>totalwhite</i>	ap00507
<i>totalblack</i>	ap00506
<i>cromo/chrome</i>	ap00131
ottone grezzo non trattato-bianco/raw brass untreated-white	ap00932
ottone grezzo non trattato-nero/raw brass untreated-black	ap00933



**flex 30/ap3 led**  
3 x 3,7w 350mA 380lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	ap00505
<i>totalblack</i>	ap00504
<i>cromo/chrome</i>	ap00482
ottone grezzo non trattato-bianco/raw brass untreated-white	ap00934
ottone grezzo non trattato-nero/raw brass untreated-black	ap00935



**flex 25/pl**  
E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

<i>totalwhite</i>	pl00571
<i>totalblack</i>	pl00573
<i>cromo/chrome</i>	pl00212
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01712
ottone grezzo non trattato-nero/raw brass untreated-black	pl01713




**flex 25/pl led**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	pl00570
<i>totalblack</i>	pl00572
<i>cromo/chrome</i>	pl00427
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01714
ottone grezzo non trattato-nero/raw brass untreated-black	pl01715



**flex 50/pl**  
E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

<i>totalwhite</i>	pl00575
<i>totalblack</i>	pl00577
<i>cromo/chrome</i>	pl00213
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01716
ottone grezzo non trattato-nero/raw brass untreated-black	pl01717



**flex 50/pl led**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integriato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	pl00574
<i>totalblack</i>	pl00576
<i>cromo/chrome</i>	pl00428
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01718
ottone grezzo non trattato-nero/raw brass untreated-black	pl01719



324




**flex 80/pl**  
E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

finiture/finishes	codice/code
totalwhite	pl00584
totalblack	pl00586
cromo/chrome	pl00215
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01704
ottone grezzo non trattato-nero/raw brass untreated-black	pl01705




**flex 80/pl led**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite	pl00583
totalblack	pl00585
cromo/chrome	pl00429
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01706
ottone grezzo non trattato-nero/raw brass untreated-black	pl01707




**flex 60/pl6**  
6 E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

totalwhite	pl00578
totalblack	pl00579
cromo/chrome	pl00214
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01708
ottone grezzo non trattato-nero/raw brass untreated-black	pl01709



**flex 60/pl6 led**  
6 x 3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite	pl00582
totalblack	pl00581
cromo/chrome	pl00580
ottone grezzo non trattato-bianco/raw brass untreated-white	pl01710
ottone grezzo non trattato-nero/raw brass untreated-black	pl01711





326



327



328








apparecchio parete/soffitto con copri-portalampada in bayblend finitura cromo, nichel-matt, nero, bianco. lampada led opale inclusa, anche dimmerabile. versione con doppio attacco-portalampada S14s opale, o chiara a richiesta.

wall/ceiling luminaire with socket finished in chrome, nickel-matt, black, white. lamp led opal included, also dimmable. version with double socket S14s opal or clear on demand.




**striplin 1a35/sp led**  
S14d max 35w  
compatibile con lampada  
di classe E→A+  
fornito con lampada opale  
sostituibile di classe A+  
compatible lamps da E→A+  
supplied with led lamp opal  
replaceable class A+



**striplin 1a50/sp led**  
S14d max 50w  
compatibile con lampada  
di classe E→A+  
fornito con lampada opale  
sostituibile di classe A+  
compatible lamps da E→A+  
supplied with led lamp opal  
replaceable class A+



**striplin 1a50/sp led dim.**  
S14d max 50w  
compatibile con lampada  
di classe E→A+  
fornito con lampada opale  
sostituibile di classe A+  
compatible lamps da E→A+  
supplied with led lamp opal  
replaceable class A+



**striplin 1a100/sp led**  
S14s max 100w  
compatibile con lampada  
di classe E→A+  
fornito con lampada opale  
sostituibile di classe A+  
compatible lamps da E→A+  
supplied with led lamp opal  
replaceable class A+



**striplin 1a100/sp led dim.**  
S14s max 100w  
compatibile con lampada  
di classe E→A+  
fornito con lampada opale  
sostituibile di classe A+  
compatible lamps da E→A+  
supplied with led lamp opal  
replaceable class A+

finiture/finishes	codice/code
-------------------	-------------

bianco/white	sp00183
nero/black	sp00182
cromo/chrome	sp00180
nichel-matt/nikel-matt	sp00181

fornita con lampada led opale cod.lamled008 5w - 450lm - 2700k supplied with led opal lamp cod.lamled008 5w - 450lm - 2700k
--

bianco/white	sp00190
nero/black	sp00192
cromo/chrome	sp00191
nichel-matt/nikel-matt	sp00193

331

fornita con lampada led opale cod.lamled009 8w - 750lm - 2700k supplied with led opal lamp cod.lamled009 8w - 750lm - 2700k
--

bianco/white	sp00885
nero/black	sp00886
cromo/chrome	sp00887
nichel-matt/nikel-matt	sp00888

fornita con lampada led dim. opale cod.lamled091 8w - 750lm - 2700k supplied with led dim. opal lamp cod.lamled091 8w - 750lm - 2700k
--

bianco/white	sp00170
nero/black	sp00171
cromo/chrome	sp00172
nichel-matt/nikel-matt	sp00173

fornita con lampada led opale cod.lamled093 16w - 1280lm - 2700k supplied with led opal lamp cod.lamled093 16w - 1280lm - 2700k
--



bianco/white	sp00869
nero/black	sp00870
cromo/chrome	sp00871
nichel-matt/nikel-matt	sp00872

fornita con lampada led dim. opale cod.lamled094 16w - 1280lm - 2700k supplied with led dim. opal lamp cod.lamled094 16w - 1280lm - 2700k
--






333



334

# interferenza

- 2010




apparecchio da lettura con struttura in alluminio e braccio regolabile. finiture cromo, cromo con braccio rivestito in tessuto rosso, verniciato totalwhite o totalblack. il fissaggio a parete include il driver, disponibile a richiesta anche in versione con base compatta e driver remoto.

reading luminaire structure in aluminium and adjustable arm finished chrome, fabric coated red arm and chrome or painted totalwhite, totalblack. fixing wall base contain the driver, also available with flat base and remote driver version on demand.




finiture/finishes	codice/code
-------------------	-------------



## interferenza 5/ap

1,2w 90lm 350mA 4000k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*



## interferenza 5/ap incasso

1,2w 90lm 350mA 4000k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite	ap00154
totalblack	ap00151
cromo/chrome	ap00153
cromo-braccio rosso/chrome-red arm	ap00152


totalwhite-driver remoto/totalwhite-remote driver	ap00156
totalblack-driver remoto/totalblack-remote driver	ap00155
cromo-driver remoto/chrome-remote driver	ap00158
cromo-braccio rosso-driver remoto	ap00157
chrome-red arm-remote driver	

335

a richiesta 2700k senza maggiorazione  
2700k without surcharge on demand








apparecchio a sospensione, parete o soffitto con struttura in acciaio ed ottone con finitura cromo, verniciato totalblack o completamente in ottone grezzo non trattato e speciali cavi elettrici rivestiti in tessuto nero. lampada tubolare led opale inclusa, a richiesta chiara

suspension, wall and ceiling luminaire with structure brass and iron finished chrome, painted totalblack or completely in raw brass untreated. tubular lamp led opal included, clear on demand.



codice/code




### scar 50/ap10

10 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
*compatible lamps class E→A+*  
*supplied with lamps class A+*

finiture/finishes

cromo-cavo trasparente/chrome-cable clear	ap00663
<b>totalblack</b>	ap00664
ottone grezzo non trattato-nero/raw brass untreated-black	ap00917




### scar 50/ap17

17 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
*compatible lamps class E→A+*  
*supplied with lamps class A+*

cromo-cavo trasparente/chrome-cable clear	ap00665
<b>totalblack</b>	ap00666
ottone grezzo non trattato-nero/raw brass untreated-black	ap00918


337



### scar 90/ap24

24 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
*compatible lamps class E→A+*  
*supplied with lamps class A+*

cromo-cavo trasparente/chrome-cable clear	ap00667
<b>totalblack</b>	ap00668
ottone grezzo non trattato-nero/raw brass untreated-black	ap00919



### scar 80/pl18


18 E14 max 40w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
*compatible lamps class E→A+*  
*supplied with lamps class A+*

cromo-cavo trasparente/chrome-cable clear	pl01694
<b>totalblack</b>	pl01695
ottone grezzo non trattato-nero/raw brass untreated-black	pl01696



finiture/finishes


codice/code

**scar 100/pl24 led**

24 E14 max 40w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
compatible lamps class E→A+  
supplied with lamps class A+

cromo-cavo trasparente/chrome-cable clear  
totalblack  
ottone grezzo non trattato/raw brass untreated

pl01691  
pl01692  
pl01693


**scar 80/s30 led**

30 E14 max 40w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
compatible lamps class E→A+  
supplied with lamps class A+

cromo-cavo trasparente/chrome-cable clear  
totalblack  
ottone grezzo non trattato-nero/raw brass untreated-black

so01395  
so01396  
so01397

338

**scar 100/s42 led**

42 E14 max 40w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
fornito con lampade classe A+  
compatible lamps class E→A+  
supplied with lamps class A+

cromo-cavo trasparente/chrome-cable clear  
totalblack  
ottone grezzo non trattato-nero/raw brass untreated-black

so01392  
so01393  
so01394

fornita con lampada led opale cod.035 - 4w 350lm 2700k o a richiesta chiara  
supplied with led opal lamp cod.035 - 4w 350lm 2700k or clear on demand






340








apparecchio a soffitto con diffusore in acciaio AISI 430 finitura naturale lucido. elementi in vetro raccolti in catene nei colori naturale, bianco o nero. anche in versione sospensione regolabile in altezza su cavi di tenuta in acciaio.

ceiling luminaire with iron AISI 430 mirror diffuser. glass elements chains of beads color clear, black or white. also suspension version adjustable in height on iron wire.



**gioiello 40/pl led corto**  
17w 220V 1250lm 3000K  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


finiture/finishes



codice/code

acciaio AISI 430 lucido-naturale/iron AISI 430 mirror-clear	p100522
acciaio AISI 430 lucido-bianco/iron AISI 430 mirror-white	p100521
acciaio AISI 430 lucido-nero/iron AISI 430 mirror-black	p100520

25 catene di perle in vetro/25 chains of beads in glass




**gioiello 60/pl led corto**  
17w 220V 1250lm 3000K  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

acciaio AISI 430 lucido-naturale/iron AISI 430 mirror-clear	p100534
acciaio AISI 430 lucido-bianco/iron AISI 430 mirror-white	p100533
acciaio AISI 430 lucido-nero/iron AISI 430 mirror-black	p100532

39 catene di perle in vetro/39 chains of beads in glass


343



**gioiello 40/pl led lungo**  
17w 220V 1250lm 3000K  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

acciaio AISI 430 lucido-naturale/iron AISI 430 mirror-clear	p100525
acciaio AISI 430 lucido-bianco/iron AISI 430 mirror-white	p100524
acciaio AISI 430 lucido-nero/iron AISI 430 mirror-black	p100523

50 catene di perle in vetro/50 chains of beads in glass




**gioiello 60/pl led lungo**  
17w 220V 1250lm 3000K  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

acciaio AISI 430 lucido-naturale/iron AISI 430 mirror-clear	p100536
acciaio AISI 430 lucido-bianco/iron AISI 430 mirror-white	p100537
acciaio AISI 430 lucido-nero/iron AISI 430 mirror-black	p100535

78 catene di perle in vetro/78 chains of beads in glass

343





**gioiello 60/pl led corona**  
17w 220V 1250lm 3000K  
fornito con modulo led  
integro di classe A+  
*this luminaire contains built-in led A+*


finiture/finishes

codice/code



acciaio AISI 430 lucido-naturale/iron AISI 430 mirror-clear	pl01463
acciaio AISI 430 lucido-bianco/iron AISI 430 mirror-white	pl01462
acciaio AISI 430 lucido-nero/iron AISI 430 mirror-black	pl01461

78 catene di perle in vetro/78 chains of beads in glass



**gioiello drappo 100/pl led**  
4 x 2,4w 700mA 600lm 3000K  
fornito con modulo led incasso  
sostituibile classe A  
*this luminaire contains built-in led A+*



acciaio AISI 430 lucido-naturale/iron AISI 430 mirror-clear	pl00606
acciaio AISI 430 lucido-bianco/iron AISI 430 mirror-white	pl00605
acciaio AISI 430 lucido-nero/iron AISI 430 mirror-black	pl00604



40 catene di perle in vetro/40 chains of beads in glass

a richiesta Ø 30-50-80-100/pl  
Ø 30-50-80-100/pl on demand





346

**gioiello 90/so**

6 G9 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

## finiture/finishes

## codice/code

cromo-naturale/chrome-clear

so00315


bianco lucido-bianco/white glossy-white

so00317

nero lucido-nero/black glossy-black

so00316

66 catene di perle in vetro/66 chains of beads in glass

**gioiello 130/so**

12 G9 max 60w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

cromo-naturale/chrome-clear

so00306

bianco lucido-bianco/white glossy-white

so00307

nero lucido-nero/black glossy-black


so00308

98 catene di perle in vetro/98 chains of beads in glass

**a richiesta Ø 75-180/so  
Ø 75-180/so on demand**




348




apparecchio a sospensione e parete, in vetro di murano colore bianco o nero e cristallo inciso di boemia nei colori a richiesta ambra, rosso, acqua-mare e blu e dettagli in acciaio finitura cromo. struttura regolabile in altezza su cavo di tenuta in acciaio. disponibile anche con led di cortesia e doppia accensione.

suspension and wall luminaire in murano blow-glasses colors white or black and crystal cutted of boemia part colors amber, blue-aqua, red and blue. iron chrome finished structure adjustable in height with iron cable. available courtesy led with double lighting.



finiture/finishes

codice/code



**infedele 72/ap3**

3 G9 max 40w


compatibile con lampade classe C→A+  
compatible with lamps class C→A+

cromo-bianco-latte/chrome-white

ap00147

cromo-nero/chrome-black

ap00148



**infedele 72/ap6**

6 G9 max 40w


compatibile con lampade classe C→A+  
compatible with lamps class C→A+

cromo-bianco-latte/chrome-white

ap00149

cromo-nero/chrome-black

ap00150



**infedele 130/s4**

4 G9 max 40w

compatibile con lampade classe C→A+  
compatible with lamps class C→A+

cromo-bianco-latte/chrome-white

so00420

cromo-nero/chrome-black

so00421



**infedele 130/s8**

8 G9 max 40w


compatibile con lampade classe C→A+  
compatible with lamps class C→A+

cromo-bianco-latte/chrome-white

so00422

cromo-nero/chrome-black

so00423



**infedele 130/s8 led**

8 G9 max 40w

+ 3 led cortesia/courtesy  
1,2w 350mA 90lm 3000k  
doppia accensione/double lighting  
compatibile con lampade classe C→A+  
fornito con modulo led  
integrato di classe A+  
compatible with lamps class C→A+  
this luminaire contains built-in led A+

cromo-bianco-latte/chrome-white

so00866

cromo-nero/chrome-black

so00867

350








352









archiviato il principio della qualità come fondamentale, ci muoviamo nel segno della coerenza con una nuova visione ed attenzione al progetto nella convinzione che la lampada a bulbo possa ancora oggi avere un ruolo importante. coprifilo, cavo, portalampade, lampada ed accessori... la nostra carta d'identità!

la nostra storia di produttore inizia nel 1996 proprio intorno a questi semplici elementi, tanta curiosità e voglia di fare, ci misuriamo produttivamente con il mondo dell'arredo luce: scriviamo il nostro futuro consapevoli che è tempo di aggiungere valore emozionale ai nostri apparecchi con uno sguardo al passato.

la sorgente al centro del progetto, la lampada (ina) dalla forma classica già parte della vita di tutti noi, oggi grazie ad un nuovo percorso ed alla tecnologia (filamento) led, ha sostituito di fatto la vecchia c a r a incandescenza, conclamata icona di design che a cambiato la percezione della luce artificiale lasciandone però intatto fascino e valore evocativo.

*archived the principle of quality as the fundamental, we move in the sign of the project coherence and a fresh vision of design and source*

*canopy, cable, socket, bulb and accessories... our i.d. card! our history as lighting producer start in 1996 around these simple elements, much curiosity and enthusiasm, irony, measuring ourselves productively with lighting world: we write our future looking to the past.*

*the source central in the project, the bulb with his classical form, part of life of all of us, now in a new way thanks to technology (filament) led that replacing the old incandescent bulb (todays true design icon) changes the world of artificial light; intact charm and evocative value respecting the planet.*





demo idea con/with acc. 314






358



gruppo luce idea con accessorio disco loop  
*light group idea with accessory disco loop*

# ideabinario - 2017



sistema a binario elettrificato in estruso di alluminio verniciato totalwhite o totalblack. altri colori a richiesta. versioni standard, compatta e ad incasso con uno, due o tre circuiti (trifase 230V/400V - 16A) lunghezze standard da 100, 200, 300 cm. viene fornito completo di tutti gli accessori per le possibili configurazioni a scelta. seguono alcune foto demo solo con alcuni dei nostri gruppi luce fornibili a tensione di rete o bassissima tensione. se richiesta vi forniremo la progettazione del sistema con il disegno tecnico e file 3D.

track system electrified in aluminum extruded painted totalwhite or totalblack. others color on request. standard versions, compact and recessed with one, two or three electric circuits (three-phase 230V / 400V - 16A) lengths standard 100, 200, 300 cm. supplied complete with all the accessories for the possible choice of configurations. follow some few demo photos of our light groups luminaire that can accomodate at mains voltage or low voltage. at your request will be provided technical drawing and 3D file of system.



gruppo luce ideatelaio / light group ideatelaio



360



gruppo luce c'eraunidea con accessorio disco f40  
*light group c'eraunidea with accessory disco f40*



gruppo luce ocono / light group ocono

versione binario incasso / recessed track version




gruppo luce barattolo-bottles-cappuccino / light group barattolo-bottles-cappuccino




gruppo luce ambarabà-cici-cocò / light group ambarabà-cici-cocò



gruppo luce idealed / light group idealed




gruppo luce ideacemento / light group ideacemento




# ideatelaio

2013 - 2017



apparecchio da tavolo, pavimento, parete, soffitto, sospensione. telaio con fissaggio a magnete realizzato in filo di acciaio 5mm nelle finiture verniciato brunito, totalwhite, totalblack o galvanizzato cromo. versioni a parete anche con led di cortesia e doppia accensione.

table, floor, wall, ceiling, suspension luminaire with iron magnetic telaio finished totalwhite, totalblack, old brass painted, galvanized chrome. wall version with courtesy led and double lighting.



### ideatelaio cubo 35/ap


E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes

codice/code

totalwhite  
totalblack  
brunito verniciato/old brass painted

ap00544  
ap00545  
ap00576




### ideatelaio t.cono 35/ap

E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite  
totalblack  
brunito verniciato/old brass painted

ap00543  
ap00542  
ap00578




### ideatelaio twin 70/ap2

2 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite  
totalblack  
brunito verniciato/old brass painted

365

ap00556  
ap00557  
ap00581




### ideatelaio cubo 35/ap led

E27 max 60w  
+1,2w led cortesia/back courtesy light  
350mA 90lm 2700k  
doppia accensione/double lighting  
  
compatibile con lampade classe E→A+  
fornito con modulo led  
integrato di classe A+  
compatible with lamps class E→A+  
this luminaire contains built-in led A+

totalwhite  
totalblack  
brunito verniciato/old brass painted

ap00547  
ap00546  
ap00577



### ideatelaio t.cono 35/ap led

E27 max 60w  
+1,2w led cortesia/back courtesy light  
350mA 90lm 2700k  
doppia accensione/double lighting  
  
compatibile con lampade classe E→A+  
fornito con modulo led  
integrato di classe A+  
compatible with lamps class E→A+  
this luminaire contains built-in led A+

totalwhite  
totalblack  
brunito verniciato/old brass painted

ap00541  
ap00540  
ap00579








368




finiture/finishes	codice/code
-------------------	-------------


**ideatelaio cubo 35/Ip on-off**


E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	lp00260
totalblack	lp00259
brunito verniciato-cavo nero/old brass painted- black cable	lp00261
cromo-colori cavi a scelta /chrome-color cables choice	lp00262


**ideatelaio t.cono 35/Ip on-off**


E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	lp00268
totalblack	lp00267
brunito verniciato-cavo nero/old brass painted- black cable	lp00269
cromo-colori cavi a scelta /chrome-color cables choice	lp00270


**ideatelaio cubo 50/Ip on-off**


E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	lp00263
totalblack	lp00264
brunito verniciato-cavo nero/old brass painted- black cable	lp00265
cromo-colori cavi a scelta /chrome-color cables choice	lp00266


**ideatelaio t.cono 50/Ip on-off**


E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	lp00271
totalblack	lp00272
brunito verniciato-cavo nero/old brass painted- black cable	lp00273
cromo-colori cavi a scelta /chrome-color cables choice	lp00274


**ideatelaio twin 70/Ip2 on-off**


2 E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	lp00198
totalblack	lp00200
brunito verniciato-cavo nero/old brass painted- black cable	lp00210
cromo-colori cavi a scelta /chrome-color cables choice	lp00199


**ideatelaio cubo 35/pl**






E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	pl01579
totalblack	pl01580
brunito verniciato/old brass painted	pl01581
cromo-chrome	pl01582


**ideatelaio cubo 50/pl**


E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	pl01587
totalblack	pl01588
brunito verniciato/old brass painted	pl01589
cromo-chrome	pl01590

	finiture/finishes	codice/code
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01575 pl01576 pl01577 pl01578
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01584 pl01585 pl01586 pl01583
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01591 pl01592 pl01593 pl01594
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01600 pl01601 pl01602 pl01599
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01596 pl01597 pl01598 pl01595
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01604 pl01605 pl01606 pl01603
	<i>totalwhite</i> <i>totalblack</i> brunito verniciato/old brass painted cromo-chrome	pl01654 pl01655 pl01656 pl01657



finiture/finishes	codice/code
-------------------	-------------



### ideatelaio cubo 35/so

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

**totalwhite**

so01206

**totalblack**


so01207

brunito verniciato-cavo nero/old brass painted- black cable

so01208

cromo-colori cavi a scelta /chrome-color cables choice

so01209



### ideatelaio cubo 50/so

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

**totalwhite**

so01210

**totalblack**


so01211

brunito verniciato-cavo nero/old brass painted- black cable

so01212

cromo-colori cavi a scelta /chrome-color cables choice

so01213



### ideatelaio cubo 35/so 110

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

**totalwhite**

so01198

**totalblack**


so01199

brunito verniciato-cavo nero/old brass painted- black cable

so01200

cromo-colori cavi a scelta /chrome-color cables choice

so01201



### ideatelaio cubo 50/so 110

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

**totalwhite**

so01202

**totalblack**


so01203

brunito verniciato-cavo nero/old brass painted- black cable

so01204

cromo-colori cavi a scelta /chrome-color cables choice

so01205



### ideatelaio t.cono 35/so

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

**totalwhite**

so01218

**totalblack**

so01219

brunito verniciato/old brass painted


so01220

cromo-colori cavi a scelta /chrome-color cables choice

so01221



finiture/finishes	codice/code
-------------------	-------------



### ideatelaio t.cono 50/so

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

*totalwhite*

so01222

*totalblack*


so01223

brunito verniciato-cavo nero/old brass painted- black cable

so01224

cromo-colori cavi a scelta /chrome-color cables choice

so01225



### ideatelaio t.cono 35/so 110

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

*totalwhite*

so01234

*totalblack*


so01235

brunito verniciato-cavo nero/old brass painted- black cable

so01236

cromo-colori cavi a scelta /chrome-color cables choice

so01237



### ideatelaio t.cono 50/so 110

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

*totalwhite*

so01214

*totalblack*


so01215

brunito verniciato-cavo nero/old brass painted- black cable

so01216

cromo-colori cavi a scelta /chrome-color cables choice

so01217



### ideatelaio twin 70/s2

2 E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

*totalwhite*

so00417

*totalblack*

so00418

brunito verniciato-cavo nero/old brass painted- black cable


so00944

cromo-colori cavi a scelta /chrome-color cables choice

so00419


finiture/finishes

codice/code




**ideatelaio cubo 35/ph on-off**  
E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	ph00020
<i>totalblack</i>	ph00021
brunito verniciato-cavo nero/old brass painted- black cable	ph00076
cromo-colori cavi a scelta /chrome-color cables choice	ph00022




**ideatelaio t.cono 35/ph on-off**  
E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	ph00132
<i>totalblack</i>	ph00134
brunito verniciato-cavo nero/old brass painted- black cable	ph00133
cromo-colori cavi a scelta /chrome-color cables choice	ph00135



**ideatelaio cubo 50/ph on-off**  
E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	ph00024
<i>totalblack</i>	ph00023
brunito verniciato-cavo nero/old brass painted- black cable	ph00077
cromo-colori cavi a scelta /chrome-color cables choice	ph00025



**ideatelaio t.cono 50/ph on-off**  
E27 max 60w  
cavo/cable L=250cm  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	ph00136
<i>totalblack</i>	ph00138
brunito verniciato-cavo nero/old brass painted- black cable	ph00137
cromo-colori cavi a scelta /chrome-color cables choice	ph00139


a richiesta led integrato  
integrated led on demand






finiture/finishes

codice/code




**ideatelaio 10/s2** struttura  
2 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	so01238
totalblack	so01239
brunito verniciato - cavo nero/old brass painted-cable black	so01240
cromo-colori cavi a scelta /chrome-color cables choice	so01241



**ideatelaio 10/s3** struttura  
3 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	so01242
totalblack	so01243
brunito verniciato - cavo nero/old brass painted-cable black	so01244
cromo-colori cavi a scelta /chrome-color cables choice	so01245



**ideatelaio 10/s4** struttura  
4 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	so01246
totalblack	so01247
brunito verniciato - cavo nero/old brass painted-cable black	so01248
cromo-colori cavi a scelta /chrome-color cables choice	so01249

l'ordine delle strutture a sospensione s2-s3-s4-s6-s8 si completa con gli accessori TELAIO a scelta  
suspension structures order s2-s3-s4-s6-s8 will be completed with accessory TELAIO at your choice

376

**322 accessorio cubo 35**



totalwhite

acc00068

totalblack

acc00067


cromo/chrome

acc00069

brunito verniciato  
old brass painted

acc00456

**323 accessorio cubo 50**




acc00071

acc00070

acc00072

acc00457

**324 accessorio cubo 35 alto**




acc00124

acc00123

acc00122

acc00463

**325 accessorio cubo 50 alto**




acc00126

acc00125


acc00127

acc00464



**ideatelaio 14/s6** struttura  
6 E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

<i>totalwhite</i>	so01250
<i>totalblack</i>	so01251
brunito verniciato - cavo nero/old brass painted-cable black	so01252
cromo-colori cavi a scelta /chrome-color cables choice	so01253



**ideatelaio 14/s8** struttura  
8 E27 max 60w  
compatibile con lampade classe E→A+  
*compatible lamps class E→A+*

<i>totalwhite</i>	so01254
<i>totalblack</i>	so01255
brunito verniciato - cavo nero/old brass painted-cable black	so01256
cromo-colori cavi a scelta /chrome-color cables choice	so01257

l'ordine delle strutture a sospensione s2-s3-s4-s6-s8 si completa con gli accessori TELAIO a scelta  
suspension structures order s2-s3-s4-s6-s8 will be completed with accessory TELAIO at your choice

**326** accessorio  
t.cono 35

*totalwhite*

acc00074

*totalblack*

acc00073


*cromo/chrome*

acc00075

*brunito verniciato  
old brass painted*

acc00458

**327** accessorio  
t.cono 50




acc00077

acc00076

acc00078

acc00459

**328** accessorio  
t.cono 35 alto




acc00130

acc00129

acc00128

acc00465

**329** accessorio  
t.cono 50 alto



acc00132

acc00133

acc00131

acc00466



378







382



*ideatelaotwin*




383



384



ideatelaiotwin




386





apparecchio a sospensione regolabile in altezza con coprifilo in gesso bianco naturale e speciale cavo elettrico rivestito in tessuto nero, telai diffusori con fissaggio magnetico in acciaio nella finitura galvanica rame-matt o verniciato totalwhite o totalblack.

suspension luminaire adjustable with ceiling canopy in natural white plaster. black electric cable fabric coated and magnetic diffusers in iron galvanized finishes copper-matt or painted totalwhite or totalblack.



**ideastucco 20/so cubo**

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+



finiture/finishes

codice/code

gesso naturale-rame-matt-cavo nero

so01283


natural plaster-copper-matt-black cable

gesso naturale-totalwhite/natural plaster-totalwhite

so01285

gesso naturale-totalblack/natural plaster-totalblack

so01284



**ideastucco 20/so tronco cono**

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

gesso naturale-rame-matt-cavo nero

so01286

natural plaster-copper-matt-black cable


so01288

gesso naturale-totalwhite/natural plaster-totalwhite

so01287

gesso naturale-totalblack/natural plaster-totalblack

387



**ideastucco 20/s5 cubo**

5 E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

gesso naturale-rame-matt-cavo nero


so01139

natural plaster-copper-matt-black cable

so01435

gesso naturale-totalwhite/natural plaster-totalwhite

so01390



**ideastucco 20/s5 tronco cono**

5 E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

gesso naturale-rame-matt-cavo nero

so01140

natural plaster-copper-matt-black cable

so01436

gesso naturale-totalwhite/natural plaster-totalwhite

so01391







390



391

esecuzione speciale con coprifilo colore nero/special order cover canopy color black




392




# ideacemento

- 2016



apparecchio da tavolo, parete, soffitto e sospensione con coprifilo e corpo in cemento naturale colato e cavo elettrico speciale rivestito in tessuto nero. anche con led integrato. versione a parete con led di cortesia e doppia accensione.

wall, table and suspension luminaire in solid cement and special electrical cable black fabric coated. also led integrated version. wall version with courtesy led and double lighting.



### ideacemento 6/lp on/off

E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+


finiture/finishes



codice/code

cemento naturale-cavo nero/solid cement-cable black

lp00256




### ideacemento 15/sp snodo

E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

cemento naturale/solid cement

sp00093



### ideacemento 25/ap

13w 1150lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

cemento naturale/solid cement

ap00938



### ideacemento 11/pl

3w 180lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

cemento naturale/solid cement

pl01796




### ideacemento 11/pl

4.5w 400lm 2700k - 230V  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

cemento naturale/solid cement

pl01797



### ideacemento 15/ap lungo

E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

cemento naturale - cavo nero/solid cement-cable black

ap00769

### ideacemento 15/ap lungo

E27 max 60w  
+ led cortesia/courtesy  
3w 24V 280lm 2700k  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
fornito con modulo led  
integrato di classe A+  
compatible lamps class E→A+  
this luminaire contains built-in led A+

cemento naturale - cavo nero/solid cement-cable black

ap00772



393




finiture/finishes

codice/code

**ideacemento 15/ap dec.**

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

cemento naturale - cavo nero/solid cement-cable black

ap00768

**ideacemento 15/ap dec.**E27 max 60w + led cortesia/courtesy  
3w 24V 280lm 2700k  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
fornito con modulo led  
integrato di classe A+  
compatible lamps class E→A+  
*this luminaire contains built-in led A+  
not replaceable class A+*

cemento naturale - cavo nero/solid cement-cable black


ap00771

**ideacemento 15/so**E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

cemento naturale - cavo nero/solid cement-cable black


so01177

394

**ideacemento 15/so dec.**E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+


cemento naturale - cavo nero/solid cement-cable black

so01179

**ideacemento 6/lp led on/off**3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

cemento naturale-cavo nero/solid cement-cable black

lp00257

**ideacemento 15/sp led snodo**3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*


cemento naturale/solid cement

sp00094





395



Ø10  
25  
1  
180°  
max

**ideacemento 10/sp snodo**

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

Ø10  
15  
1  
180°  
max

**ideacemento 10/sp led snodo**

3,7w 350mA 380lm 2700k

fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

ESRB



cemento naturale/solid cement

sp00899




ESRB




cemento naturale/solid cement

sp00900



**ideacemento 15/ap led lungo**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

cemento naturale - cavo nero/solid cement-cable black ap00770



**ideacemento 15/ap led dec.**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

cemento naturale - cavo nero/solid cement-cable black ap00767

**ideacemento 15/ap led dec.**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
+ led cortesia/courtesy  
3w 24V 280lm 2700k  
doppia accensione/double lighting


cemento naturale - cavo nero/solid cement-cable black ap00774

396



**ideacemento 15/so led**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

cemento naturale - cavo nero/solid cement-cable black so01178



**ideacemento 15/so led dec.**  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

cemento naturale - cavo nero/solid cement-cable black so01180





398






400





on/off


402








# ideamillecinquecento 2010 - 2015



quindici metri di cavo elettrico, otto fissaggi a vite inclusi, colore cavo a scelta tra quelli disponibili assemblato con spina EU e portalampade E27 finitura cromo, verniciato brunito, totalwhite o totalblack. Interruttore on/off su filo. Si completa con alcuni accessori dedicati.

fifteen meters of electric cable, eight fixing screw accessory to fix, colors cable on demand between available EU plug and socket E27 chrome finished, old brass, totalwhite or totalblack painted. on/off switch on the cable. to be complete with accessories dedicated.




**ideamillecinquecento 12/lp on/off**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+



finiture/finishes


codice/code

totalwhite	lp00089
totalblack	lp00090
brunito verniciato-cavo nero/old brass painted - black cable	lp00206
cromo-colori cavi a scelta /chrome-color cables choice	lp00088



**ideamillecinquecento 12/so**  
dec. on/off  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	so00341
totalblack	so00342
brunito verniciato-cavo nero/old brass painted - black cable	so00931
cromo-colori cavi a scelta /chrome-color cables choice	so00340




**ideamillecinquecento 35/so**  
led on/off  
3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+



totalwhite-ottica 180°/totalwhite-optic 180°	so01086
totalblack-ottica 180°/totalblack-optic 180°	so01087
brunito verniciato-ottica 180°-cavo nero	so01088
old brass painted-optic 180°-black cable	
cromo-ottica 180°-colori cavi a scelta	
chrome-optic 180°-color cable choice	so01085



406





408


# ideabarra

2013 - 2016



apparecchio a sospensione con struttura in acciaio regolabile in altezza, finiture cromo colore cavi elettrici a scelta tra quelli disponibili, anche verniciato totalwhite o totalblack. è possibile comporre moduli di barra da 70-140cm per soluzioni in continuità. altre lunghezze, numero luci e tipologie a richiesta.

suspension luminaire with iron structure adjustable in lenght chrome finished, electric cables colors on demand between available. also painted totalwhite or totalblack. componibile barra module 70-140cm for long continuity solutions. others lenghts, number lights on demand.



**ideabarra 70/s3**

3 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes




codice/code

**totalwhite** so00360

**totalblack** so00359

**cromo-colori cavi a scelta /chrome-color cables choice** so00358



**ideabarra 140/s6**

6 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

**totalwhite**

so00825


**totalblack**

so00826

**cromo-colori cavi a scelta /chrome-color cables choice**

so00824

409



**ideabarra 70/s3 led integrato**

3 x 3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

**totalwhite**


so01019

**totalblack**

so01020

**cromo-colori cavi a scelta /chrome-color cables choice**

so01018



**ideabarra 140/s6 led integrato**

6 x 3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
this luminaire contains built-in led A+

**totalwhite**

so01016

**totalblack**

so01017

**cromo-colori cavi a scelta /chrome-color cables choice**

so01015



410






412



413





libertà di espressione, pareti e soffitti diventano grandi fogli bianchi su cui disegnare la luce che pensate, che vorreste e che non c'è ancora. inviateci il vostro disegno o uno schizzo e progetteremo la vostra installazione fornendovi gli strumenti per realizzarla. kit luce assemblato in quattro finiture, altri colori a richiesta, cavo da assemblare nei colori disponibili senza maggiorazione.

freedom of expression, walls and ceilings become large white sheets on which to draw the light that you think, that you would like, and that is not there yet. send us a sketch or drawing and we will project your installation supplying you with the light-tools to. light kits assembled in four colors on demand, any colors cable available without surcharges on demand.



- 8 -

### kit e27 8/sp assemblato/wired

E27 max 60w

1-2-3-4 numero fori  
per passaggio dei cavi a richiesta  
1-2-3-4 number holes

for electric cable on demand

compatibile con lampade classe E→A+

compatible lamps class E→A+

finiture/finishes

codice/code

**totalwhite**

sp00096

**totalblack**

sp00097

**brunito verniciato/old brass painted**

sp00098

**cromo/chrome**

sp00095



- 8 -

### kit e27 8/sp assemblato/wired

E27 max 60w

senza fori/no holes

compatibile con lampade classe E→A+

compatible lamps class E→A+

**totalwhite**

sp00099

**totalblack**

sp00100

**brunito verniciato/old brass painted**

sp00101

**cromo/chrome**

sp00102

415

a richiesta anche dimmerabile led da remoto 6-9-18w  
remote led dimmable 6-9-18w on demand



### 11 accessorio cavo elettrico

conduttore speciale da matassa 3x0,75 T 180°

acc00015


in silicone Ø 0,6cm e rivestimento calza di poliestere

in tutti i colori al metro(escluso oro)

electric cable 3x0,75 T 180° silicone 0,6cm and

coated polyester fabric of all colors.

cost per meter (gold excluded)



### 211 accessorio fissaggio per cavo elettrico parete/soffitto

accessorio in alluminio o nylon per fissaggio cavo elettrico max Ø 0,6cm  
parete/soffitto - dimensioni 2x1,3cm - rif. ideamillecinquecento  
aluminium or nylon accessory for wall ceiling fixing electric cable  
max Ø 0,6cm dimensions 2x1,3cm

**bianco/white**

acc00115

**nero/black**

acc00114

**cromo/chrome**

acc00113

**oro/ gold**

acc00462

**brunito verniciato/old brass painted**

acc00461



416

2200k



417








420





apparecchio a sospensione regolabile in altezza con cavo elettrico speciale a treccia rivestito in tessuto nei colori disponibili. portalampade in metallo tornito finitura ottonato brunito spazzolato-matt. lampada filamento di carbonio inclusa.

suspension luminaire adjustable lenght with twisted electric cable fabric coated in colors available. metal socket finished in old brassed brushed-matt. carbon filament lamp included.



### erocosì 10/so

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+  
fornito con lampada di classe E  
supplied with lamp class E



finiture/finishes


codice/code

ottonato brunito spazzolato-matt

so01136

cavo freccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand



### erocosì 10/so dec.

E27 max 60w


compatibile con lampade classe E→A+  
compatible lamps class E→A+  
fornito con lampada di classe E  
supplied with lamp class E

ottonato brunito spazzolato-matt

so01137

cavo freccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand



### erocosì 10/s2 dec.

2 E27 max 60w


compatibile con lampade classe E→A+  
compatible lamps class E→A+  
fornito con lampade di classe E  
supplied with lamps class E

ottonato brunito spazzolato-matt

so01134

cavo freccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand



### erocosì 10/s4 dec.

4 E27 max 60w


compatibile con lampade classe E→A+  
compatible lamps class E→A+  
fornito con lampade di classe E  
supplied with lamps class E

ottonato brunito spazzolato-matt

so01135

cavo freccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand



### erocosì 14/s6 dec.

6 E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+  
fornito con lampade di classe E  
supplied with lamps class E

ottonato brunito spazzolato-matt

so01138


cavo freccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand

fornito con lampada filamento di carbonio 40w cod. lamE27036  
supplied with squirrel cage lamp 40w code lamE27036



422



### erocosì 25/ap


E27 max 60w

compatibile con lampade classe E-A+

compatible lamps class E-A+

fornito con lampada di classe E

supplied with lamp class E



### erocosì 35/ap disco

E27 max 60w

compatibile con lampade classe E-A+

compatible lamps class E-A+

fornito con lampada di classe E

supplied with lamp class E



finiture/finishes

codice/code

ottone brunito spazzolato-matt

ap00851

cavo treccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand

ottone brunito spazzolato-matt

ap00903

cavo treccia colore a richiesta

old brassed brushed-matt - twisted cable color on demand

- Ø20 -





424





426





428



429



EXTRACTION








432




# c'eraunidea

2007 - 2017



apparecchio con portalampe in ceramica bianca e speciale cavo elettrico rivestito in tessuto. dettagli in acciaio con finiture cromo o verniciato totalblack e totalwhite, anche in ottone grezzo non trattato ed in versione led integrato.

luminaire with ceramic socket with and black, with special electric cable fabric coated. details in iron chrome finished or painted totalblack e totalwhite. also version in raw brass untreated and version integrated led module.



## c'eraunidea 12/lp on/off

E27 max 60w


compatibile con lampade classe E→A+  
compatible lamps class E→A+



finiture/finishes

codice/code


totalwhite	lp00689
totalblack	lp00690
cromo-bianco-cavo trasparente chrome-white-cable transparent	lp00011
ottone grezzo non trattato-bianco-cavo bianco raw brass untreated-white-cable white	lp00258



## c'eraunidea 10/ap

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



totalwhite

ap00924

totalblack

ap00925

cromo-bianco/chrome-white


ap00002

ottone grezzo non trattato-bianco

ap00802

raw brass untreated-white


433



## c'eraunidea 10/pl

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



totalwhite

pl01702

totalblack

pl01703


cromo-bianco/chrome-white

pl00061

ottone grezzo non trattato-bianco

pl01574

raw brass untreated-white



## c'eraunidea 10/so

E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+



totalwhite

so01402

totalblack

so01403

cromo-bianco-cavo bianco/grigio

so00025

chrome-white-cable white/grey

ottone grezzo non trattato-bianco-cavo bianco

so01424

raw brass untreated-white-cable white

433



434



versione 130s4 con accessorio disco f40 Ø20  
version 130s4 with accessory disco f40 Ø20



finiture/finishes	codice/code
-------------------	-------------



**c'eraunidea 10/so disco 20**  
E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+


<i>totalwhite</i>	so01408
<i>totalblack</i>	so01409
<i>cromo-bianco-cavo bianco/grigio</i>	so01410
<i>chrome-white-cable white/grey</i>	
<i>ottone grezzo non trattato-bianco-cavo bianco</i>	so01411
<i>raw brass untreated-white-cable white</i>	



**c'eraunidea 10/so led**  
led 4w 350mA 280lm 2700k  
fornito con modulo led  
integrale di classe A+  
*this luminaire contains built-in led A+*


<i>totalwhite</i>	so01425
<i>totalblack</i>	so01426
<i>cromo-bianco-cavo bianco/ chrome-white-cable white</i>	so01427
<i>ottone grezzo non trattato-bianco-cavo bianco</i>	so01428
<i>raw brass untreated-white-cable white</i>	

436




**c'eraunidea 70/s2**  
2 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	so01456
<i>totalblack</i>	so01457
<i>cromo-bianco-cavo bianco/grigio</i>	so01458
<i>chrome-white-cable white/grey</i>	
<i>ottone grezzo non trattato-bianco-cavo bianco</i>	so01459
<i>raw brass untreated-white-cable white</i>	



**c'eraunidea 130/s2**  
2 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	so01412
<i>totalblack</i>	so01413
<i>cromo-bianco-cavo bianco/grigio</i>	so01414
<i>chrome-white-cable white/grey</i>	
<i>ottone grezzo non trattato-bianco-cavo bianco</i>	so01415
<i>raw brass untreated-white-cable white</i>	



c'eraunidea 130/s4

4 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes



codice/code

totalwhite

so01416

totalblack

so01417

cromo-bianco-cavo bianco/grigio

so01418

chrome-white-cable white/grey

ottone grezzo non trattato-bianco-cavo bianco

so01419

raw brass untreated-white-cable white





438







440



con accessorio disco f40 Ø 20-30/ accessory disco f40 Ø 20-30



442



### c'eraunidea 90/s6

4 E27 max 60w

compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes

codice/code

totalwhite

so01420

totalblack

so01421

cromo-bianco-cavo bianco/grigio

chrome-white-cable white/grey


ottone grezzo non trattato-bianco-cavo nero

so01422

raw brass untreated-white-cable black

so01423





c'eraunidea 26/ph on/off

E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+

175

- 27 -

finiture/finishes

codice/code

totalwhite

ph00323

totalblack

ph00324

cromo-bianco-cavo bianco/ chrome-white-cable white

ph00004

ottone grezzo non trattato-bianco-cavo nero

ph00290

raw brass untreated-white-cable black



444







446










ottica / optic 90°

450





finiture/finishes	codice/code
totalwhite	ap00926
totalblack	ap00927
cromo-bianco-cavo bianco/grigio	ap00537
chrome-white-cable white/grey	
ottone grezzo non trattato-bianco-cavo bianco	
raw brass untreated-white-cable white	ap00803




**c'eraunidea 10/ap led**  
**4w 350mA 280lm 2700K**  
**fornito con modulo led**  
**integrato di classe A+**  
**this luminaire contains built-in led A+**








454



apparecchio da tavolo, pavimento, parete e sospensione con struttura in acciaio verniciato brunito ottone, totalwhite o totalblack, finiture galvaniche brunito scuro-matt, ottonato brunito spazzolato-matt, ramato brunito spazzolato-matt, con speciale cavo elettrico rivestito in tessuto.

*table, floor, wall and suspension luminaire with iron structure painted brass, totalwhite, totalblack. galvanized finishes old brass dark-matt, old brassed burnished-matt, old copper burnished-matt, special electric cable fabric coated.*



### idea 85/ph on/off

E27 max 60W

compatibile con lampade classe E→A+

compatible lamps class E→A+

#### finiture/finishes



#### codice/code

totalwhite ph00143

totalblack ph00144

ottone verniciato-cavo nero/brass painted-black cable ph00145

brunito scuro-matt - cavo nero ph00146

dark old-brass-matt - black cable


ottonato brunito spazzolato-matt - cavo nero ph00142

old brassed brushed-matt - black cable

ramato brunito spazzolato-matt - cavo nero ph00147

old copper brushed-matt - black cable

455



### idea 85/ph led on/off

7,5w 700mA 650lm 2700K

fornito con modulo led

integrato di classe A+

this luminaire contains built-in led A+

#### finiture/finishes



totalwhite ph00141

totalblack ph00148

ottone verniciato-cavo nero/brass painted-black cable ph00149

brunito scuro-matt - cavo nero ph00151

dark old-brass-matt - black cable

ottonato brunito spazzolato-matt - cavo nero ph00140

old brassed brushed-matt - black cable

ramato brunito spazzolato-matt - cavo nero ph00150

old copper brushed-matt - black cable



456





458






460




finiture/finishes	codice/code
-------------------	-------------




**idea 10/ap led**  
3,7w 350mA 380lm 2700K  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	ap00672
<i>totalblack</i>	ap00673
brunito verniciato - cavo nero/old brass painted - cable black	ap00675
cromo-cavo nero/chrome-cable black	ap00674
ottone grezzo non trattato-cavo nero	ap00700
raw brass untreated-cable black	




**idea 10/ap led on/off dec.**  
3,7w 350mA 380lm 2700K  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

<i>totalwhite</i>	ap00677
<i>totalblack</i>	ap00678
brunito verniciato - cavo nero/old brass painted - cable black	ap00679
cromo-cavo nero/chrome-cable black	ap00676
ottone grezzo non trattato-cavo nero	ap00699
raw brass untreated-cable black	




**idea 10/ap**  
E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	ap00465
<i>totalblack</i>	ap00466
brunito verniciato - cavo nero/old brass painted - cable black	ap00467
cromo-colori cavi a scelta /chrome-color cables choice	ap00468
ottone grezzo non trattato-cavo nero	ap00766
raw brass untreated-cable black	



**idea 10/ap on/off dec.**  
E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	ap00472
<i>totalblack</i>	ap00473
brunito verniciato-cavo nero/old brass painted-cable black	ap00474
cromo-colori cavi a scelta /chrome-color cables choice	ap00146
ottone grezzo non trattato-cavo nero	ap00939
raw brass untreated-cable black	



**idea 12/lp on/off**  
E27 max 60W  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

<i>totalwhite</i>	lp00184
<i>totalblack</i>	lp00185
brunito verniciato-cavo nero/old brass painted-cable black	lp00186
cromo/chrome	lp00091
ottone grezzo non trattato-cavo nero	lp00691
raw brass untreated-cable black	






462





464




**idea 10/so**

E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

*totalwhite*

so00333

*totalblack*

so00332

brunito verniciato-cavo nero/old brass painted-cable black

so00331

cromo-colori cavi a scelta/chrome-color cables choice

so00330

ottone grezzo non trattato-cavo nero

so01444

raw brass untreated-cable black

**idea 10/so dec.**

E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

*totalwhite*

so00337

*totalblack*

so00336

brunito verniciato - cavo nero/old brass painted-cable black

so00335


cromo-colori cavi a scelta/chrome-color cables choice

so00334

ottone grezzo non trattato-cavo nero

so01445

raw brass untreated-cable black


**idea 10/s2 dec.**

2 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

*totalwhite*

so00320

*totalblack*

so00321

brunito verniciato-cavo nero/old brass painted-cable black

so00319


cromo-colori cavi a scelta/chrome-color cables choice

so00318

ottone grezzo non trattato-cavo nero

so01441

raw brass untreated-cable black


**idea 10/s3 dec.**

3 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

*totalwhite*

so00325

*totalblack*

so00324

brunito verniciato-cavo nero/old brass painted-cable black

so00323


cromo-colori cavi a scelta/chrome-color cables choice

so00322

ottone grezzo non trattato-cavo nero

so01442

raw brass untreated-cable black


**idea 10/s4 dec.**

4 E27 max 60w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

*totalwhite*

so00328

*totalblack*

so00329

brunito verniciato-cavo nero/old brass painted-cable black

so00327


cromo-colori cavi a scelta/chrome-color cables choice

so00326

ottone grezzo non trattato-cavo nero

so01443

raw brass untreated-cable black




### idea 14/s6 dec.

6 E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+




### idea 14/s8 dec.

8 E27 max 60w

compatibile con lampade classe E→A+

compatible lamps class E→A+



### idea 25/s13 dec.

13 E27 max 60w

doppia accensione/double lighting

compatibile con lampade classe E→A+

compatible lamps class E→A+



finiture/finishes

codice/code

**totalwhite**

so00345

**totalblack**

so00344

brunito verniciato - cavo nero/old brass painted-cable black

so00853

cromo-colori cavi a scelta /chrome-color cables choice

so00343

ottone grezzo non trattato-cavo nero

so01437

raw brass untreated-cable black

**totalwhite**

so00348

**totalblack**

so00347

brunito verniciato - cavo nero/old brass painted-cable black

so00854

cromo-colori cavi a scelta /chrome-color cables choice

so00346

ottone grezzo non trattato-cavo nero

so01438

raw brass untreated-cable black

### idea 25/s13 led dec.

13 E27 max 60w

+ 3 led cortesia/courtesy

1,2w 350mA 90lm 2700K

doppia accensione/double lighting

compatibile con lampade classe E→A+

fornito con modulo led

integrato di classe A+

compatible lamps class E→A+

this luminaire contains built-in led A+



**totalwhite**

so00351

**totalblack**

so00350

brunito verniciato - cavo nero/old brass painted-cable black

so00855

cromo-colori cavi a scelta /chrome-color cables choice

so00349

ottone grezzo non trattato-cavo nero

so01439

raw brass untreated-cable black

lunghezza cavi standard/length of standard cables:

1pcs x 70cm + 4pcs x 140cm + 8pcs x 250cm.



468



470




versione ottone grezzo non trattato - cavo oro/natural brass raw - gold cable version






# disco loop - 2015



accessorio per serie idea in acciaio verniciato brunito, bianco, nero, giallo, arancio, rosso, verde e finiture galvaniche ottonato brunito spazzolato-matt, ramato brunito spazzolato-matt, brunito scuro-matt. anche in ottone grezzo non trattato. fissaggio magnetico.

accessory for idea serie in iron painted old brass, white, black, yellow, orange, red, green or galvanized in old brass brushed-matt, copper brushed-matt, old dark brass-matt. also in raw brass untreated. magnetic fixing system.



— 20 —

**307 accessorio  
disco loop Ø 20**

finiture/finishes	codice/code
bianco verniciato/white painted	acc 00528
nero verniciato/black painted	acc 00529
giallo verniciato/yellow painted	acc 00530
rosso verniciato/red painted	acc 00531
arancio verniciato/orange painted	acc 00532
verde verniciato/green painted	acc 00533
brunito verniciato/old brass painted	acc 00534
ottonato brunito spazzolato-matt/old brassed brushed-matt	acc 00542
ramato brunito spazzolato-matt/copper brushed-matt	acc 00543
brunito scuro-matt/old dark brass-matt	acc 00577
ottone verniciato(brass painted	acc 00578



— 30 —

**308 accessorio  
disco loop Ø 30**

bianco verniciato/white painted	acc 00535
nero verniciato/black painted	acc 00536
giallo verniciato/yellow painted	acc 00537
rosso verniciato/red painted	acc 00538
arancio verniciato/orange painted	acc 00539
verde verniciato/green painted	acc 00540
brunito verniciato/old brass painted	acc 00541
ottonato brunito spazzolato-matt/old brassed brushed-matt	acc 00544
ramato brunito spazzolato-matt/copper brushed-matt	acc 00545
brunito scuro-matt/old dark brass-matt	acc 00579
ottone verniciato(brass painted	acc 00580

473










476












apparecchio a parete, soffitto e sospensione con sette, tredici o diciannove luci. coprifilo in metacrilato e dettagli in acciaio finitura cromo, oro, totalwhite, totalblack o brunito verniciato. doppia accensione.

wall, ceiling and suspension luminaire with seven, thirteen and nineteen lights. metacrylate ceiling canopy and iron details chrome finished, gold, or totalwhite, totalblack or old brass painted. double lighting.




**e7 30/pl 55**  
7 E27 max 25w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

**e7 30/so 105**  
7 E27 max 25w  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes	codice/code
totalwhite	pl00161
totalblack	pl00162
brunito verniciato-cavo nero/old brass painted-cable black	pl01478
cromo-cavi multicolore/chrome-cables multicolor	pl00156
oro-cavi oro/gold-cables gold	pl00160

finiture/finishes	codice/code
totalwhite	so00272
totalblack	so00273
brunito verniciato-cavo nero/old brass painted-cable black	so00930
cromo-cavi multicolore/chrome-cables multicolor	so00267
oro-cavi oro/gold-cables gold	so00271




**e13 45/pl 55**  
13 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

**e13 45/so 105**  
13 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	pl00119
totalblack	pl00120
brunito verniciato-cavo nero/old brass painted-cable black	pl01473
cromo-cavi multicolore/chrome-cables multicolor	pl00114
oro-cavi oro/gold-cables gold	pl00118

totalwhite	so00230
totalblack	so00231
brunito verniciato-cavo nero/old brass painted-cable black	so00925
cromo-cavi multicolore/chrome-cables multicolor	so00225
oro-cavi oro/gold-cables gold	so00229




**e19 55/pl 55**  
19 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

**e19 55/so 105**  
19 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+


totalwhite	pl00126
totalblack	pl00127
brunito verniciato-cavo nero/old brass painted-cable black	pl01474
cromo-cavi multicolore/chrome-cables multicolor	pl00122
oro-cavi oro/gold-cables gold	pl00125

totalwhite	so00237
totalblack	so00238
brunito verniciato-cavo nero/old brass painted-cable black	so00926
cromo-cavi multicolore/chrome-cables multicolor	so00232
oro-cavi oro/gold-cables gold	so00236



**e10 50/ap 70**  
10 E27 max 25w  
**doppia accensione/double lighting**  
compatibile con lampade classe E→A+  
**compatible lamps class E→A+**

finiture/finishes	codice/code
<i>totalwhite</i>	ap00810
<i>totalblack</i>	ap00811
brunito verniciato-cavo nero/old brass painted-cable black	ap00812
cromo-cavi multicolore/chrome-cables multicolor	ap00814
oro-cavi oro/gold-cables gold	ap00815



**e10 50/ap 170**  
10 E27 max 25w  
**doppia accensione/double lighting**  
compatibile con lampade classe E→A+  
**compatible lamps class E→A+**

<i>totalwhite</i>	ap00804
<i>totalblack</i>	ap00805
brunito verniciato-cavo nero/old brass painted-cable black	ap00806
cromo-cavi multicolore/chrome-cables multicolor	ap00808
oro-cavi oro/gold-cables gold	ap00809

altri colori cavo e numero di luci a richiesta con maggiorazione  
other colors and numbers cables with surcharge on demand



483





485



486







488




490





apparecchio parete, soffitto e sospensione con quarantuno o sessantuno luci. coprifilo in metacrilato e dettagli in acciaio finitura cromo, oro, totalwhite, totalblack o brunito verniciato. doppia accensione.

wall, ceiling and suspension luminaire with fortyone or sixteenone lights. metacrylate ceiling canopy and iron details chrome finished, gold, totalwhite, totalblack or old brass painted. double lighting.



**e41 80/pl 110**


41 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

finiture/finishes



codice/code

totalwhite	p100147
totalblack	p100148
brunito verniciato-cavo nero/old brass painted-cable black	p101476
cromo-cavi multicolore/chrome-cables multicolor	p100142
oro-cavi oro/gold-cables gold	p100146




**e41 80/so 210**

41 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	so00258
totalblack	so00259
brunito verniciato-cavo nero/old brass painted-cable black	so00928
cromo-cavi multicolore/chrome-cables multicolor	so00253
oro-cavi oro/gold-cables gold	so00257

491



**e61 110/pl 110**

61 E27 max 25w  
doppia accensione/double lighting  
compatibile con lampade classe E→A+  
compatible lamps class E→A+

totalwhite	p100154
totalblack	p100155
brunito verniciato-cavo nero/old brass painted-cable black	p101477
cromo-cavi multicolore/chrome-cables multicolor	p100149
oro-cavi oro/gold-cables gold	p100153

492




versione/version brunito



Ø16

20

210



### e61 110/so 210

61 E27 max 25w

doppia accensione/double lighting

compatibile con lampade classe E→A+

compatible lamps class E→A+

finiture/finishes



codice/code

*totalwhite*

so00265

*totalblack*

so00266

*brunito verniciato-cavo nero/old brass painted-cable black*

so00929

*cromo-cavi multicolore/chrome-cables multicolor*


so00260

*oro-cavi oro/gold-cables gold*

so00264

494

70



### e23 85/ap 70

23 E27 max 25w

doppia accensione/double lighting

compatibile con lampade classe E→A+

compatible lamps class E→A+

*totalwhite*

ap00822

*totalblack*

ap00823

*brunito verniciato-cavo nero/old brass painted-cable black*

ap00824

*cromo-cavi multicolore/chrome-cables multicolor*

ap00826


*oro-cavi oro/gold-cables gold*

ap00827

— 45 —

Ø85

170



### e23 85/ap 170

23 E27 max 25w

doppia accensione/double lighting

compatibile con lampade classe E→A+

compatible lamps class E→A+

*totalwhite*

ap00816

*totalblack*

ap00817

*brunito verniciato-cavo nero/old brass painted-cable black*

ap00818

*cromo-cavi multicolore/chrome-cables multicolor*

ap00820

*oro-cavi oro/gold-cables gold*

ap00821

— 45 —

Ø85

il disegno iconico utilizza lampade G120  
iconic drawings luminaire with G120 bulb









498







500


# lumen

2000 - 2016




apparecchio a sospensione regolabile in altezza con corpo in pressofusione di alluminio e finiture verniciato brunito, totalwhite, totalblack, fornito con lampada led chiara mezza cupola sabbiata. anche in versione led integrato con diffusore opale.

suspension luminaire adjustable in height with body in die-cast aluminium finished painted totalwhite, totalblack or old brass. supplied with lamp led half top dome sandblasted. also with integrated led module and opal diffuser.



### **lumen 12/so**


E27 max 60w  
compatibile con lampade classe E→A+  
fornito con lampada di classe A+  
*compatible lamps class E→A+*  
*supplied with lamp class A+*



### **lumen 6/so led**

3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes



codice/code

<b>totalwhite</b>	so00437
<b>totalblack</b>	so01125
brunito verniciato-cavo nero/old brass painted-black cable	so01126



501

<b>totalwhite</b>	so01127
<b>totalblack</b>	so01128
brunito verniciato-cavo nero/old brass painted-black cable	so01129






502






504

# e one - 2016



il vecchio portalampe E40 accoglie la sorgente e diventa struttura negli apparecchi da tavolo, pavimento e parete. la sospensione con cavo a treccia rivestito in tessuto e regolabile in altezza. corpo con finitura verniciato totalwhite o totalblack con ghiera.


*old E40 metal socket allow the led source and became structure for led source for table, floor and wall lamp. suspension adjustable in lenght, with twisted fabric coated electric cable. metal body finished painted totalwhite o totalblack.*



## e one 24/lp


3,7w 350mA 380lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

finiture/finishes



codice/code


lp00238  
lp00239



## e one 28/ph

7,5w 700mA 650lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite  
totalblack



ph00155  
ph00156

505



## e one 24/ap

4,5w 220V 400lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite  
totalblack



ap00707  
ap00708



## e one 8/so

4,5w 220V 400lm 2700k  
fornito con modulo led  
integrato di classe A+  
*this luminaire contains built-in led A+*

totalwhite  
totalblack



so01130  
so01131

506




506






508

# ptl E40 - 2016



apparecchio da tavolo e sospensione regolabile con cavo elettrico a treccia rivestito in tessuto. corpo diffusore in ceramica bianca e diffusore in PMMA opale. versione tavolo con struttura in ottone grezzo non trattato e diffusore direzionale con snodo a farfalla.

table and suspension luminaire adjustable in light with twisted electric cable fabric coated and white ceramic diffuser in opal PMMA. table version with structure in natural brass raw untreated adjustable diffuser.



**ptl E40 8/so**  
8,5w 220V 800lm 2700k  
fornito con modulo led  
integrale di classe A+  
*this luminaire contains built-in led A+*




finiture/finishes

codice/code

ceramica bianca-cavo bianco  
white ceramic-white cable

so01141



**ptl E40 12/lp**  
3,7w 350mA. 380lm 2700k  
fornito con modulo led  
integrale di classe A+  
*this luminaire contains built-in led A+*



ceramica bianca-ottone grezzo non trattato  
white ceramic-raw brass untreated

lp00242

509

a richiesta con maggiorazione sospensione con cavo coassiale  
suspension with coaxial cable with surcharge on demand






510






512



apparecchio da tavolo, parete, sospensione con corpo in vetro trasparente stampato alto spessore e cavo rivestito in cinque colori standard, altri colori a richiesta. lampada led inclusa.

table, wall and suspension luminarie with machine-made heavy clear jar glass structure and coated cable in five standard colors, others colors on demand. lamp led included.



**barattolo 10/Ip led** on/off  
E27 max 60W  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
*compatible lamps class E→A+*  
*supplied with lamp class A+*

finiture/finishes



codice/code

cromo-cavo bianco-grigio/chrome-white-grey cable	lp00001
cromo-cavo bianco-nero/chrome-white-black cable	lp00002
cromo-cavo blu/chrome-blue cable	lp00005
cromo-cavo rosso/chrome-red cable	lp00003
cromo-cavo trasparente/chrome-clear cable	lp00004

fornito con lampada led chiara 1/2 cupola argentata superiore cod. lamled038G120 4w 240lm 2700k  
supplied with led clear lamp 1/2 top silver dome cod. lamled038 G120 4w 240lm 2700k




**barattolo 10/ap led**  
E27 max 60W  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
*compatible lamps class E→A+*  
*supplied with lamp class A+*

cromo-cavo bianco-grigio/chrome-white-grey cable	ap00653
cromo-cavo bianco-nero/chrome-white-black cable	ap00654
cromo-cavo blu/chrome-blue cable	ap00652
cromo-cavo rosso/chrome-red cable	ap00650
cromo-cavo trasparente/chrome-clear cable	ap00651

fornito con lampada led opale cod.lamled054 G95 9w 800lm 2700k  
supplied with led opal lamp cod.lamled054 G95 9w 800lm 2700k




**barattolo 10/so led**

E27 max 40W  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
*compatible lamps class E→A+*  
*supplied with lamp class A+*

**barattolo 10/so led dec.**

E27 max 40W  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
*compatible lamps class E→A+*  
*supplied with lamp class A+*

**finiture/finishes**

cromo-cavo bianco-grigio/chrome-white-grey cable	so01043
cromo-cavo bianco-nero/chrome-white-black cable	so01044
cromo-cavo blu/chrome-blue cable	so01042
cromo-cavo rosso/chrome-red cable	so01040
cromo-cavo trasparente/chrome-clear cable	so01041


cromo-cavo bianco-grigio/chrome-white-grey cable	so01038
cromo-cavo bianco-nero/chrome-white-black cable	so01039
cromo-cavo blu/chrome-blue cable	so01037
cromo-cavo rosso/chrome-red cable	so01035
cromo-cavo trasparente/chrome-clear cable	so01036



codice/code



515



#### barattolo 14/s4 dec. led

4 x E27 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
*compatible lamps class E→A+*  
*supplied with lamp class A+*

finiture/finishes

cromo-cavo bianco-grigio/chrome-white-grey cable	so01048
cromo-cavo bianco-nero/chrome-white-black cable	so01049
cromo-cavo blu/chrome-blue cable	so01047
cromo-cavo rosso/chrome-red cable	so01045
cromo-cavo trasparente/chrome-clear cable	so01046



codice/code

barattolo sospensione puo accogliere una lampada Ø 8 cm max  
barattolo suspension can fit lamp with Ø 8 cm max

sospensioni fornite con lampade goccia A60 cod.lamled014 led opale 4w - 300lm - 2700k  
suspensions supplied with lamps goccia A60 cod.lamled014 led opal 4w - 300lm - 2700k








518






519





# cappuccino

2000 - 2011 - 2015




apparecchio da tavolo, parete, soffitto, sospensione, incasso con dettagli in acciaio finitura cromo e diffusore in ceramica disponibile in sette colori. lampada led inclusa.

table, wall, ceiling and suspension luminaire with iron chrome finished details and ceramic diffuser in seven colors available. led lamp included.



521



### cappuccino 15/Ip led on/off

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

#### finiture/finishes


bianco-arancio/white-orange	lp00017
bianco-bianco/white-white	lp00014
bianco-blu/white-blue	lp00018
bianco-cromo/white-chrome	lp00016
bianco-nero/white-black	lp00019
bianco-rosso/white-red	lp00021
bianco-verde acido/white-green	lp00020



### cappuccinomaxi 17/Ip led on/off

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+


bianco-arancio/white-orange	lp00031
bianco-bianco/white-white	lp00030
bianco-blu/white-blue	lp00032
bianco-cromo/white-chrome	lp00222
bianco-nero/white-black	lp00033
bianco-rosso/white-red	lp00035
bianco-verde acido/white-green	lp00034



### cappuccino stelo 15/Ip led on/off

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+


cromo-arancio/chrome-orange	lp00025
cromo-bianco/chrome-white	lp00022
cromo-blu/chrome-blue	lp00026
cromo-cromo/chrome-chrome	lp00024
cromo-nero/chrome-black	lp00027
cromo-rosso/chrome-red	lp00029
cromo-verde acido/chrome-green	lp00028



### cappuccino 15/ap led

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange	ap00007
cromo-bianco/chrome-white	ap00004
cromo-blu/chrome-blue	ap00008
cromo-cromo/chrome-chrome	ap00006
cromo-nero/chrome-black	ap00009
cromo-rosso/chrome-red	ap00011
cromo-verde acido/chrome-green	ap00010



### cappuccinomaxi 17/ap led

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange	ap00669
cromo-bianco/chrome-white	ap00670
cromo-blu/chrome-blue	ap00572
cromo-cromo/chrome-chrome	ap00671
cromo-nero/chrome-black	ap00575
cromo-rosso/chrome-red	ap00573
cromo-verde acido/chrome-green	ap00574



522





finiture/finishes	codice/code
-------------------	-------------


**cappuccino 15/sp led**

11 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

bianco-arancio/white-orange  
bianco-bianco/white-white  
bianco-blu/white-blue  
bianco-cromo/white-chrome  
bianco-nero/white-black  
bianco-rosso/white-red  
bianco-verde acido/white-green


sp00023  
sp00024  
sp00025  
sp00026  
sp00027  
sp00028  
sp00029


**cappuccinomaxi 17/sp led**

13 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

bianco-arancio/white-orange  
bianco-bianco/white-white  
bianco-blu/white-blue  
bianco-cromo/white-chrome  
bianco-nero/white-black  
bianco-rosso/white-red  
bianco-verde acido/white-green

sp00030  
sp00031  
sp00032  
sp00033  
sp00034  
sp00035  
sp00036


**cappuccino 15/so led**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green


so00868  
so00123  
so00126  
so00125  
so00127  
so00129  
so00128


**cappuccinomaxi 17/so led**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00157  
so00156  
so00158  
so01081  
so00159  
so00161  
so00160


**cappuccino 15/so led dec.**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00133  
so00130  
so00134  
so00132  
so00135  
so00137  
so00136


**cappuccinomaxi 17/so led dec.**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00163  
so00162  
so00164  
so01082  
so00165  
so00167  
so00166




525



526

finiture/finishes


codice/code

**cappuccino 15/s2 led dec.**

2 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green


so00102  
so00100  
so00103  
so00099  
so00104  
so00106  
so00105

**cappuccinomaxi 17/s2 led dec.**

2 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00139  
so00138  
so00140  
so01078  
so00141  
so00143  
so00142

**cappuccino 15/s3 led dec.**

3 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00110  
so00107  
so00111  
so00109  
so00112  
so00114  
so00113


527

**cappuccinomaxi 17/s3 led dec.**

3 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00145  
so00144  
so00146  
so01079  
so00147  
so00149  
so00148

**cappuccino 15/s4 led dec.**

4 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00118  
so00115  
so00119  
so00117  
so00120  
so00122  
so00121

**cappuccinomaxi 17/s4 led dec.**

4 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

cromo-arancio/chrome-orange  
cromo-bianco/chrome-white  
cromo-blu/chrome-blue  
cromo-cromo/chrome-chrome  
cromo-nero/chrome-black  
cromo-rosso/chrome-red  
cromo-verde acido/chrome-green

so00151  
so00150  
so00152  
so01080  
so00153  
so00155  
so00154

fornito con lampada led retrofit E14 cod.lamled073 opale 4w 430lm 2700k  
supplied with bulb led retrofit E14 cod.lamled073 opal 4w 430lm 2700k

tutti i colori cavo a richiesta senza maggiorazione prezzo - piattino solo in ceramica bianca  
all colors cable at no extra cost on demand - side-plate available only in white ceramic




528




# bottles

1998 - 2013



apparecchio a parete e sospensione con diffusore in vetro sabbiato e dettagli in acciaio finitura nichel-matt. sospensione regolabile in altezza su speciale cavo elettrico in tessuto bianco/nero. lampada led inclusa.

wall and suspension luminaire with etched glass diffuser and details in iron nickel-matt finished. suspension adjustable in height on special fabric coated electric cable color white/black. led lamp included.



**bottles 8/ap led**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+


finiture/finishes



codice/code

ap00539

nichel-matt-vetro sabbiato-cavo bianco nero  
nickel-matt-sandblasted glass-cable white black



**bottles 8/so led**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

nichel-matt-vetro sabbiato-cavo bianco nero  
nickel-matt-sandblasted glass-cable white black

so00023




529

**bottles 8/so led dec.**

E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

nichel-matt-vetro sabbiato-cavo bianco nero  
nickel-matt-sandblasted glass-cable white black

so00024




**bottles 14/s6 led**

6 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

nichel-matt-vetro sabbiato-cavo bianco nero  
nickel-matt-sandblasted glass-cable white black

so00021



**bottles 100/s8 led**

8 E14 max 40w  
compatibile con lampade classe E→A+  
fornito con lampada classe A+  
compatible with lamps class E→A+  
supplied with lamp class A+

nichel-matt-vetro sabbiato-cavo bianco nero  
nickel-matt-sandblasted glass-cable white black

so00020

fornito con lampada led retrofit E14 cod.lamled035 opale 4w 430lm 2700k  
supplied with bulb led retrofit E14 cod.lamled035 opal 4w 430lm 2700k



530



531

## marchi / marks



in conformità con quanto previsto dalla direttiva CEE del 01.01.1996 vesoi applica il marchio indicato nei dati di targa dei suoi prodotti certificando che sono costruiti in conformità alle caratteristiche dei prodotti. le direttive applicate per la verifica dei prodotti sono la LVD 2014/35/UE, EMC 2014/30/UE, RoHS 2011/65/UE ed Ecodesign 2009/125/CE.

*in conformity with the provisions of the 01-01-1996 eec directive, vesoi places the mark on all its products depending on the characteristics of the products. directives applied for the verification of the products are the LVD 2014/35/UE, EMC 2014/30/UE, RoHS 2011/65/UE and Ecodesign 2009/125/CE.*



il marchio IMQ garantisce per l'italia il rispetto delle norme EN 60958-1, ovvero il prodotto è stato certificato da appositi laboratori che ne riconoscono il rispetto e l'applicazione.

*IMQ certification mark guarantees that a product respects the EN 60958-1 regulations, and that this has been verified by authorised laboratories.*



apparecchio conforme alla norma VDE 0710 parte 14, può essere installato all'interno di mobili normalmente o difficilmente infiammabili.

*luminaire conforming to part 14 of the vde0710 regulations, i.e. that can be mounted inside furniture with standard or reduced inflammability characteristics.*



apparecchio alimentato da rete a 230v ac con connessione a circuito di protezione per gli apparecchi di classe I.

*luminaire fed by 230v ac with connection a protection circuit for class I luminaire.*



apparecchio di classe II dove l'isolamento è garantito non solo dalla presenza di quello fondamentale ma anche da misure di sicurezza supplementari come il "doppio isolamento"; queste misure non comportano messa a terra e non dipendono dalle condizioni di installazione.

*class II filament where insulation is guaranteed not only by the presence of basic insulating measures but also by extra safety precautions such as "double insulation", which do not require earth connection or special installation methods.*



apparecchio classe III dove l'isolamento si basa unicamente sull'alimentazione in bassissima tensione; non deve essere provvisto di messa a terra di protezione.

*class III luminaire where insulation is based solely on low voltage current and does not require a protective earth connection.*



apparecchio protetto da corpi solidi superiori a 1,0mm e protetto contro gli spruzzi d'acqua, ideale per installazione in bagno.

*filament protected by solid covering more than 1 millimetre thick and protected against water splashes, therefore suitable for bathroom use.*

## RoHS 2

i prodotti vesoi rispettano la direttiva 2011/65/CE "restriction of hazardous substances directive" che impone restrizioni sull'uso delle seguenti sostanze: piombo, mercurio, cadmio, cromo esavalente, bifenili polibromurati (pbb) e etere di difenile polibromurato (pbde).

*all vesoi products conform with the 2011/65/CE restriction of hazardous substances directive regulating the use of lead, mercury, cadmium, hexavalent chrome, polybrominated biphenyl (pbb) and polybrominated diphenyl ethers (pbde).*



apparecchi con sorgenti luminose ed apparati elettronici conformi alle norme generali sul risparmio energetico.

*luminaire with electric light bulbs, or other electronic gear in conformity with general regulations covering energy saving.*

## simboli / icons



apparecchio con sorgente alogena con protezione.  
*luminaire with protected halogen bulb.*



apparecchio con sorgente alogena senza protezione.  
*luminaire with unprotected halogen bulb.*



lampada dimmerabile.  
*dimmable lamp.*



lampada led dimmerabile.  
*dimmable led lamp.*



l'apparecchio dimmerabile da remoto.  
*luminaire dimmable with remote control.*



apparecchio con interruttore sulla struttura.  
*luminaire with switch included on structure.*



apparecchio con trasformatore-driver su cavo e spina EU.  
*luminaire with plug-in EU transformer-driver.*



apparecchio con interruttore on/off su cavo con spina EU.  
*luminaire with the switch included with and plug EU on cable.*



apparecchio con dispositivo on/off dimmer su cavo con spina.  
*luminaire with dimmer on/off switch on cable.*



apparecchio con interruttore on/off su cavo a pavimento.  
*luminaire with floor on/off switch on cable.*



apparecchio con dispositivo on/off dimmer su cavo a pavimento.  
*luminaire with floor dimmer on/off switch on cable.*



è possibile personalizzare a richiesta colore e lunghezza del cavo elettrico standard.  
*it is possible to customize color and length of the electrical cable on demand.*



a richiesta fornibile con decentramento del cavo elettrico.  
*on demand available with structural decentralization for electrical cable.*



apparecchio fornito con lampada consigliata inclusa.  
*luminaire supplied with suitable bulb lamp included.*



apparecchio fornito con lampada led consigliata inclusa.  
*luminaire supplied with suitable bulb led lamp included.*



apparecchio con modulo/circuito led non sostituibile.  
*supplied with integrated led module not replaceable.*



apparecchio compatibile e/o fornito con lampada led retrofit.  
*appliance is supplied and/or compatible with led source retrofit.*



apparecchio con fissaggio a incasso parete/soffitto con fissaggio con molle.  
*luminaire fitted with recessed fixing sistem for wall/ceiling with springs.*



apparecchio con fissaggio a incasso-parete con fissaggio con malta rasata a filo.  
*luminaire fitted with wall fixing with trimmed mortar to thread wall.*

## nomenclatura / nomenclature.

il nome del prodotto viene seguito dalla dimensione massima in centimetri (diametro o lunghezza) segue lo slash con l'applicazione. in alcuni casi, segue il numero di luci o ulteriori informazioni per la sua corretta identificazione. la dicitura decentrato (abbreviata dec.) dopo l'applicazione di sospensione stà ad indicare che l'apparecchio è o può essere richiesto per il fissaggio decentrato al soffitto rispetto al punto di alimentazione. per alcune applicazioni parete/soffitto la dicitura "incasso" indica che è già o può essere predisposto per fissaggio ad incasso a filo parete e/o soffitto.

product name followed by maximum dimension in centimeters (diameter or length), from digit of the application which it follows in some cases the number of lights of appliance. some suspension luminaire take word dec. after application and indicated that appliance are predisposed for the ceiling fixing decentralized (respect power supply on the ceiling). some applications wall/ceiling "incasso" mean that appliance are predisposed for recessed fixing wall/ceiling.

### icone e sigle delle applicazioni / icons and digit applications

	<b>so</b>	sospensione / suspension		<b>lp</b>	tavolo / table
	<b>pl</b>	soffitto / ceiling		<b>ph</b>	pavimento / floor
	<b>ap</b>	parete / wall		<b>incasso</b>	incasso parete-soffitto recessed wall-ceiling lamp
	<b>sp</b>	soffitto-parete / ceiling-wall		<b>dec.</b>	sospensione decentrata suspension decentralized
	<b>lam</b>	lampada / bulb		<b>obj</b>	oggetti (visita vesoi.com) objects (visit vesoi.com)
	<b>ACC.</b>	accessori / accessories			

533

### esempi / examples

<b>multiplo 40/sp</b>	<b>caro 50/ph</b>
<u>nome/name</u>	<u>nome/name</u>
<u>Ø max (cm)/max lenght</u>	<u>Ø max (cm)/max lenght</u>
<u>applicazione/application</u>	<u>applicazione/application</u>
<b>interferenza 5/ap incasso</b>	<b>lumone 80/ph</b>
<u>nome/name</u>	<u>nome/name</u>
<u>Ø max (cm)/max diameter in cm</u>	<u>Ø max (cm)/max diameter</u>
<u>apparecchio fornito con fissaggio a parete ad incasso. luminaire supplied with recessed fixing base.</u>	<u>applicazione/application</u>
<u>applicazione/application</u>	
<b>m. t. o. 10/so dec.</b>	<b>ics 90 / so</b>
<u>nome/name</u>	<u>nome/name</u>
<u>Ø max (cm)/max diameter in cm</u>	<u>Ø max (cm)/max diameter</u>
<u>apparecchio con decentramento. decentralized luminaire.</u>	<u>applicazione/application</u>
<u>applicazione/application</u>	

cavo speciale tondo in silicone rivestito in tessuto / our special silicone electric cables fabric coated



cavo tondo speciale rivestito in treccia di acciaio finitura nichel / special electric cable iron braid nikel finished



cavo a treccia speciale rivestito in tessuto / special twisted electric cables




535

cavo tondo trama net speciale rivestito in tessuto / special textured net electric cables



cavo coassiale in fep + pvc a bassissima tensione con tela kevlar / fep + pvc coaxial electric cables in kevlar





v212 ottone cod.1760 verniciato  
brassed cod.1760 painted

n301 ottone grezzo non trattato  
raw brass untreated

g101 oro  
gold

g102 ottonato-matt  
iron brassed-matt

g103 rame  
copper polished

g104 rame brunito spazzolato-matt  
old copper brushed-matt

g105 ottonato brunito spazzolato-matt  
old brassed brushed-matt

v213 brunito verniciato  
old brass painted

g107 brunito antico  
burnished antique

g108 nichel  
nikel polished

g109 cromo  
chrome polished



v201 visone verniciato  
*vison painted*

v202 nero cod.9005 verniciato goffrato-matt  
*black cod.9005 painted embossed-matt*

g100 brunito scuro-matt  
*burnished dark-matt*

v204 grigio verniciato-matt  
*grey painted-matt*

g106 nichel-matt  
*nikel-matt*

g110 nichel spazzolato  
*nikel brushed-matt*

537

v207 bianco cod.9010 verniciato goffrato-matt  
*white cod.9010 painted embossed-matt*

v208 verde cod.6018 verniciato  
*green cod.6018 painted*

v209 giallo cod.1018 verniciato  
*yellow cod.1018 painted*

v210 arancio cod.2003 verniciato  
*orange cod.2003 painted*

v211 rosso cod.3020 verniciato  
*red cod.3020 painted*

v214 azzurro cod.1485 verniciato  
*cyan cod.1485 painted*



foto in demo con tubetto e coprifilo ad incasso in gesso fissaggio con malta rasata.  
*demo photo with tubetto and recessed ceiling plaster base fixed with to flush on plasterboard*



**accessori che completano  
personalizzano e caratterizzano  
i nostri apparecchi  
ed espressione di ciò che amiamo definire  
*mindmadedesign***

539

**accessories that complete  
customize and characterize  
our luminaire  
expression of that we love define  
*mindmadedesign***

# cavo al metro da matassa / from coil



10 accessorio  
cavo elettrico



da matassa / from coil

codice/code

conduttore speciale liscio 3x0,75 T 180° FEP+PVC trasparente al metro acc00006  
electric cable 3x0,75 T 180° FEP+PVC transparent. cost per meter



11 accessorio  
cavo elettrico

conduttore speciale liscio da matassa 3x0,75 T 180° in silicone Ø 0,6cm acc00015  
e rivestimento calza di poliestere in tutti i colori al metro (escluso oro)  
electric cable 3x0,75 T 180° silicone 0,6cm and coated polyester  
fabric of all colors. cost per meter (gold excluded)



12 accessorio  
cavo elettrico

conduttore speciale liscio da matassa 3x0,75 T 180° in silicone Ø 0,6cm acc00431  
e rivestimento calza di poliestere in oro al metro  
electric cable 3x0,75 T 180° silicone 0,6cm and coated polyester  
fabric in gold. cost per meter



13 accessorio  
cavo treccia

conduttore speciale a treccia Ø 0,7cm 3x0,75 T 90° in PVC acc00549  
e rivestimento con calza di poliestere in tutti i colori al metro.  
twisted electric cable Ø 0,7cm 3x0,75 T 90° PVC and coated polyester  
fabric all colors, cost per meter.

540



14 accessorio  
cavo net

conduttore speciale cavo n e t Ø 0,6cm 3x0,75 T 180° silicone acc00552  
rivestimento con rete di poliestere nei colori bianco, giallo, arancio,  
verde, rosso e nero al metro  
special electric cable n e t Ø 0,6cm 3x0,75 T 180° silicon coated  
polyester fabric colors white, yellow, orange, green, red, black.  
cost per meter



15 accessorio  
cavo coassiale

conduttore speciale coassiale Ø 0,27cm per bassissima tensione acc00554  
in kevlar al metro  
special electric coaxial cable in kevlar Ø 0,27cm. cost per meter.

# spezzonato / section of cable



**20 accessorio  
cavo elettrico**



**21 accessorio  
cavo elettrico**

**22 accessorio  
cavo elettrico**

**23 accessorio  
cavo elettrico**

**24 accessorio  
cavo elettrico**



**25 accessorio  
cavo treccia**

**26 accessorio  
cavo treccia**



**27 accessorio  
cavo net**

**28 accessorio  
cavo net**



**29 accessorio  
cavo coassiale**

spezzonato / section of cable

codice/code

spezzone di conduttore speciale liscio 3x0,75 T 180° con puntali acc00005  
FEP+PVC trasparente sguainato spelato ai 2 lati L=400cm  
piece of electric cable 3x0,75 T 180° FEP+PVC transparent length 400cm

spezzone di conduttore speciale liscio 3x0,75 T 180° in silicone acc00011  
Ø 0,6cm e rivestimento calza di poliestere in tutti i colori L=100cm  
già sguainato più puntali  
piece of electric cable 3x0,75 T 180° silicone 0,6cm and coated polyester  
fabric of all colors length 100cm spliced w/crimped terminals

spezzone di conduttore speciale liscio 3x0,75 T 180° in silicone acc00013  
Ø 0,6cm e rivestimento calza di poliestere in tutti i colori L=200cm  
già sguainato più puntali  
piece of electric cable 3x0,75 T 180° silicone 0,6cm and coated polyester  
fabric of all colors length 200cm spliced w/crimped terminals

spezzone di conduttore speciale liscio 3x0,75 T 180° in silicone acc00014  
Ø 0,6 e rivestimento calza di poliestere in tutti i colori L=250cm  
già sguainato più puntali  
piece of electric cable 3x0,75 T 180° silicone 0,6cm and coated polyester  
fabric of all colors length 250cm spliced w/crimped terminals

spezzone di conduttore speciale liscio 3x0,75 T 180° in silicone acc00546  
Ø 0,6cm e rivestimento calza di poliestere in tutti i colori L=400cm  
già sguainato più puntali  
piece of electric cable 3x0,75 T 180° silicone 0,6cm and coated polyester  
fabric of all colors length 400cm spliced w/crimped terminals

spezzone di conduttore speciale a treccia Ø 0,7cm 3x0,75 T 90° acc00547 541  
in PVC e rivestimento con calza di poliestere in tutti i colori L=250cm  
già sguainato più puntali ai due lati.  
piece of twisted electric cable 3x0,75 T 90° PVC 0,7cm and coated polyester  
fabric all colors length 250cm spliced with crimped terminals.

spezzone di conduttore speciale a treccia Ø 0,7cm 3x0,75 T 90° acc00548  
in PVC e rivestimento con calza di poliestere in tutti i colori L=400cm  
già sguainato più puntali ai due lati  
piece of twisted electric cable 3x0,75 T 90° PVC 0,7cm and coated polyester  
fabric all colors length 400cm spliced with crimped terminals


spezzone di conduttore speciale cavo n e t Ø 0,6cm 3x0,75 T 180° silicon acc00550  
coated polyester fabric colors white, yellow, orange, green, red,  
black length 250cm spliced with crimped terminals.

spezzone di conduttore speciale cavo n e t Ø 0,6cm 3x0,75 T 180° silicon acc00551  
coated polyester fabric colors white, yellow, orange,  
green, red, black length 400cm spliced with crimped terminals.

spezzone di conduttore speciale coassiale Ø 0,27cm acc00553  
per bassissima tensione in kevlar L=250cm già sguainato  
spelato ai due lati. piece of special electric cable coaxial kevlar  
Ø 0,27cm length 250cm.



**200 accessorio  
supporto fune di tenuta  
piccolo**



descrizione tecnica/description

codice/code

supporto a soffitto piccolo automatico in alluminio tornito finitura cromo per decentramento fune di tenuta sp. 1,2-1,5mm dimensioni 1,3x2,3cm (tassello incluso).

automatic small support decentralization aluminium chrome finished dimensions 1,3x2,3cm for iron wire sp.1,2-1,5mm (screw anchor included).

bianco/white

acc00433

nero/black

acc00434

cromo/chrome


acc00016

brunito verniciato/old brass painted

acc00438



**201 accessorio  
supporto fune di tenuta  
medio**



supporto a soffitto medio automatico in alluminio tornito finitura cromo per decentramento fune di tenuta sp. 1,2-1,5mm dimensioni 1,6x3,2cm (tassello incluso).

automatic medium support decentralization aluminium chrome finished dimensions 1,6x3,2cm for iron wire sp.1,2-1,5mm (screw anchor included).

bianco/white

acc00437

nero/black

acc00436

cromo/chrome


acc00017

brunito verniciato/old brass painted

acc00439



**202 accessorio  
supporto cavo elettrico  
piccolo**



supporto a soffitto piccolo in alluminio dimensioni 1,6x2,3cm per decentramento del cavo elettrico di alimentazione fino a Ø 0,7cm max (tassello incluso).

ceiling support-decentralization in aluminium 1,6x2,3cm for electric cable until Ø 0,7cm max (screw anchor included).

bianco/white

acc00020

nero/black

acc00019

cromo/chrome

acc00018

oro/gold

acc00440

brunito verniciato/old brass painted

acc00441

ottone naturale/natural brass

acc00559



**203 accessorio  
clip**



clip morsetto modello a "coccodrillo" in acciaio finitura nichel per spm (short paper message) per fune di tenuta in acciaio o cavo elettrico Ø 0,7cm max. 1 pezzo

nikel iron clamp "coccodrillo" for spm (short message paper) for iron wire or electric cable Ø 0,7cm max. 1 piece

acc00021

**204 accessorio  
clip kit**


kit clips morsetto modello a "coccodrillo" in acciaio finitura nichel per spm (short paper message) per fune di tenuta in acciaio o cavo elettrico Ø 0,7cm max. kit 3 pezzi

kit nikel iron clamp "coccodrillo" for spm (short message paper) for iron wire or electric cable Ø 0,7cm max. kit 3 pieces

acc00022




**205 accessorio  
regolo in cromo**




regolatore di altezza per cavo elettrico Ø 1cm max in acciaio finitura cromo

acc00039

cable reel for electric cable Ø 1cm max steel chrome finish



**206 accessorio  
regolo in vetro**



descrizione tecnica/description

codice/code


regolatore di altezza per cavo elettrico Ø 1,2 cm max  
in vetro chiaro pirex

acc00134

cable reel for electric Ø 1,2cm max in clear pirex glass




**207 accessorio  
molla piccola**



molla piccola Ø 16cm, h. 4cm in filo di acciaio Ø 3mm spiralato.  
iron spiral spring small Ø 16cm, h. 4cm thickness 3mm.

acc00443  
acc00444  
acc00025  
acc00442

**208 accessorio  
molla media**



molla media Ø 28cm, h. 8cm in filo di acciaio Ø 3mm spiralato.  
iron spiral spring medium Ø 28cm, h. 8cm thickness 3mm.

acc00446  
acc00447  
acc00026  
acc00445



**210 accessorio  
lettera A-Z**

a b c d e  
f g h i j  
k l m n o  
p q r s t  
u v w x y  
z

lettera a scelta in acciaio AISI 430 lucido con magnete e supporto acc00104  
di fissaggio in nylon bianco, cavo in nylon bianco (max Ø 6,2mm).


letter choice in AISI 430 polished with white nylon magnetic  
support fixing, cable white nylon (max Ø 6,2mm).



dimensioni accessori da 11 a 16cm / accessory dimensions from 11 to 16cm



**211 accessorio  
fissaggio per cavo elettrico  
parete/soffitto**



accessorio in alluminio o nylon per fissaggio cavo elettrico max Ø 0,6cm  
parete/soffitto - dimensioni 2x1,3cm - rif. ideamillecinquecento  
aluminium or nylon accessory for wall-ceiling fixing electric cable  
max Ø 0,6cm dimensions 2x1,3cm

bianco/white	acc00115
nero/black	acc00114
cromo/chrome	acc00113
oro/gold	acc00462
brunito verniciato/old brass painted	acc00461




descrizione tecnica/description

codice/code



**212 accessorio  
supporto cavo elettrico  
medio**



supporto a soffitto medio in alluminio dimensioni 2x5 cm per decentramento del cavo elettrico di alimentazione fino a Ø 0,7cm max (tassello incluso) - rif. idea

ceiling support-decentralization in aluminium 2x5 cm for electric cable until Ø 0,7cm max (screw anchor included) - rif. idea

bianco/white

acc00197

nero/black

acc00198

cromo/chrome

acc00196

oro/gold


acc00467

brunito verniciato/old brass painted

acc00468



**213 accessorio  
supporto cavo elettrico  
passante aperto piccolo**



supporto parete/soffitto passante aperto in alluminio dim. 1,4x2cm per fissaggio cavo elettrico Ø 0,3cm max - tassello incluso - rif. spazio

support in aluminium for wall/ceiling lamp open dim. 1,4x2cm for fixing electrical cable Ø 0,3cm max - plug included - rif. spazio

bianco/white

acc00477

nero/black

acc00478

cromo/chrome

acc00479

oro/gold


acc00480

brunito verniciato/old brass painted

acc00481



**214 accessorio  
supporto cavo elettrico  
passante aperto grande**



supporto parete/soffitto passante aperto in alluminio dim. 2,5x3,5cm per fissaggio cavo elettrico Ø 0,7cm max - tassello incluso rif. ideasettecento

support in aluminium for wall/ceiling lamp open dim. 2,5x3,5cm for fixing electrical cable Ø 0,7cm max - plug included - rif. ideasettecento

bianco/white

acc00488

nero/black

acc00489

cromo/chrome


acc00490

oro/gold

acc00491

brunito verniciato/old brass painted

acc00492



**300 accessorio  
nacchera  
in vetro di murano/murano glass**



pendaglio nacchera Ø 12cm cristallo  
rosso su cavo in nylon incolore - rif. close-up

acc00496

heavy pendant glass Ø 12 clear  
red with clear nylon wire to hang over - rif. close-up

pendaglio nacchera Ø 12cm cristallo  
bianco su cavo in nylon incolore

acc00497

heavy pendant glass Ø 12 clear  
white with clear nylon wire to hang over



**301 accessorio  
sfera piena  
in vetro di murano/murano glass**



sfera piena Ø 6cm vetro trasparente su cavo in nylon incolore  
rif. close-up

acc00498

heavy pendent solid glass clear Ø 6cm with clear nylon wire  
to hang over - rif. close-up




descrizione tecnica/description

codice/code




**302 accessorio  
carrucola con fissaggio**



carrucola in metallo nichelato grezzo con gola di scorrimento in nylon per cavo Ø 0,6cm max completa di supporto nichelato di fissaggio a soffitto (tasselli inclusi) - rif. tiramisù

acc00499

pulley wheel in metal nikel raw and roller in nylon for cord Ø 0,6cm max including ceiling fixing support (fischers included rif. tiramisù




**303 accessorio  
lettera a-z**




lettera in acciaio A.430 lucido con magnete su cavo in nylon incolore - L=250cm - rif. close-up

acc00500

letter in A.430 polished with clear nylon wire to hang over + magnetic support length 200cm - rif. close-up



**305 accessorio  
tela piccola**



tela bianca tramata con spalla in legno 5cm - dimensione 40x50x5cm rif. close-up


acc00527

white canvas on wood frame - dimensions 40x50x5cm rif. close-up

545



**306 accessorio  
tela media**




tela bianca tramata con spalla in legno 5cm - dimensione 70x110x5cm rif. close-up

acc00526

white canvas on wood frame - dimensions 70x110x5cm rif. close-up



**307 accessorio  
disco loop Ø 20**



disco in acciaio Ø 20cm con asola passacavo  
iron disk Ø 20cm with loop for electric cable

bianco verniciato/white painted

acc00528

nero verniciato/black painted

acc00529

giallo verniciato/yellow painted

acc00530

rosso verniciato/red painted

acc00531

arancio verniciato/orange painted

acc00532

verde verniciato/green painted

acc00533

brunito verniciato/old brass painted

acc00534

ottone brunito spazzolato -matt/old brass brushed-matt

acc00542

rame brunito spazzolato-matt/old copper brushed-matt

acc00543

brunito scuro-matt/old dark brass-matt

acc00577

ottone verniciato/brass painted

acc00578




descrizione tecnica/description


codice/code




**308 accessorio  
disco loop Ø 30**



**309 accessorio  
disco f40 Ø20**



**310 accessorio  
disco f40 Ø30**



**311 accessorio  
boxluce**

disco in acciaio Ø 30cm con asola passacavo  
iron disk Ø 30cm with loop for electric cable


bianco verniciato/white painted	acc00535
nero verniciato/black painted	acc00536
giallo verniciato/yellow painted	acc00537
rosso verniciato/red painted	acc00538
arancio verniciato/orange painted	acc00539
verde verniciato/green painted	acc00540
brunito verniciato/old brass painted	acc00541
ottone brunito spazzolato-matt/old brass brushed-matt	acc00544
rame brunito spazzolato-matt/old copper brushed-matt	acc00545
brunito scuro-matt/old dark brass-matt	acc 00579
ottone verniciato/brass painted	acc 00580

bianco/white	acc00623
nero/black	acc00624
brunito verniciato/old brass painted	acc00582
ottone verniciato/brass painted	acc00619

bianco/white	acc00620
nero/black	acc00621
brunito verniciato/old brass painted	acc00583
ottone verniciato/brass painted	acc00622



**312 accessorio  
bobino coprifilo**



coprifilo in acciaio e bobina di cavo a vista rivestito in tessuto a richiesta nei colori disponibili.

iron canopy fixing ceiling with coil cable at sight fabric coated colors available.

totalwhite verniciato/painted	acc00625
totalblack verniciato/painted	acc00626
brunito verniciato/old brass painted	acc00627
cromo/chrome	acc00628




descrizione tecnica/description

codice/code



**313 accessorio  
coprifilo in gesso incasso**



coprifilo architettonale a soffitto con corpo in gesso incasso a scomparsa in controsoffitto rasato con malta.  
recessed canopy white plaster inner body to flush on plasterboard.




gesso/plaster


acc00629



**314 accessorio  
coprifilo in gesso esterno**



coprifilo architettonale a soffitto con corpo in gesso esterno fissaggio a scomparsa in controsoffitto rasato con malta.  
recessed canopy white plaster external body to flush on plasterboard.




gesso/plaster

acc00630



**316 accessorio  
ocono 28**



diffusore in PMMA opale automontante completo di struttura in acciaio verniciato/PMMA opal diffuser self-standing with iron structure


opale-nero/opal-black  
opale-giallo/opal-yellow  
opale-arancio/opal-orange  
opale-rosso/opal-red  
opale-verde/opal-green  
opale-cromo/opal chrome

acc00561  
acc00562  
acc00563  
acc00564  
acc00565  
acc00575

547



**317 accessorio  
ocono 45**




diffusore in PMMA opale automontante completo di struttura in acciaio verniciato/PMMA opal diffuser self-standing with iron structure


opale-nero/opal-black  
opale-giallo/opal-yellow  
opale-arancio/opal-orange  
opale-rosso/opal-red  
opale-verde/opal-green  
opale-cromo/opal chrome

acc00566  
acc00567  
acc00568  
acc00569  
acc00570  
acc00576


**318 accessorio  
ambarabà**



**319 accessorio  
cicì**



**320 accessorio  
cocò**



trasparente/clear

acc00601

acc00607

acc00613

fumè/fumè

acc00602

acc00608

acc00614

trasparente-bianco/clear-white

acc00603

acc00609

acc00615

trasparente-arancio/clear-orange

acc00604

acc00610

acc00616

trasparente-grigio/clear-grey

acc00605

acc00611

acc00617

trasparente-bronzo-matt/clear-bronze-matt


acc00606

acc00612

acc00618



**321 accessorio twin**



accessori telaio in filo di acciaio Ø 5mm con fissaggio magnetico (non necessitano di alcun attrezzo) finiture verniciato goffrato ad alta resistenza bianco, nero o brunito verniciato. anche in versione galvanizzato cromo. altri colori a richiesta.

accessory telaio in steel wire Ø 5mm with magnetic fixing (not require any tools)  
finishes painted embossed high-strength white, black or old brass painted. also  
galvanized chrome. others colors on demand.


<b>totalwhite</b>	acc00080
-------------------	----------

<b>totalblack</b>	acc00079
-------------------	----------


<b>cromo/chrome</b>	acc00081
---------------------	----------

<b>brunito verniciato/old brass painted</b>	acc00460
---	----------


**322 accessorio cubo 35**




**323 accessorio cubo 50**



**324 accessorio cubo 35 alto**



**325 accessorio cubo 50 alto**



548

<b>totalwhite</b>	acc00068
-------------------	----------

acc00071
----------

acc00124
----------

acc00126
----------

<b>totalblack</b>	acc00067
-------------------	----------

acc00070
----------

acc00123
----------

acc00125
----------

<b>cromo/chrome</b>	acc00069
---------------------	----------

acc00072
----------

acc00122
----------

acc00127
----------


<b>brunito verniciato old brass painted</b>	acc00456
---	----------

acc00457
----------


acc00463
----------

acc00464
----------


**326 accessorio t.cono 35**




**327 accessorio t.cono 50**



**328 accessorio t.cono 35 alto**



**329 accessorio t.cono 50 alto**



<b>totalwhite</b>	acc00074
-------------------	----------

acc00077
----------

acc00130
----------

acc00132
----------

<b>totalblack</b>	acc00073
-------------------	----------

acc00076
----------

acc00129
----------

acc00133
----------

<b>cromo/chrome</b>	acc00075
---------------------	----------

acc00078
----------

acc00128
----------

acc00131
----------

<b>brunito verniciato old brass painted</b>	acc00458
---	----------

acc00459
----------

acc00465
----------

acc00466
----------



descrizione tecnica/description

codice/code



**600 accessorio  
mazzetta cavi**

mazzetta demo colore speciali cavi lisci Ø 0,6cm rivestiti in tessuto appendimento di fune nylon di 200cm

acc00555

wad demo color for special electric cables smooth Ø 0,6cm coated nylon fabric complete of hanging rope 200cm



**601 accessorio  
mazzetta cavi treccia**

mazzetta demo colore speciali cavi treccia Ø 0,58cm rivestiti in tessuto appendimento di fune nylon automatico di 200cm

acc00556

wad demo color for special electric cables braid Ø 0,58cm coated nylon fabric complete of hanging rope automatic 200cm



**602 accessorio  
mazzetta cavi coassiali**

mazzetta demo per speciali cavi coassiali Ø 0,27cm colori bianco, nero, rosso, trasparente, verde, viola, marrone, arancio.

acc00557

wad demo for special coaxial cables Ø 0.27cm colors white, black, red, clear, green, purple, brown, orange.



**603 accessorio  
mazzetta finiture metalli**

mazzetta demo colore finitura dei metalli verniciati, galvaniche, naturali.

acc00558

wad demo color finishing metals painted, galvanized or natural material.

note: i colori verniciati e le finiture galvaniche possono variare leggermente con il ripetersi dei cicli produttivi.

painted colors and finishes galvanic may vary slightly during different production cycles.



550



...selezioniamo dal mondo speciali sorgenti led a bulbo di nuova generazione nel rispetto delle normative UE sui requisiti di efficienza energetica (regolamento UE 874/2012) senza rinunciare alla qualità della luce in una dimensione inedita e immediata del linguaggio espressivo ed evocativo. ci piace farlo nel segno della continuità che è emozione e chiave del progetto al tempo stesso...

551

*we love to select in the world new generation bulbs in according to EU regulation 874/2012 focusing quality of light and efficiently, original shape, true key of project with emotion in sign of continuity in a fresh dimension, immediate and evocative expressive language at the same time...*




...il design senza aggettivi *giò ponti*

**E**   
**incandescenza linestra s14d**  
 incandescent linestra



linestra s14d
chiara/clear
240V - 1.000 h - 3x30cm
35w - 350 lm - 2700 k
cod. lin 002 chiara/clear


**E**   
**incandescenza filamento carbonio**  
 incandescent carbon filament




linolite E27 opale-chiara/opal-clear
filamento di carbonio/carbon filament
240V - 2.000 h - 3,8x31cm
60w - 460 lm - 2200 k
cod. E27028 chiara/clear

60w - 430 lm - 2200 k
cod. E27031 opale/opal




G120 E27 chiara/clear
filamento di carbonio/carbon filament
240V - 2.000 h - 12x17cm
40w - 300 lm - 2200 k
cod. E27035



pera 65 E27 chiara/clear
filamento di carbonio/carbon filament
240V - 2.000 h - 6,5x14cm
40w - 300 lm - 2200 k
cod. E27036

552

**C**   
**incandescenza halo-eco E27-G9**  
 incandescent globe halogen eco



G95 chiara/clear E27-G9
1/2 cupola argentata superiore
240V - 2.000 h - 9,5x14cm
18w - 150 lm - 2700 k
cod. lamhalo089

28w - 280 lm - 2700 k
cod. lamhalo090

42w - 450 lm - 2700 k
cod. lamhalo060



G120 E27-G9
opale/opal
240V - 2.000 h - 12x17cm
18w - 180 lm - 2700 k
cod. lamhalo065

28w - 330 lm - 2700 k
cod. lamhalo031

42w - 570 lm - 2700 k
cod. lamhalo036




G120 E27-G9
chiara/clear
240V - 2.000 h - 12x17cm
18w - 205 lm - 2700 k
cod. lamhalo064


28w - 370 lm - 2700 k
cod. lamhalo032


42w - 630 lm - 2700 k
cod. lamhalo037




G120 chiara/clear E27-G9
1/2 cupola argentata superiore
240V - 20.000 h - 12x17cm
18w - 150 lm - 2700 k
cod. lamhalo063
28w - 280 lm - 2700 k
cod. lamhalo033
42w - 450 lm - 2700 k
cod. lamhalo038





G120 chiara/clear E27-G9
1/2 cupola argentata inferiore
240V - 2.000 h - 12x17cm
18w - 200 lm - 2700 k
cod. lamhalo077
28w - 280 lm - 2700 k
cod. lamhalo078
42w - 440 lm - 2700 k
cod. lamhalo079




G120 chiara/clear E27-G9
anello argentato/silver ring
240V - 2.000 h - 12x17cm
18w - 180 lm - 2700 k
cod. lamhalo080
28w - 350 lm - 2700 k
cod. lamhalo081
42w - 550 lm - 2700 k
cod. lamhalo082




G120 chiara/clear E27-G9
1/2 bulbo argentato laterale
240V - 2.000 h - 12x17cm
18w - 160 lm - 2700 k
cod. lamhalo083
28w - 300 lm - 2700 k
cod. lamhalo084
42w - 580 lm - 2700 k
cod. lamhalo085




G120 chiara/clear E27-G9
1/2 cupola sabbia superiore
240V - 2.000 h - 12x17cm
18w - 170 lm - 2700 k
cod. lamhalo062
28w - 300 lm - 2700 k
cod. lamhalo066
42w - 470 lm - 2700 k
cod. lamhalo067



G120 chiara/clear E27-G9
1/2 cupola superiore rosso
240V - 2.000 h - 12x17cm
18w - 170 lm - 2700 k
cod. lamhalo068
28w - 300 lm - 2700 k
cod. lamhalo069
42w - 470 lm - 2700 k
cod. lamhalo070




G120 chiara/clear E27-G9
1/2 cupola superiore bianco
240V - 2.000 h - 12x17cm
18w - 170 lm - 2700 k
cod. lamhalo071
28w - 300 lm - 2700 k
cod. lamhalo072
42w - 470 lm - 2700 k
cod. lamhalo073




G120 chiara/clear E27-G9
1/2 cupola superiore nero
240V - 2.000 h - 12x17cm
18w - 150 lm - 2700 k
cod. lamhalo074
28w - 280 lm - 2700 k
cod. lamhalo075
42w - 450 lm - 2700 k
cod. lamhalo076

A+


# globo led E27-G9



G120 chiara/clear E27-G9 led
1/2 cupola argentata superiore
220-240V - 20.000 h - 12x17cm
4w - 240 lm - 2700 k
cod. lamled038



G120 chiara/clear E27-G9 led
1/2 cupola argentata inferiore
220-240V - 20.000 h - 12x17cm
4w - 240 lm - 2700 k
cod. lamled048




G120 chiara/clear E27-G9 led
anello argentato/silver ring
220-240V - 20.000 h - 12x17cm
4w - 250 lm - 2700 k
cod. lamled046




G120 chiara/clear E27-G9 led
1/2 cupola argentato laterale
220-240V - 20.000 h - 12x17cm
4w - 240 lm - 2700 k
cod. lamled047


554




G120 E27-G9 led
opale/opal
220-240V - 20.000 h - 12x17cm
4w - 230 lm - 2700 k
cod. lamled036




G120 E27-G9 led
chiara/clear
220-240V - 20.000 h - 12x17cm
4w - 330 lm - 2700 k
cod. lamled037



G120 chiara/clear E27-G9 led
1/2 cupola sabbia superiore
220-240V - 20.000 h - 12x17cm
4w - 250 lm - 2700 k
cod. lamled039



G120 chiara/clear E27-G9 led
1/2 cupola rosso 1/2 red dome
220-240V - 20.000 h - 12x17cm
4w - 230 lm - 2700 k
cod. lamled045



A<sup>+</sup>


led  
led





<b>goccia gls A60-A65 led</b>
opale/opal
110-240V - 20.000 h - 2700 k
A60 4w - 300 lm - 9x6cm
cod. lam/led014
A65 9w - 800lm - 10x7cm
cod. lamed049



<b>G95 E27 led</b>
vetro opale/opal glass
110-240V - 15.000 h - 12x17cm
9w - 800lm - 2700 k
cod. lam/led054





<b>G120 E27 led</b>
vetro opale/opal glass
220-240V - 15.000 h - 12x17cm
8w - 720lm - 2700 k
cod. lam/led059




<b>G95 E27 led</b>
opale/opal
110-240V - 15.000 h - 12x17cm
13w - 1250 lm - 2700 k
cod. lam/led077


556




<b>G120 E27 led</b>
opale/opal
110-240V - 15.000 h - 12x17cm
18w - 1700 lm - 2700 k
cod. lam/led055






<b>led E27</b>
opale/opal
110-240V - 20.000 h - 2700 k
30w - 2600 lm - 18,5x10cm
cod. lam/led068
40w - 3500 lm - 22,5x12cm
cod. lam/led056



<b>GU10 led</b>
par 16 dicroica
110-240V - 20.000 h - 5x6cm
9w - 850 lm - 2700 k
cod. lam/led003




<b>G9 led</b>
opale/opal
220-240V - 15.000 h - 6x1,6cm
4w - 350lm - 2700 k
cod. lam/led095




A+


## filamento led E14-E27





sfera E14 filamento led
220-240V - 12.000 h - 4,5x8cm
4w - 450lm - 2700 k
cod. lam/led074 chiara/clear
4w - 430lm - 2700 k
cod. lam/led073 opale/opal

T.25 E14 tubolare filamento led
110-240V - 12.000 h - 2,5x9,7cm
4w - 400lm - 2700 k
cod. lam/led034 chiara/clear
4w - 350lm - 2700 k
cod. lam/led035 opale/opal





T.37 E27 tubolare filamento led
110-240V - 12.000 - 3,7x12
6w - 650lm - 2700 k
cod. lam/led087 chiara/clear
6w - 600lm - 2700 k
cod. lam/led088 opale/opal

G120 E27 globo led filamento
chiara/clear
110-240V - 15.000 h - 12x17cm
8w - 850lm - 2700 k
cod. lam/led030


558


pera 65 E27 led filamento
chiara/clear
110-240V - 15.000 h - 6,5x14cm
8w - 850lm - 2700 k
cod. lam/led031

led filamento effetto vintage


led filament vintage effect

G120 E27 globo vintage
filamento led chiara
effetto filamento di carbonio
filament carbon effect
220-240V - 15.000 h - 12x17cm
6w - 400lm - 1800 k
cod. lam/led051

pera 65 E27 peravintage
filamento led chiara
effetto filamento di carbonio
filament carbon effect
220-240V - 15.000 h - 6,5x14cm
4w - 400lm - 1800 k
cod. lam/led053





T.38 E27 led tubolar vintage
filamento led chiara
effetto filamento di carbonio
filament carbon effect
110-240V - 12.000 h - 3,8x31cm
6w - 650lm - 2200 k
cod. lam/led032


A+



## led dimmerabile led dimmable




T.25 E14 tubolare led dim.
110-240V - 12.000 h - 2,5x9,7cm
4w - 350lm - 2700 k
cod. lam/led096 chiara/clear
4w - 400lm - 2700 k
cod. lam/led085 opale/opal




T.37 E27 tubolare led dim.
220-240V - 12.000 - 3,7x12
6w - 650lm - 2700 k
cod. lam/led089 chiara/clear
6w - 600lm - 2700 k
cod. lam/led090 opale/opal




G120 E27 globo led dim.
chiara/clear
220-240V - 15.000 h - 12x17cm
8w - 850lm - 2700 k
cod. lam/led060



pera 65 E27 led filamento dim.
chiara/clear
220-240V - 15.000 h - 6,5x14cm
6w - 500lm - 2700 k
cod. lam/led070



T.38 tubolare E27 led
filamento led chiara dim.
110-240V - 12.000 h - 3,8x31cm
6w - 650lm - 2200 k
cod. lam/led084



goccia gls A65 led dim.
opale/opal
220-240V - 20.000 h - 2700 k
9w - 800lm - 13x7cm
cod. lam/led050




G95 E27 led dim.
vetro opale/opal glass
220-240V - 15.000 h - 12x17cm
8,5w - 800lm - 2700 k
cod. lam/led086



G120 E27 led
vetro opale/opal glass
220-240V - 15.000 h - 12x17cm
8w - 750lm - 2700 k
cod. lam/led067

**A+**

## **led dimmerabile led dimmable**


**G120 E27 led dim.**

opale/opal

220-240V - 15.000 h - 12x17cm

18w - 1700lm - 2700 k

cod. lam/led064

**GU10 led dim.**

mr 16 dicroica

220-240V - 20.000 h - 5x6cm

6w - 400lm - 2700 k

cod. lam/led081


**G9 silicone led dim.**

chiara/clear

220-240V - 15.000 h - 5x1,6cm

3w - 300lm - 2700 k

cod. lam/led083

**linestra led s14d dim.**

opale/opal

220-240V - 12.000 h - 2700 k

5w - 450lm - 3x30cm

cod. lam/led092

8w - 750lm - 3x50cm

cod. lam/led091

560

**linestra led s14s dim.**

chiara/clear

220-240V - 15.000 h - 3x100cm

16w - 1360lm - 2700 k

cod. lam/led098

opale/opal

16w - 1280lm - 2700 k

cod. lam/led094





**questo non è un bianco.**

**questo è il nostro bianco !**



[vesoi.com](http://vesoi.com)